# NASA Scientific and Technical Publications A Catalog

of
Special Publications,
Reference Publications,
Conference Publications, and
Technical Papers

1988

document is available from the National Technical Information Service (NTIS), Springfield, ia 22161 as PR 849.

This Virgi

### **PREFACE**

The pursuit of human knowledge through scientific research and technical endeavor has vastly expanded understanding of our world and the universe we live in. The contributions of NASA through scientific and technical research and development affect not only our understanding and use of aeronautics and space but also touch our daily lives. Geologists, oceanographers, meteorologists, archeologists, aircraft engineers, aerospace decision makers, land-use planners, historians, and rescue teams all make use of the results of NASA's research. The findings of this research and development are published in NASA's scientific and technical report series as a part of NASA's mandate to disseminate the results of the agency's far-reaching work.

This catalog provides a list of NASA publications from four report series entered into the NASA scientific and technical information database during accession year 1988. For previous lists, see NASA Publications Records of Achievement, NASA SP-470 (accession number N83-33792), NASA Scientific and Technical Publications: A Catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1977-1986, NASA SP-7063(01) (accession number N87-30218). Supplement 02 of this catalog lists NASA publications announced in 1987. Two semimonthly abstract journals cover all aspects of aeronautics and space research, NASA and non-NASA, nationally and worldwide: STAR (Scientific and Technical Aerospace Reports), which focuses on scientific and technical reports, and IAA (International Aerospace Abstracts), which covers the open literature. These are available by subscription from, respectively, the U.S. Government Printing Office and the American Institute of Aeronautics and Astronautics, Inc., (see page vi).

This catalog includes publicly available reports from four NASA report series: Special Publications (SPs), Reference Publications (RPs), Conference Publications (CPs), and Technical Papers (TPs). The scope of each series is defined as follows:

Special Publications are often concerned with subjects of substantial public interest. They report scientific and technical information derived from NASA programs for audiences of diverse technical backgrounds.

Reference Publications contain compilations of scientific and technical data of continuing reference value.

Conference Publications record the proceedings of scientific and technical symposia and other professional meetings sponsored or cosponsored by NASA.

Technical Papers present the results of significant research conducted by NASA scientists and engineers.

Presented here are citations for reports from each of these series. An explanation of the elements in a typical citation follows. Accession numbers (N numbers) at the end of a citation are separate citations to articles within the report. Please use *STAR* to locate these citations.


Also note that some bibliographies in the NASA SP-7000 series are issued periodically. This catalog lists only the last accessioned report in each bibliography series. The periodicity of each bibliography is as follows:

NASA SP-7011	Aerospace Medicine and Biology: A Continuing Bibliography with Indexes	Monthly plus annual cumulative index
NASA SP-7037	Aeronautical Engineering: A Continuing Bibliography with Indexes	Monthly plus annual cumulative index
NASA SP-7039	NASA Patent Abstracts Bibliography: A Continuing Bibliography Section 1: Abstracts; Section 2: Indexes	Semiannual


NASA SP-7041	Earth Resources: A Continuing Bibliography with Indexes	Quarterly
NASA SP-7046	Technology for Large Space Systems: A Bibliography with Indexes	Semiannual
NASA SP-7056	Space Station Systems: A Bibliography with Indexes	Semiannual
NASA SP-7500	Management: A Bibliography for NASA Managers	Annual

Please note that the reports cited in this catalog are available for purchase from the U.S. Government Printing Office for a limited time after publication, depending on public demand, and from the National Technical Information Service (NTIS) with no time limit. They are also available at any Federal Regional Depository Library. Additional availability information follows, including current NTIS price schedules, which are keyed to the price code in the citation.

### TYPICAL CITATION AND ABSTRACT



### TYPICAL CITATION AND SUBJECT TERMS



### **SOURCES OF NASA PUBLICATIONS**

The source from which a publication is available to the public is given on the last line of the citation. Addresses for the organizations are given below.

### U.S. Government Printing Office

Superintendent of Documents U.S. Government Printing Office Washington, DC 20402

(202) 783-3238 Price and order information

Publications are available from GPO in hardcopy for a limited time after publication and initial distribution. The price and order number are given following the availability line.

### **National Technical Information Service**

National Technical Information Service 5285 Port Royal Rd. Springfield, VA 22161

(703) 487-4780 Information or document accession number

(703) 487-4650 Sales desk, price information

(703) 487-4630 Subscription information for subscription bibliographies (in the SP-7000 series)

Prices for hardcopy and microfiche are indicated by a price code preceded by the letters HC or MF in the citation. Current values for the price codes are given in the NTIS Price Schedules. Publications available on microfiche are identified by a # symbol following the accession number. Note: The # symbol is used without regard to the source or quality of the microfiche.

### **Public Collections of NASA Documents**

Federal Depository Library Program: In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 50 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA publication, either in printed or microfiche format, is received and retained by the 50 regional depositories. A list of the regional GPO libraries, arranged alphabetically by state, follows. These libraries are *not* sales outlets. A local library can contact a Regional Depository to help locate specific reports, or direct contact may be made by an individual.

Other Domestic: NASA publications are also available to the public for reference purposes at the library maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 555 West 57th Street, 12th Floor, New York, NY 10019, (212) 247-6500.

European: An extensive collection of NASA publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. European requesters may purchase facsimile copy or microfiche of NASA documents, those identified by both the symbols # and \*, from ESA, Information Retrieval Service, European Space Agency, 8-10 rue Mario-Nikis, 75738 Paris CEDEX 15, France.

### **NASA Scientific and Technical Information Facility**

NASA publications are available to NASA personnel, NASA contractors, other Government agencies and their contractors, and universities through local technical libraries. The NASA Scientific and Technical Information Facility also makes these publications available to registered users, but not to the general public.

For registration information contact:

NASA STI Facility
P.O. Box 8757
BWI Airport, MD 21240
(301) 621-0153 Registration information

### NTIS PRICE SCHEDULES

(Effective January 1, 1989)

# Schedule A STANDARD PRICE DOCUMENTS AND MICROFICHE

PRICE CODE,	NORTH AMERICAN PRICE	FOREIGN PRICE
A01-	\$ 6.95	\$13.90
A02	10.95	21.90
A03	13.95	27.90
A04-A05	15.95	31.90
A06-A09	21.95	43.90
A10-A13	28.95	57.90
A14-A17	36.95	73.90
A18-A21	42.95	85.90 ,
A22-A25	49.95	99.90
A99	•	•
NO1	55.00	70.00
NO2	55.00	80.00

### Schedule E EXCEPTION PRICE DOCUMENTS AND MICROFICHE

PRICE CODE	NORTH AMERICAN PRICE	FOREIGN PRICE
E01	\$ 9.00	18.00
E02	11.50	23.00
E03	13.00	26.00
E04	15.50	31.00
E05	17.50	35.00
E06	20.50	41.00
E07	23.00	46.00
E08	25.50	51.00
E09	28.00	56.00
E10	31.00	62.00
E11	33.50	67.00
E12	36.50	73.00
E13	39.00	78.00
E14	42.50	85.00
E15	46.00	92.00
E16	50.50	101.00
E17	54.50	109.00
E18	59.00	118.00
E19	65.50	131.00
E20	76.00	152.00
E99	•	•

\*Contact NTIS for price quote.

### **IMPORTANT NOTICE**

NTIS Shipping and Handling Charges
U.S., Canada, Mexico — ADD \$3.00 per TOTAL ORDER
All Other Countries — ADD \$4.00 per TOTAL ORDER

Exceptions — Does NOT apply to:

ORDERS REQUESTING NTIS RUSH HANDLING ORDERS FOR SUBSCRIPTION OR STANDING ORDER PRODUCTS ONLY

NOTE: Each additional delivery address on an order requires a separate shipping and handling charge.

### FEDERAL REGIONAL DEPOSITORY LIBRARIES

#### **ALABAMA**

### **AUBURN UNIV. AT MONTGOMERY** LIBRARY

**Documents Department** Montgomery, AL 36193 (205) 271-9650

### UNIV. OF ALABAMA LIBRARY

Documents Dept.-Box S University, AL 35486 (205) 348-6046

#### ARIZONA

### DEPT. OF LIBRARY, ARCHIVES AND PUBLIC RECORDS

Third Floor-State Cap. 1700 West Washington Phoenix, AZ 85007 (602) 255-4121

### UNIVERSITY OF ARIZONA LIB.

Government Documents Dept Tucson, AZ 85721 (602) 621-6433

#### **ARKANSAS**

#### **ARKANSAS STATE LIBRARY**

One Capitol Mall Little Rock, AR 72201 (501) 371-2326

#### **CALIFORNIA**

### **CALIFORNIA STATE LIBRARY**

Govt. Publications Section P.O. Box 2037 Sacramento, CA 95809 (916) 324-4863

### **COLORADO**

### UNIV OF COLORADO LIB.

Government Pub. Division Campus Box 184 Boulder, CO 80309 (303) 492-8834

### **DENVER PUBLIC LIBRARY**

Govt. Pub. Department 1357 Broadway Denver, CO 80203 (303) 571-2131

### CONNECTICUT

### CONNECTICUT STATE LIBRARY

Government Documents Unit 231 Capitol Avenue Hartford, CT 06106 (203) 566-7029

### **FLORIDA**

### UNIV. OF FLORIDA LIBRARIES

Library West Documents Department Gainesville, FL 32611 (904) 392-0367

### **GEORGIA**

### **UNIV. OF GEORGIA LIBRARIES**

Government Reference Dept. Athens, GA 30602 (404) 542-8949

### HAWAII

### UNIV. OF HAWAII LIBRARY

Govt. Documents Collection 2550 The Mail Honolulu, HI 96822 (808) 948-8230

### IDAHO

### **UNIV. OF IDAHO LIBRARY**

**Documents Section** Moscow, ID 83843 (208) 885-6344

### ILLINOIS

### **ILLINOIS STATE LIBRARY**

Information Services Branch Centennial Building Springfield, IL 62756 (217) 782-5185

#### INDIANA

### INDIANA STATE LIBRARY

Serials Documents Section 140 North Senate Avenue Indianapolis, IN 46204 (317) 232-3686

#### **IOWA**

### UNIV. OF IOWA LIBRARIES

Govt. Documents Department lowa City, IA 52242 (319) 353-3318

#### KANSAS

### **UNIVERSITY OF KANSAS**

Doc. Collect-Spencer Lib. Lawrence, KS 66045-2800 (913) 864-4662

### KENTUCKY

### UNIV. OF KENTUCKY LIBRARIES

Govt. Pub. Department Lexington, KY 40506-0039 (606) 257-3139

### **LOUISIANA**

### LOUISIANA STATE UNIVERSITY

Middleton Library Govt. Docs. Dept. Baton Rouge, LA 70803 (504) 388-2570

### LOUISIANA TECHNICAL UNIV. LIBRARY

Documents Department Ruston, LA 71272-0046 (318) 257-4962

### MAINE

### UNIVERSITY OF MAINE

Raymond H. Fogler Library Tri-State Regional Documents Depository Orono, ME 04469 (207) 581-1680

### MARYLAND

### **UNIVERSITY OF MARYLAND**

McKeldin Lib. - Doc. Div College Park, MD 20742 (301) 454-3034

### **MASSACHUSETTS**

### **BOSTON PUBLIC LIBRARY**

Government Docs. Dept. Boston, MA 02117 (617) 536-5400 ext.226

### **MICHIGAN**

### **DETROIT PUBLIC LIBRARY**

Sociology Department 5201 Woodward Avenue Detroit, MI 48202-4093 (313) 833-1409

### **MICHIGAN STATE LIBRARY**

P.O. Box 30007 Lansing, MI 48909 (517) 373-1593

### **MINNESOTA**

### UNIVERSITY OF MINNESOTA

Government Pubs. Division 409 Wilson Library 309 19th Avenue South Minneapolis, MN 55455 (612) 373-7870

### **MISSISSIPPI**

### UNIV. OF MISSISSIPPI LIB.

**Documents Department** University, MS 38677 (601) 232-5857

#### **MONTANA**

### UNIV. OF MONTANA

Mansfield Library Documents Division Missoula, MT 59812 (406) 243-6700

### **NEBRASKA**

### UNIVERSITY OF NEBRASKA -LINCOLN

Love Library Documents Department Lincoln, NE 68588-0410 (402) 472-2562

#### **NEVADA**

### UNIVERSITY OF NEVADA LIB.

Govt. Pub. Department Reno, NV 89557-0044 (702) 784-6579

### **NEW JERSEY**

### **NEWARK PUBLIC LIBRARY**

5 Washington Street Newark, NJ 07101-0630 (201) 733-7812

### **NEW MEXICO**

### UNIVERSITY OF NEW MEXICO

Zimmerman Library Government Pub. Dept. Albuquerque, NM 87131 (505) 277-5441

### **NEW MEXICO STATE LIBRARY**

Reference Department 325 Don Gaspar Avenue Santa Fe, NM 87503 (505) 827-3826

### **NEW YORK**

### **NEW YORK STATE LIBRARY**

Empire State Plaza Albany, NY 12230 (518) 474-5563

### NORTH CAROLINA UNIVERSITY OF NORTH CAROLINA AT CHAPEL HILL

Davis Library **BA/SS Documents Division** Chapel Hill, NC 27515 (919) 962-1151

### NORTH DAKOTA

### UNIVERSITY OF NORTH DAKOTA

Chester Fritz Library **Documents Department** Grand Forks, ND 58202 (701) 777-4629 In cooperation with North Dakota State Univ. Library

### OHIO

### STATE LIBRARY OF OHIO

Documents Department 65 South Front Street Columbus, OH 43266-0334 (614) 462-7051

### **OKLAHOMA**

### **CKLAHOMA DEPT. OF LIB.**

Government Documents 200 NE 18th Street Oklahoma City, OK 73105 (405) 521-2502, ext. 252

#### OKLAHOMA STATE UNIV. LIB.

**Documents Department** Stillwater, OK 74078 (405) 624-6546

#### **OREGON**

#### PORTLAND STATE UNIV. LIB.

Documents Department P.O. Box 1151 Portland, OR 97207 (503) 229-3673

### **PENNSYLVANIA**

#### STATE LIBRARY OF PENN.

Government Pub. Section P.O. Box 1601 Harrisburg, PA 17105 (717) 787-3752

### **TEXAS**

### **TEXAS STATE LIBRARY**

Public Services Department PO. Box 12927-Cap. Sta. Austin, TX 78711 (512) 475-2996

### TEXAS TECH. UNIV. LIBRARY

Govt. Documents Department Lubbock, TX 79409 (806) 742-2268

### UTAH

### **UTAH STATE UNIVERSITY**

Merrill Library, U.M.C. 30 Logan, UT 84322 (801) 750-2682

### **VIRGINIA**

#### UNIVERSITY OF VIRGINIA

Alderman Lib. - Public Doc. Charlottesville, VA 22903-2498 (804) 924-3133

### WASHINGTON

### **WASHINGTON STATE LIBRARY**

Documents Section Olympia, WA 98504 (206) 753-4027

### **WEST VIRGINIA**

### WEST VIRGINIA UNIV. LIB.

Documents Department Morgantown, WV 26506-6069 (304) 293-3640

### WISCONSIN

#### **MILWAUKEE PUBLIC LIBRARY** 814 West Wisconsin Avenue

Milwaukee, WI 53233 (414) 278-3065

### ST. HIST LIB. OF WISCONSIN

Government Pub. Section 816 State Street Madison, WI 53706 (608) 262-4347

### WYOMING

### WYOMING STATE LIBRARY

Supreme Ct. & Library Bld. Cheyenne, WY 82002 (307) 777-5919

### TABLE OF CONTENTS

### **AERONAUTICS**

Includes aeronautics (general); aerodynamics; air transportation and safety; aircraft communications and navigation; aircraft design, testing and performance; aircraft instrumentation; aircraft propulsion and power; aircraft stability and control; and research and support facilities (air).

For related information see also Astronautics.

### 01 AERONAUTICS (GENERAL)

1

1988

### 02 AERODYNAMICS

2

Includes aerodynamics of bodies, combinations, wings, rotors, and control surfaces; and internal flow in ducts and turbomachinery.

For related information see also 34 Fluid Mechanics and Heat Transfer

### 03 AIR TRANSPORTATION AND SAFETY

4

Includes passenger and cargo air transport operations; and aircraft accidents.

For related information see also 16 Space Transportation and 85 Urban Technology and Transportation.

### 04 AIRCRAFT COMMUNICATIONS AND NAVIGATION

N.A.

Includes digital and voice communication with aircraft; air navigation systems (satellite and ground based); and air traffic control.

For related information see also 17 Space Communications, Spacecraft Communications, Command and Tracking and 32 Communications and Radar.

### 05 AIRCRAFT DESIGN, TESTING AND PERFORMANCE

4

Includes aircraft simulation technology.

For related information see also 18 Spacecraft Design, Testing and Performance and 39 Structural Mechanics. For land transportation vehicles see 85 Urban Technology and Transportation.

### 06 AIRCRAFT INSTRUMENTATION

5

Includes cockpit and cabin display devices; and flight instruments.

For related information see also 19 Spacecraft Instrumentation and 35 Instrumentation and Photography.

### 07 AIRCRAFT PROPULSION AND POWER

Includes prime propulsion systems and systems components, e.g., gas turbine engines and compressors; and onboard auxiliary power plants for aircraft.

For related information see also 20 Spacecraft Propulsion and Power, 28 Propellants and Fuels, and 44 Energy Production and Conversion.

### 08 AIRCRAFT STABILITY AND CONTROL

Includes aircraft handling qualities; piloting; flight controls; and autopilots.

For related information see also 05 Aircraft Design, Testing and Performance.

### 09 RESEARCH AND SUPPORT FACILITIES (AIR)

6

Includes airports, hangars and runways; aircraft repair and overhaul facilities; wind tunnels; shock tubes; and aircraft engine test stands.

For related information see also 14 Ground Support Systems and Facilities (Space).

### **ASTRONAUTICS**

Includes astronautics (general); astrodynamics; ground support systems and facilities (space); launch vehicles and space vehicles; space transportation; space communications, spacecraft communications, command and tracking; spacecraft design, testing and performance; spacecraft instrumentation; and spacecraft propulsion and power.

For related information see also Aeronautics

### 12 ASTRONAUTICS (GENERAL)

6

For extraterrestrial exploration see 91 Lunar and Planetary Exploration.

### 13 ASTRODYNAMICS

6

Includes powered and free-flight trajectories; and orbital and launching dynamics.

### 14 GROUND SUPPORT SYSTEMS AND FACILITIES (SPACE)

N.A.

Includes launch complexes, research and production facilities; ground support equipment, e.g., mobile transporters; and simulators.

For related information see also 09 Research and Support Facilities (Air).

### 15 LAUNCH VEHICLES AND SPACE VEHICLES

7

Includes boosters; operating problems of launch/space vehicle systems; and reusable vehicles.

For related information see also 20 Spacecraft Propulsion and Power.

### 16 SPACE TRANSPORTATION

7

Includes passenger and cargo space transportation, e.g., shuttle operations; and space rescue techniques.

For related information see also 03 Air Transportation and Safety and 18 Spacecraft Design, Testing and Performance. For space suits see 54 Man/System Technology and Life Support.

### 17 SPACE COMMUNICATIONS, SPACECRAFT COMMUNICATIONS, COMMAND AND TRACKING

N.A.

Includes telemetry; space communications networks; astronavigation and guidance; and radio blackout.

For related information see also 04 Aircraft Communications and Navigation and 32 Communications and Radar.

### 18 SPACECRAFT DESIGN, TESTING AND **PERFORMANCE**

Includes satellites: space platforms; space stations; spacecraft systems and components such as thermal and environmental controls; and attitude controls.

For life support systems see 54 Man/System Technology and Life Support. For related information see also 05 Aircraft Design, Testing and Performance, 39 Structural Mechanics, and 16 Space Transportation.

### 19 SPACECRAFT INSTRUMENTATION

For related information see also 06 Aircraft Instrumentation and 35 Instrumentation and Photography.

### 20 SPACECRAFT PROPULSION AND **POWER**

Includes main propulsion systems and components, e.g. rocket engines; and spacecraft auxiliary power

For related information see also 07 Aircraft Propulsion and Power, 28 Propellants and Fuels, 44 Energy Production and Conversion, and 15 Launch Vehicles and Space Vehicles.

### **CHEMISTRY AND MATERIALS**

Includes chemistry and materials (general); composite materials; inorganic and physical chemistry; metallic materials; nonmetallic materials; propellants and fuels; and materials processing.

### 23 CHEMISTRY AND MATERIALS (GENERAL)

### 24 COMPOSITE MATERIALS

Includes physical, chemical, and mechanical properties of laminates and other composite materials.

For ceramic materials see 27 Nonmetallic Materials.

### 25 INORGANIC AND PHYSICAL **CHEMISTRY**

Includes chemical analysis, e.g., chromatography; combustion theory; electrochemistry; and photochemistry.

For related information see also 77 Thermodynamics and Statistical Physics.

### **26 METALLIC MATERIALS**

Includes physical, chemical, and mechanical properties of metals, e.g., corrosion; and metallurgy.

### **27 NONMETALLIC MATERIALS**

Includes physical, chemical, and mechanical properties of plastics, elastomers, lubricants, polymers, textiles, adhesives, and ceramic materials.

For composite materials see 24 Composite Materials.

### **28 PROPELLANTS AND FUELS**

Includes rocket propellants, igniters and oxidizers; their storage and handling procedures; and aircraft fuels.

For related information see also 07 Aircraft Propulsion and Power, 20 Spacecraft Propulsion and Power, and 44 Energy Production and Conversion.

### 29 MATERIALS PROCESSING

Includes space-based development of products and processes for commercial application.

For biological materials see 55 Space Biology.

### **ENGINEERING**

Includes engineering (general); communications and radar; electronics and electrical engineering; fluid mechanics and heat transfer; instrumentation and photography: lasers and masers; mechanical engineering; quality assurance and reliability; and structural mechanics.

For related information see also Physics.

### 31 ENGINEERING (GENERAL)

Includes vacuum technology; control engineering; display engineering; cryogenics; and fire prevention.

### 32 COMMUNICATIONS AND RADAR

Includes radar; land and global communications; communications theory; and optical communications.

For related information see also 04 Aircraft Communications and Navigation and 17 Space Communications, Spacecraft Communications, Command and Tracking. For search and rescue see 03 Air Transportation and Safety, and 16 Space Transportation.

### 33 ELECTRONICS AND ELECTRICAL **ENGINEERING**

Includes test equipment and maintainability; components, e.g., tunnel diodes and transistors; microminiaturization; and integrated circuitry.

For related information see also 60 Computer Operations and Hardware and 76 Solid-State Physics.

### 34 FLUID MECHANICS AND HEAT **TRANSFER**

Includes boundary layers; hydrodynamics; fluidics; mass transfer and ablation cooling.

For related information see also 02 Aerodynamics and 77 Thermodynamics and Statistical Physics.

### 35 INSTRUMENTATION AND **PHOTOGRAPHY**

10 Includes remote sensors; measuring instruments and gages; detectors; cameras and photographic supplies; and

holography.

For aerial photography see 43 Earth Resources and Remote Sensing. For related information see also 06 Aircraft Instrumentation and 19 Spacecraft Instrumentation.

### **36 LASERS AND MASERS**

N.A.

Includes parametric amplifiers.

For related information see also 76 Solid-State Physics.

### 37 MECHANICAL ENGINEERING

Includes auxiliary systems (nonpower); machine elements and processes; and mechanical equipment.

### **38 QUALITY ASSURANCE AND** RELIABILITY

Includes product sampling procedures and techniques; and quality control.

### 39 STRUCTURAL MECHANICS

Includes structural element design and weight analysis; fatigue; and thermal stress.

For applications see 05 Aircraft Design, Testing and Performance and 18 Spacecraft Design, Testing and Performance.

### **GEOSCIENCES**

Includes geosciences (general); earth resources and remote sensing; energy production and conversion; environment pollution; geophysics; meteorology and climatology; and oceanography.

For related information see also Space Sciences.

### **42 GEOSCIENCES (GENERAL)**

12

### 43 EARTH RESOURCES AND REMOTE SENSING

13

Includes remote sensing of earth resources by aircraft and spacecraft; photogrammetry; and aerial photography.

For instrumentation see 35 Instrumentation and Photography.

### **44 ENERGY PRODUCTION AND**

CONVERSION

ΝА

Includes specific energy conversion systems, e.g., fuel cells; global sources of energy; geophysical conversion; and windpower.

For related information see also 07 Aircraft Propulsion and Power, 20 Spacecraft Propulsion and Power, and 28 Propellants and Fuels.

### **45 ENVIRONMENT POLLUTION**

N.A.

Includes atmospheric, noise, thermal, and water pollution.

### **46 GEOPHYSICS**

13

Includes aeronomy; upper and lower atmosphere studies; ionospheric and magnetospheric physics; and geomagnetism.

For space radiation see 93 Space Radiation.

### 47 METEOROLOGY AND CLIMATOLOGY

14

Includes weather forecasting and modification.

### **48 OCEANOGRAPHY**

N.A

Includes biological, dynamic, and physical oceanography; and marine resources.

For related information see also 43 Earth Resources and Remote Sensing.

### **LIFE SCIENCES**

Includes life sciences (general); aerospace medicine; behavioral sciences; man/system technology and life support; and space biology.

### 51 LIFE SCIENCES (GENERAL)

15

### 52 AEROSPACE MEDICINE

15

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

### 53 BEHAVIORAL SCIENCES

15

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

### **54 MAN/SYSTEM TECHNOLOGY AND**

**LIFE SUPPORT** 

16

Includes human engineering; biotechnology; and space suits and protective clothing.

For related information see also 16 Space Transportation.

### 55 SPACE BIOLOGY

N.A.

Includes exobiology; planetary biology; and extraterrestrial life.

### MATHEMATICAL AND COMPUTER SCIENCES

Includes mathematical and computer sciences (general); computer operations and hardware; computer programming and software; computer systems; cybernetics; numerical analysis; statistics and probability; systems analysis; and theoretical mathematics.

### 59 MATHEMATICAL AND COMPUTER SCIENCES (GENERAL)

16

### 60 COMPUTER OPERATIONS AND HARDWARE

16

Includes hardware for computer graphics, firmware, and data processing.

For components see 33 Electronics and Electrical Engineering.

### 61 COMPUTER PROGRAMMING AND SOFTWARE

16

Includes computer programs, routines, algorithms, and specific applications, e.g., CAD/CAM.

### **62 COMPUTER SYSTEMS**

N.A.

Includes computer networks and special application computer systems.

### **63 CYBERNETICS**

17

Includes feedback and control theory, artificial intelligence, robotics and expert systems.

For related information see also 54 Man/System Technology and Life Support.

### **64 NUMERICAL ANALYSIS**

N.A.

Includes iteration, difference equations, and numerical approximation.

### 65 STATISTICS AND PROBABILITY

17

Includes data sampling and smoothing; Monte Carlo method; and stochastic processes.

### **66 SYSTEMS ANALYSIS**

17

Includes mathematical modeling; network analysis; and operations research.

### **67 THEORETICAL MATHEMATICS**

N.A.

Includes topology and number theory.

### **PHYSICS**

Includes physics (general); acoustics; atomic and molecular physics; nuclear and high-energy physics; optics; plasma physics; solid-state physics; and thermodynamics and statistical physics.

For related information see also Engineering.

### 70 PHYSICS (GENERAL)

N.A.

For precision time and time interval (PTTI) see 35 Instrumentation and Photography; for geophysics, astrophysics or solar physics see 46 Geophysics, 90 Astrophysics, or 92 Solar Physics.

71 ACOUSTICS 17 Includes sound generation, transmission, and attenuation.	84 LAW, POLITICAL SCIENCE AND SPACE POLICY Includes NASA appropriation hearings; aviation law;
For noise pollution see 45 Environment Pollution.	space law and policy; international law; international cooperation; and patent policy.
72 ATOMIC AND MOLECULAR PHYSICS N.A. Includes atomic structure, electron properties, and molecular spectra.	85 URBAN TECHNOLOGY AND TRANSPORTATION Includes applications of space technology to urban
73 NUCLEAR AND HIGH-ENERGY PHYSICS Includes elementary and nuclear particles; and reactor theory. For space radiation see 93 Space Radiation.	problems; technology transfer; technology assessment; and surface and mass transportation.  For related information see 03 Air Transportation and Safety, 16 Space Transportation, and 44 Energy Production and Conversion.
74 OPTICS N.A.	SPACE SCIENCES
Includes light phenomena and optical devices. For lasers see 36 Lasers and Masers.	Includes space sciences (general); astronomy; astrophysics; lunar and planetary exploration; solar physics;
75 PLASMA PHYSICS 18 Includes magnetohydrodynamics and plasma fusion.	and space radiation.  For related information see also <i>Geosciences</i> .
For ionospheric plasmas see 46 Geophysics. For space plasmas see 90 Astrophysics.	88 SPACE SCIENCES (GENERAL) 19
76 SOLID-STATE PHYSICS N.A. Includes superconductivity. For related information see also 33 Electronics and	89 ASTRONOMY 19 Includes radio, gamma-ray, and infrared astronomy; and astrometry.
Electrical Engineering and 36 Lasers and Masers.	90 ASTROPHYSICS 20
77 THERMODYNAMICS AND STATISTICAL PHYSICS N.A. Includes quantum mechanics; theoretical physics; and	Includes cosmology; celestial mechanics; space plasmas; and interstellar and interplanetary gases and dust.  For related information see also 75 Plasma Physics.
Bose and Fermi statistics. For related information see also 25 Inorganic and Physical Chemistry and 34 Fluid Mechanics and Heat Transfer.	91 LUNAR AND PLANETARY EXPLORATION 21 Includes planetology; and manned and unmanned
SOCIAL SCIENCES	flights. For spacecraft design or space stations see 18 Space-
Includes social sciences (general); administration and management; documentation and information science;	craft Design, Testing and Performance.
economics and cost analysis; law, political science, and space policy; and urban technology and transportation.	92 SOLAR PHYSICS Includes solar activity, solar flares, solar radiation and sunspots.
80 SOCIAL SCIENCES (GENERAL) N.A. Includes educational matters.	For related information see <i>93 Space Radiation</i> . <b>93 SPACE RADIATION</b> N.A.
81 ADMINISTRATION AND MANAGEMENT Includes management planning and research.  18	Includes cosmic radiation; and inner and outer earth's radiation belts.  For biological effects of radiation see 52 Aerospace Medicine. For theory see 73 Nuclear and High-Energy
82 DOCUMENTATION AND INFORMATION SCIENCE 19	Physics.
Includes information management; information storage and retrieval technology; technical writing; graphic arts; and micrography.  For computer documentation see 61 Computer Pro-	GENERAL  Includes aeronautical, astronautical, and space science related histories, biographies, and pertinent reports
gramming and Software.	too broad for categorization; histories or broad overviews of NASA programs.

99 GENERAL

21

Includes cost effectiveness studies. Note: N.A. means that no abstracts were assigned to this category for this issue.

N.A.

83 ECONOMICS AND COST ANALYSIS

SUBJECT INDEX	<b>A-1</b>
PERSONAL AUTHOR INDEX	<b>B-</b> 1
DEDORT NUMBER INDEX	<b>C</b> -1

### 01

### **AERONAUTICS (GENERAL)**

N88-14926\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

LANGLEY SYMPOSIUM ON AERODYNAMICS, VOLUME 1
SHARON H. STACK, comp. Dec. 1986 592 p Symposium held in Hampton, Va., 23-25 Apr. 1985
(NASA-CP-2397; L-16031; NAS 1.55:2397) Avail: NTIS HC A25/MF A01 CSCL 01B

AERODYNAMIC CONFIGURATIONS, AIRCRAFT DESIGN, AIRCRAFT MANEUVERS, COMPUTATIONAL FLUID DYNAMICS, CONFERENCES

N88-16625\*# National Aeronautics and Space Administration, Washington, D.C.

NASA/ARMY ROTORCRAFT TECHNOLOGY. VOLUME 1:
AERODYNAMICS, AND DYNAMICS AND AEROELASTICITY
Feb. 1988 537 p Conference held at Moffett Field, Calif.,
17-19 Mar. 1987
(NASA-CP-2495-VOL-1; NAS 1.55:2495-VOL-1) Avail: NTIS HC
A23/MF A01 CSCL 01B

AEROELASTICITY, COMPUTATIONAL FLUID DYNAMICS, CONFERENCES, FLIGHT CONTROL, HELICOPTERS, ROTOR AERODYNAMICS

N88-16632\*# National Aeronautics and Space Administration, Washington, D.C.

NASA/ARMY ROTORCRAFT TECHNOLOGY. VOLUME 2: MATERIALS AND STRUCTURES, PROPULSION AND DRIVE SYSTEMS, FLIGHT DYNAMICS AND CONTROL, AND ACOUSTICS

Feb. 1988 587 p Conference held at Moffett Field, Calif., 17-19 Mar. 1987

(NASA-CP-2495-VOL-2; NAS 1.55:2495-VOL-2) Avail: NTIS HC A25/MF A01 CSCL 01B

AEROACOUSTICS, AIRCRAFT DESIGN, CONFERENCES, CONTROLLABILITY, ENGINE DESIGN, FRACTURE MECHANICS, HELICOPTERS, ROTOR AERODYNAMICS

N88-16650\*# National Aeronautics and Space Administration, Washington, D.C.

NASA/ARMY ROTORCRAFT TECHNOLOGY. VOLUME 3: SYSTEMS INTEGRATION, RESEARCH AIRCRAFT, AND INDUSTRY

Feb. 1988 387 p Conference held at Moffett Field, Calif., 17-19 Mar. 1987

(NASA-CP-2495-VOL-3; NAS 1.55:2495-VOL-3) Avail: NTIS HC A17/MF A01 CSCL 01B AIRCRAFT DESIGN, FLIGHT TESTS, HELICOPTE

AIRCRAFT DESIGN, FLIGHT TESTS, HELICOPTER PERFORMANCE, ROTARY WING AIRCRAFT, SYSTEMS INTEGRATION

N88-19407\*# National Aeronautics and Space Administration.
Ames Research Center, Moffett Field, Calif.
GENERAL EQUILIBRIUM CHARACTERISTICS OF A

DUAL-LIFT HELICOPTER SYSTEM
L. S. CICOLANI and G. KANNING Jul. 1986 86 p
(NASA-TP-2615; A-86114; NAS 1.60:2615) Avail: NTIS HC
A05/MF A01 CSCL 01B

CARGO AIRCRAFT, EQUILIBRIUM, HEAVY LIFT HELICOPTERS, SUSPENDING (HANGING), TETHERING

N88-23715\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

JOINT UNIVERSITY PROGRAM FOR AIR TRANSPORTATION RESEARCH, 1986

FREDERICK R. MORRELL, comp. Apr. 1988 115 p Meeting held in Hampton, Va., 8-9 Jan. 1987; sponsored by NASA, Langley Research Center, Hampton, Va. and FAA, Washington, D.C. Sponsored by NASA, Washington

(NASA-CP-2502; L-16406; NAS 1.55:2502) Avail: NTIS HC A06/MF A01 CSCL 01B

AERODYNAMICS, AIRCRAFT CONTROL, AIRCRAFT GUIDANCE, AVIONICS, SURFACE NAVIGATION

N88-27148\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

INTEGRATED TECHNOLOGY ROTOR METHODOLOGY ASSESSMENT WORKSHOP

MICHAEL J. MCNULTY, ed. and WILLIAM G. BOUSMAN, ed. Jun. 1988 381 p Workshop held in Moffett Field, Calif., 21-22 Jun. 1983; sponsored by NASA, Ames Research Center and the Army Prepared in cooperation with Army Aviation Systems Command, Moffett Field, Calif. Sponsored by NASA, Washington, D.C. (NASA-CP-10007; A-86381; NAS 1.55:10007; USAAVSCOM-CP-88-A-001) Avail: NTIS HC A17/MF A01 CSCL 01B

AERODYNAMIC STABILITY, AEROELASTICITY, CONFERENCES, MATHEMATICAL MODELS, ROTOR AERODYNAMICS, ROTOR BODY INTERACTIONS

N88-27163\* National Aeronautics and Space Administration, Washington, D.C.

AERONAUTICAL ENGINEERING: A CONTINUING BIBLIOGRAPHY WITH INDEXES

Aug. 1988 126 p

(NASA-SP-7037(229); NAS 1.21:7037(229)) Avail: NTIS HC A07 CSCL 01B

This bibliography lists 455 reports, articles, and other documents introduced into the NASA scientific and technical information system in July, 1988.

### 02

### **AERODYNAMICS**

Includes aerodynamics of bodies, combinations, wings, rotors, and control surfaces; and internal flow in ducts and turbomachinery.

National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

WIND-TUNNEL INVESTIGATION OF A FULL-SCALE GENERAL AVIATION AIRPLANE EQUIPPED WITH AN ADVANCED NATURAL LAMINAR FLOW WING

DANIEL G. MURRI and FRANK L. JORDAN, JR. 136 p

(NASA-TP-2772; L-16283; NAS 1.60:2772) Avail: NTIS HC A07/MF A01 CSCL 01A

GENERAL AVIATION AIRCRAFT, LAMINAR FLOW AIRFOILS, WIND TUNNEL TESTS, WINGS

N88-10765\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

COMPARISON OF WIND TUNNEL AND FLIGHT TEST AFTERBODY AND NOZZLE PRESSURES FOR A TWIN-JET FIGHTER AIRCRAFT AT TRANSONIC SPEEDS

JACK NUGENT and ODIS C. PENDERGRAFT, JR. Mar 1987

(NASA-TP-2588; H-1214; NAS 1.60:2588) Avail: NTIS HC A06/MF A01 CSCL 01A

AFTERBODIES, FIGHTER AIRCRAFT, FLIGHT TESTS, NOZZLE THRUST COEFFICIENTS, TRANSONIC SPEED, WIND TUNNEL MODELS, WIND TUNNEL TESTS

N88-10771\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

EFFECT OF EMPENNAGE ARRANGEMENT ON SINGLE-ENGINE NOZZLE/AFTERBODY STATIC PRESSURES AT TRANSONIC SPEEDS

WILLIAM P. HENDERSON and JAMES R. BURLEY, II 1987 230 p

(NASA-TP-2753; L-16223; NAS 1.60:2753) Avail: NTIS HC A11/MF A01 CSCL 01A

AFTERBODIES, AXISYMMETRIC FLOW, JET AIRCRAFT, JET ENGINES, NOZZLES, STATIC PRESSURE, TAIL ASSEMBLIES, TRANSONIC SPEED

N88-12454\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

PLANFORM EFFECTS ON THE SUPERSONIC **AERODYNAMICS OF MULTIBODY CONFIGURATIONS** NAOMI MCMILLIN and RICHARD M. WOOD 1987 138 p (NASA-TP-2762; L-16312; NAS 1.60:2762) Avail: NTIS HC A07/MF A01 CSCL 01A

AERODYNAMIC CHARACTERISTICS, AERODYNAMIC DRAG, AIRCRAFT CONFIGURATIONS, FINENESS RATIO, PLANFORMS, SUPERSONICS, ZERO LIFT

N88-12455\* National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

EFFECTS OF THE INSTALLATION AND OPERATION OF JET-EXHAUST YAW VANES ON THE LONGITUDINAL AND LATERAL-DIRECTIONAL CHARACTERISTICS OF THE F-14 AIRPLANE

DAVID E. REUBUSH and BOBBY L. BERRIER 121 p

(NASA-TP-2769; L-16302; NAS 1.60:2769) Avail: NTIS HC A06/MF A01 CSCL 01A

AERODYNAMIC STABILITY, **AIRCRAFT** CONTROL, DIRECTIONAL STABILITY, F-14 AIRCRAFT, JET VANES, LATERAL STABILITY, LONGITUDINAL STABILITY, THRUST VECTOR CONTROL, WIND TUNNEL STABILITY TESTS

National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

A SIMPLIFIED APPROACH TO AXISYMMETRIC **DUAL-REFLECTOR ANTENNA DESIGN** 

RAYMOND L. BARGER Mar. 1988 14 p (NASA-TP-2797; L-16392; NAS 1.60:2797) Avail: NTIS HC A03/MF A01 CSCL 20N

REFLECTORS, STIMULATED EMISSION, ANTENNA DESIGN, ANTENNA RADIATION PATTERNS, REFLECTOR ANTENNAS

National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.
PROCEEDINGS OF THE CIRCULATION-CONTROL

WORKSHOP, 1986 JACK N. NIELSEN, comp. May 1987 591 p Workshop held at Moffett Field, Calif., 19-21 Feb. 1986 Original contains color illustrations

(NASA-CP-2432; A-86314; NAS 1.55:2432) Avail: NTIS HC A25/MF A01 CSCL 01A

AIRCRAFT CONTROL, CIRCULATION CONTROL AIRFOILS, CIRCULATION CONTROL ROTORS, COANDA EFFECT, X WING ROTORS

N88-17614\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

A TRANSONIC-SMALL-DISTURBANCE WING DESIGN **METHODOLOGY** 

PAMELA S. PHILLIPS, EDGAR G. WAGGONER, and RICHARD L. CAMPBELL Mar. 1988 32 p (NASA-TP-2806; L-16393; NAS 1.60:2806) Avail: NTIS HC

A03/MF A01 CSCL 01A
CODING, COMPUTER PROGRAMS, DESIGN ANALYSIS, SMALL PERTURBATION FLOW, TRANSONIC FLOW, WINGS

N88-17615\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

SUPERSONIC AERODYNAMICS OF DELTA WINGS RICHARD M. WOOD Mar. 1988 106 p

(NASA-TP-2771; L-16212; NAS 1.60:2771) Avail: NTIS HC A06/MF A01 CSCL 01A

AERODYNAMICS. DELTA WINGS, INVISCID FLOW, SUPERSONIC AIRFOILS, SUPERSONIC SPEED

N88-18552\*# National Aeronautics and Space Administration.

Langley Research Center, Hampton, Va.

A PERFORMANCE INDEX APPROACH TO AERODYNAMIC DESIGN WITH THE USE OF ANALYSIS CODES ONLY

RAYMOND L. BARGER and ANUTOSH MOITRA (High Technology Corp., Hampton, Va.) Mar. 1988 21 p (NASA-TP-2805; L-16379; NAS 1.60:2805) Avail: NTIS HC

A03/MF A01 CSCL 01A

AERODYNAMIC CONFIGURATIONS, CODING, COMPUTER PROGRAMS, DESIGN ANALYSIS, INDEXES (DOCUMENTATION), PERFORMANCE TESTS

N88-18567\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, Calif.

EFFECTS OF WINGLETS ON A FIRST-GENERATION JET

TRANSPORT WING. 7: SIDESLIP EFFECTS ON WINGLET LOADS AND SELECTED WING LOADS AT SUBSONIC SPEEDS FOR A FULL-SPAN MODEL

ROBERT R. MEYER, JR. and PETER F. COVELL Sep. 1986

(NASA-TP-2619; H-1193; NAS 1.60:2619) Avail: NTIS HC A04/MF A01 CSCL 01A

SIDESLIP, SUBSONIC SPEED, WIND TUNNEL MODELS, WINGLETS

N88-19412\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif. TRAJECTORY CHARACTERISTICS AND HEATING OF

HYPERVELOCITY PROJECTILES HAVING LARGE BALLISTIC COEFFICIENTS

MICHAEL E. TAUBER Aug. 1986 21 p (NASA-TP-2614; A-86187; NAS 1.60:2614) Avail: NTIS HC A03/MF A01 CSCL 01A

AERODYNAMIC HEATING, BALLISTIC TRAJECTORIES, HYPERVELOCITY PROJECTILES, TRAJECTORY ANALYSIS

N88-19416\* National Aeronautics and Space Administration, Washington, D.C.

AERONAUTICAL ENGINEERING: A CUMULATIVE INDEX TO A CONTINUING BIBLIOGRAPHY

Jan. 1988 499 p

(NASA-SP-7037(222); NAS 1.21:7037(222)) Avail: NTIS HC

\$14.50 domestic, \$29.00 foreign CSCL 01A

This bibliography is a cumulative index to the abstracts contained in NASA SP-7037(210) through NASA SP-7037(221) of Aeronautical Engineering: A Continuing Bibliography. NASA SP-7037 and its supplements have been compiled through the cooperative efforts of the American Institute of Aeronautics and Astronautics (AIAA) and the National Aeronautics and Space Administration (NASA). This cumulative index includes subject, personal author, corporate source, foreign technology, contract number, report number, and accession number indexes.

N88-19420\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

AERODYNAMIC CHARACTERISTICS OF WINGS DESIGNED WITH A COMBINED-THEORY METHOD TO CRUISE AT A MACH NUMBER OF 4.5

ROBERT J. MACK Apr. 1988 60 p Sponsored by NASA, Washington

(NASA-TP-2799; L-16333; NAS 1.60:2799) Avail: NTIS HC A04/MF A01 CSCL 01A

AERODYNAMIC CHARACTERISTICS, AIRCRAFT DESIGN, CAMBERED WINGS, DESIGN ANALYSIS, HYPERSONIC SPEED, SUPERSONIC SPEED

N88-20257\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

AN EXPERIMENTAL INVESTIGATION OF THE FLAP-LAG-TORSION AEROELASTIC STABILITY OF A SMALL-SCALE HINGELESS HELICOPTER ROTOR IN HOVER DAVID L. SHARPE Jan. 1986 86 p Prepared in cooperation with Army Aviation Research and Development Command, Moffett Field, Calif.

(NASA-TP-2546; REPT-85142; NAS 1.60:2546;

AVSCOM-TR-85-A-9) Avail: NTIS HC A05/MF A01 CSCL 01A AEROELASTICITY, FLAPS (CONTROL SURFACES), HELICOPTERS, HOVERING, RIGID ROTORS, STABILITY, TORSION

N88-20264\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

A REVIEW OF TECHNOLOGIES APPLICABLE TO LOW-SPEED FLIGHT OF HIGH-PERFORMANCE AIRCRAFT INVESTIGATED IN THE LANGLEY 14- X 22-FOOT SUBSONIC TUNNEL JOHN W. PAULSON, JR., P. FRANK QUINTO, DANIEL W. BANKS,

JOHN W. PAULSON, JR., P. FRANK QUINTO, DANIEL W. BANKS GUY T. KEMMERLY, and GREGORY M. GATLIN May 1988 94 p

(NASA-TP-2796; L-16364; NAS 1.60:2796) Avail: NTIS HC A05/MF A01 CSCL 01A

AERODYNAMIC CONFIGURATIONS, FLIGHT TESTS, LOW SPEED, RESEARCH FACILITIES, SHORT TAKEOFF AIRCRAFT, TECHNOLOGY ASSESSMENT, V/STOL AIRCRAFT, WIND TUNNEL TESTS

N88-20280\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

STATIC PERFORMANCE OF AN AXISYMMETRIC NOZZLE WITH POST-EXIT VANES FOR MULTIAXIS THRUST VECTORING

BOBBY L. BERRIER and MARY L. MASON May 1988 54 p (NASA-TP-2800; L-16371; NAS 1.60:2800) Avail: NTIS HC A04/MF A01 CSCL 01A

AXISYMMETRIC BODIES, CONVERGENT-DIVERGENT NOZZLES, STATIC TESTS, THRUST VECTOR CONTROL, VANES

N88-21117\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

THE NASA LANGLEY LAMINAR-FLOW-CONTROL (LFC) EXPERIMENT ON A SWEPT, SUPERCRITICAL AIRFOIL: DESIGN OVERVIEW

CHARLES D. HARRIS, WILLIAM D. HARVEY, and CUYLER W. BROOKS, JR. May 1988 128 p (NASA-TP-2809; L-16324; NAS 1.60:2809) Avail: NTIS HC

A07/MF A01 CSCL 01A

BOUNDARY LAYER CONTROL, LAMINAR BOUNDARY LAYER, LAMINAR FLOW, SUPERCRITICAL AIRFOILS, SWEPT WINGS

N88-21118\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

STATIC PERFORMANCE OF NONAXISYMMETRIC NOZZLES WITH YAW THRUST-VECTORING VANES

MARY L. MASON and BOBBY L. BERRIER May 1988 79 p (NASA-TP-2813; L-16389; NAS 1.60:2813) Avail: NTIS HC A05/MF A01 CSCL 01A

CONVERGENT NOZZLES, CONVERGENT-DIVERGENT NOZZLES, STATIC TESTS, STATIC THRUST, THRUST VECTOR CONTROL

N88-23735\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

NUMERICAL SIMULATION OF SCRAMJET INLET FLOW FIELDS

AJAY KUMAR May 1986 29 p

(NASA-TP-2517; L-16000; NAS 1.60:2517) Avail: NTIS HC A03/MF A01 CSCL 01A

APPLICATIONS PROGRAMS (COMPUTERS), COMPUTATIONAL FLUID DYNAMICS, INLET FLOW, NAVIER-STOKES EQUATION, SUPERSONIC COMBUSTION RAMJET ENGINES, THREE DIMENSIONAL FLOW, TURBULENT FLOW

N88-23737\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

LAMINAR FLOW AIRCRAFT CERTIFICATION

LOUIS J. WILLIAMS, comp. May 1986 325 p Workshop held in Wichita, Kans., 15-16 Apr. 1985; sponsored by NASA, AIAA, SAE and FAA Sponsored by NASA, Washington (NASA-CP-2413; L-16111; NAS 1.55:2413) Avail: NTIS HC

A14/MF A01 CSCL 01A
AIRCRAFT DESIGN, CERTIFICATION, CONFERENCES,
LAMINAR FLOW, LAMINAR FLOW AIRFOILS

N88-23757\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

AEROPROPULSIVE CHARACTERISTICS OF ISOLATED COMBINED TURBOJET/RAMJET NOZZLES AT MACH NUMBERS FROM 0 TO 1.20

GEORGE T. CARSON, JR. and MILTON LAMB Jun. 1988 174 p

(NASA-TP-2814; L-16390; NAS 1.60:2814) Avail: NTIS HC A08/MF A01 CSCL 01A

MACH NUMBER, NOZZLE EFFICIENCY, NOZZLE GEOMETRY, RAMJET ENGINES, ROCKET NOZZLES, TURBINE ENGINES

N88-23760\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

SENSITIVITY OF F-106B LEADING-EDGE-VORTEX IMAGES TO FLIGHT AND VAPOR-SCREEN PARAMETERS

JOHN E. LAMAR and THOMAS D. JOHNSON, JR. (Planning Research Corp., Hampton, Va.) Jun. 1988 80 p Original contains color illustrations

(NASA-TP-2818; L-16395; NAS 1.60:2818) Avail: NTIS HC A05/MF A01 CSCL 01A

F-106 AIRCRAFT, IMAGE PROCESSING, LEADING EDGES, SCREEN EFFECT, TRANSONIC FLIGHT, VAPORS, VORTICES, WINGS

N88-28895\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

STEADY AND UNSTEADY TRANSONIC PRESSURE
MEASUREMENTS ON A CLIPPED DELTA WING FOR
PITCHING AND CONTROL-SURFACE OSCILLATIONS
ROBERT W. HESS, F. W. CAZIER, JR., and ELEANOR C.
WYNNE Washington, D.C. Oct. 1986 118 p MF as supplement
(NASA-TP-2594; L-16082; NAS 1.60:2594) Avail: NTIS HC
A06/MF A01 CSCL 01A

CONTROL SURFACES, DELTA WINGS, LONGITUDINAL CONTROL, OSCILLATIONS, PRESSURE MEASUREMENT, STEADY STATE, WIND TUNNEL TESTS

N88-29752\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

AERODYNAMICS IN GROUND EFFECT AND PREDICTED LANDING GROUND ROLL OF A FIGHTER CONFIGURATION WITH A SECONDARY-NOZZLE THRUST REVERSER DANIEL W. BANKS Oct. 1988 131 p (NASA-TP-2834; L-16435; NAS 1.60:2834) Avail: NTIS HC A07/MF A01 CSCL 01A

CASCADE FLOW, GROUND EFFECT (AERODYNAMICS), NOZZLE FLOW, ROLL, SHORT TAKEOFF AIRCRAFT, THRUST REVERSAL

### 03

### AIR TRANSPORTATION AND SAFETY

Includes passenger and cargo air transport operations; and aircraft accidents.

N88-14970\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va. — WIND SHEAR DETECTION. FORWARD-LOOKING SENSOR TECHNOLOGY

E. M. BRACALENTE, comp. and V. E. DELNORE, comp. (PRC Kentron, Inc., Hampton, Va.) Oct. 1987 282 p Presented at the 1st Industry Review, Hampton, Va., 24-25 Feb. 1987 (NASA-CP-10004; NAS 1.55:10004; DOT/FAA/PS-87/2) Avail: NTIS HC A13/MF A01 CSCL 01C

AEROSPACE INDUSTRY, CONFERENCES, DOPPLER RADAR, FLIR DETECTORS, REMOTE SENSING, WIND SHEAR

N88-17616\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

AIRBORNE WIND SHEAR DETECTION AND WARNING SYSTEMS: FIRST COMBINED MANUFACTURERS' AND TECHNOLOGISTS' CONFERENCE

AMOS A. SPADY, JR., comp., ROLAND L. BOWLES, comp., and HERBERT SCHLICKENMAIER, comp. (Federal Aviation Administration, Washington, D.C.) Jan. 1988 558 p Conference held in Hampton, Va., 22-23 Oct. 1987 (NASA-CP-10006; NAS 1.55:10006; DOT/FAA/PS-88/7) Avail:

(NASA-CP-10006; NAS 1.55:10006; DOT/FAA/PS-88/7) Avail: NTIS HC A24/MF A01 CSCL 01C

AIRBORNE EQUIPMENT, AIRCRAFT CONTROL, CONFERENCES, DETECTION, DOPPLER RADAR, INFORMATION TRANSFER, OPTICAL RADAR, WARNING SYSTEMS, WIND SHEAR

N88-21144\*# National Aeronautics and Space Administration. Wallops Flight Center, Wallops Island, Va. INVESTIGATION OF THE MISFUELING OF RECIPROCATING PISTON AIRCRAFT ENGINES

J. HOLLAND SCOTT, JR. Mar. 1988 82 p (NASA-TP-2803; NAS 1.60:2803) Avail: NTIS HC A05/MF A01 CSCL 01C

AIRCRAFT ENGINES, ERRORS, GENERAL AVIATION AIRCRAFT, PISTON ENGINES, REFUELING

N88-26344\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

INFLUENCE OF WIND SHEAR ON THE AERODYNAMIC CHARACTERISTICS OF AIRPLANES

DAN D. VICROY Aug. 1988 62 p Sponsored by NASA, Washington, D.C. and DOT, Washington, D.C. (NASA-TP-2827; L-16439; NAS 1.60:2827; DOT/FAA/PS-88/15) Avail: NTIS HC A04/MF A01 CSCL 01C AERODYNAMIC CHARACTERISTICS, AIRCRAFT CONTROL,

AERODYNAMIC CHARACTERISTICS, AIRCRAFT CONTROL, MICROBURSTS (METEOROLOGY), SHEAR FLOW, WINDSHEAR

### 05

### AIRCRAFT DESIGN, TESTING AND PERFORMANCE

Includes aircraft simulation technology.

N88-12480\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

EFFECT OF MOTION CUES DURING COMPLEX CURVED APPROACH AND LANDING TASKS: A PILOTED SIMULATION STUDY

CHARLES H. SCANLON (Arkansas State Univ., State University.) Dec. 1987 28 p (NCC1-107)

(NASA-TP-2773; L-16351; NAS 1.60:2773) Avail: NTIS HC A03/MF A01 CSCL 01C

APPROACH, CUES, LANDING, MICROWAVE LANDING SYSTEMS, MOTION, PILOT PERFORMANCE, TRACKING (POSITION), WORKLOADS (PSYCHOPHYSIOLOGY)

N88-18583\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

CORNERING CHARACTERISTICS OF THE MAIN-GEAR TIRE OF THE SPACE SHUTTLE ORBITER

ROBERT H. DAUGHERTY, SANDY M. STUBBS, and MARTHA P. ROBINSON Mar. 1988 29 p (NASA-TP-2790; L-16370; NAS 1.60:2790) Avail: NTIS HC A03/MF A01 CSCL 01C

AERODYNAMIC LOADS, COEFFICIENTS, LANDING GEAR, SPACE SHUTTLES, TIRES, YAWING MOMENTS

N88-19467\*# National Aeronautics and Space Administration.
Ames Research Center, Moffett Field, Calif.

A PERSPECTIVE ON 15 YEARS OF PROOF-OF-CONCEPT AIRCRAFT DEVELOPMENT AND FLIGHT RESEARCH AT AMES-MOFFETT BY THE ROTORCRAFT AND POWERED-LIFT FLIGHT PROJECTS DIVISION, 1970-1985

DAVID D. FEW Aug. 1987 55 p (NASA-RP-1187; A-86404; NAS 1.61:1187) Avail: NTIS HC A04/MF\_A01 CSCL 01C

A proof-of-concept (POC) aircraft is defined and the concept of interest described for each of the six aircraft developed by the Ames-Moffet Rotorcraft and Powered-Lift Flight Projects Division from 1970 through 1985; namely, the OV-10, the C-8A Augmentor Wing, the Quiet Short-Haul Research Aircraft (QSRA), the XV-15 Tilt Rotor Research Aircraft (TRRA), the Rotor Systems Research Aircraft (RSRA)-compound, and the yet-to-fly RSRA/X-Wing Aircraft. The program/project chronology and most noteworthy features of the concepts are reviewed. The paper discusses the significance of each concept and the project demonstrating it; it briefly looks at what concepts are on the horizon as potential

POC research aircraft and emphasizes that no significant advanced concept in aviation technology has ever been accepted by civilian or military users without first completing a demonstration through flight testing.

Author

N88-21153\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, Calif.

## DEVELOPMENT AND FLIGHT TEST OF AN EXPERIMENTAL MANEUVER AUTOPILOT FOR A HIGHLY MANEUVERABLE AIRCRAFT

EUGENE L. DUKE, FRANK P. JONES, and RALPH B. RONCOLI Sep. 1986 61 p

AUTOMATIC CONTROL, AUTOMATIC PILOTS, FLIGHT TESTS, HIGHLY MANEUVERABLE AIRCRAFT

N88-21157\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

STATIC MECHANICAL PROPERTIES OF 30 X 11.5 - 14.5, TYPE 8 AIRCRAFT TIRES OF BIAS-PLY AND RADIAL-BELTED DESIGN

PAMELA A. DAVIS and MERCEDES C. LOPEZ May 1988 24 p.

(NASA-TP-2810; L-16374; NAS 1.60:2810) Avail: NTIS HC A03/MF A01 CSCL 01C

AIRCRAFT TIRES, MECHANICAL PROPERTIES, STATIC TESTS

N88-22031\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

### SHAPE SENSITIVITY ANALYSIS OF WING STATIC AEROELASTIC CHARACTERISTICS

JEAN-FRANCOIS M. BARTHELEMY and FRED D. BERGEN (Virginia Polytechnic Inst. and State Univ., Blacksburg.) May 1988 30 p

(NASA-TP-2808; L-16418; NAS 1.60:2808) Avail: NTIS HC A03/MF A01 CSCL 01C

AEROELASTICITY, DYNAMIC RESPONSE, SENSITIVITY, WING LOADING, WING PROFILES

**N88-24623\***# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

# NONLINEAR PROGRAMMING EXTENSIONS TO RATIONAL FUNCTION APPROXIMATION METHODS FOR UNSTEADY AERODYNAMIC FORCES

SHERWOOD H. TIFFANY and WILLIAM M. ADAMS, JR. Jul. 1988 55 p Previously announced in IAA as A87-33694 Sponsored by NASA, Washington

(NASA-TP-2776; L-16205; NAS 1.60:2776) Avail: NTIS HC A04/MF A01 CSCL 01C

AERODYNAMIC FORCES, AERODYNAMICS, APPROXIMATION, EQUATIONS OF MOTION, FLEXIBLE BODIES, NONLINEAR PROGRAMMING, OPTIMIZATION

### 06

### **AIRCRAFT INSTRUMENTATION**

Includes cockpit and cabin display devices; and flight instruments.

N88-12487\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

EFFECTS OF COMBINING VERTICAL AND HORIZONTAL INFORMATION INTO A PRIMARY FLIGHT DISPLAY

TERENCE S. ABBOTT, MARK NATAUPSKY, and GEORGE G. STEINMETZ Dec. 1987 21 p

(NASA-TP-2783; L-16366; NAS 1.60:2783) Avail: NTIS HC

A03/MF A01 CSCL 01D

COCKPITS, CONSOLIDATION, DISPLAY DEVICES, HORIZONTAL ORIENTATION, POSITION INDICATORS, VERTICAL ORIENTATION

### 07

### AIRCRAFT PROPULSION AND POWER

Includes prime propulsion systems and systems components, e.g., gas turbine engines and compressors; and onboard auxiliary power plants for aircraft.

**N88-15785\***# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

### AEROPROPULSION '87. SESSION 2: AEROPROPULSION STRUCTURES RESEARCH

Nov. 1987 52 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication

(NASA-CP-10003-SESS-2; E-3798-SESS-2; NAS

1.55:10003-SESS-2) Avail: NTIS HC A04/MF A01 CSCL 21E CONTROL SYSTEMS DESIGN, DESIGN ANALYSIS, PROPULSION SYSTEM CONFIGURATIONS, STRUCTURAL ANALYSIS

N88-15790\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio. AEROPROPULSION '87. SESSION 3: INTERNAL FLUID

### AEROPROPULSION '87. SESSION 3: INTERNAL FLUID MECHANICS RESEARCH

Nov. 1987 75 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication (NASA-CP-10003-SESS-3; E-3798-SESS-3; NAS

(NASA-CF-10003-SESS-3) Avail: NTIS HC A04/MF A01 CSCL 21E CHEMICAL REACTIONS, DUCTS, FLUID MECHANICS, INLET FLOW. NOZZLES. PREDICTION ANALYSIS TECHNIQUES.

FLOW, NOZZLES, PREDICTION ANALYSIS TECHNIQUES, PROPULSION, TURBOMACHINERY

N88-15794\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

### AEROPROPULSION '87. SESSION 4: INSTRUMENTATION AND CONTROLS RESEARCH

Nov. 1987 77 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication

(NASA-CP-10003-SESS-4; E-3798-SESS-4; NAS

1.55:10003-SESS-4) Avail: NTIS HC A05/MF A01 CSCL 21E CONFERENCES, CONTROL SYSTEMS DESIGN, FIBER OPTICS, FLUID MECHANICS, MEASURING INSTRUMENTS, PROPULSION

N88-15800\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

### AEROPROPULSION '87. SESSION 5: SUBSONIC PROPULSION TECHNOLOGY

Nov. 1987 153 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication

(NASA-CP-10003-SESS-5; E-3798-SESS-5; NAS

1.55:10003-SESS-5) Avail: NTIS HC A08/MF A01 CSCL 21E CONFERENCES, ENGINE DESIGN, FLUID MECHANICS, PROP-FAN TECHNOLOGY, PROPULSION

N88-15807\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

### AEROPROPULSION '87. SESSION 6: HIGH-SPEED PROPULSION TECHNOLOGY

Nov. 1987 119 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication

(NASA-CP-10003-SESS-6; E-3798-SESS-6; NAS

1.55:10003-SESS-6) Avail: NTIS HC A06/MF A01 CSCL 21E CONFERENCES, FLUID MECHANICS, HYPERSONIC AIRCRAFT, PROPULSION SYSTEM CONFIGURATIONS,

### 07 AIRCRAFT PROPULSION AND POWER

SUPERSONIC AIRCRAFT, SUPERSONIC COMBUSTION RAMJET ENGINES, TRANSPORT AIRCRAFT

N88-16697\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.
AEROPROPULSION '87. SESSION 1: AEROPROPULSION

MATERIALS RESEARCH

Nov. 1987 121 p Conference held in Cleveland, Ohio, 17-19 Nov. 1987 Submitted for publication (NASA-CP-10003-SESS-1; E-3798-SESS-1; NAS

1.55:10003-SESS-1) Avail: NTIS HC A06/MF A01 CSCL 21E CERAMICS, CREEP PROPERTIES, ENGINE DESIGN, ENGINE PARTS, FATIGUE (MATERIALS), METAL MATRIX COMPOSITES, POLYMER MATRIX COMPOSITES

### 08

### AIRCRAFT STABILITY AND CONTROL

Includes aircraft handling qualities; piloting; flight controls; and autopilots.

N88-14987\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va. HANDLING QUALITIES OF A WIDE-BODY TRANSPORT AIRPLANE UTILIZING PITCH ACTIVE CONTROL SYSTEMS (PACS) FOR RELAXED STATIC STABILITY APPLICATION WILLIAM D. GRANTHAM, LEE H. PERSON, JR., PHILIP W. BROWN, LAWRENCE E. BECKER, GEORGE E. HUNT, J. J. RISING, W. J. DAVIS, C. S. WILLEY, W. A. WEAVER, and R. COKELEY Dec. 1985 109 p (NASA-TP-2482; L-15928; NAS 1.60:2482) Avail: NTIS HC A06/MF A01 CSCL 01C

ACTIVE CONTROL, FLIGHT CHARACTERISTICS, FLIGHT SIMULATION, PITCH (INCLINATION), STATIC STABILITY, TRANSPORT AIRCRAFT

N88-19475\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.
ROTORCRAFT FLIGHT-PROPULSION CONTROL

INTEGRATION: AN ECLECTIC DESIGN CONCEPT

JAMES R. MIHALOEW, MARK G. BALLIN, and D. C. G. RUTTLEDGE (Sikorsky Aircraft, Stratford, Conn.) Apr. 1988 Apr. 1988 34 p

(NASA-TP-2815; E-3812; NAS 1.60:2815) Avail: NTIS HC

A03/MF A01 CSCL 01C
AIRCRAFT CONTROL, DESIGN ANALYSIS, INTEGRATORS, PROPULSIVE EFFICIENCY, ROTARY WING AIRCRAFT

### 09

### **RESEARCH AND SUPPORT FACILITIES (AIR)**

Includes airports, hangars and runways; aircraft repair and overhaul facilities; wind tunnels; shock tubes; and aircraft engine test stands.

N88-17686\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

EXPERIMENTAL EVALUATION OF TURNING VANE DESIGNS FOR HIGH-SPEED AND COUPLED FAN-DRIVE CORNERS OF 0.1-SCALE MODEL OF NASA LEWIS RESEARCH CENTER'S PROPOSED ALTITUDE WIND TUNNEL

THOMAS F. GELDER, ROYCE D. MOORE, RICKEY J. SHYNE, and DONALD R. BOLDMAN May 1987 54 p Microfiche available as supplement

(NASA-TP-2681; E-3218; NAS 1.60:2681) Avail: NTIS HC A04/MF A01 CSCL 14B

ALTITUDE SIMULATION, CORNER FLOW, COUPLING, GUIDE VANES, HIGH SPEED, WIND TUNNEL APPARATUS, WIND TUNNEL DRIVES

N88-28075\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

FINITE-RATE WATER CONDENSATION IN **COMBUSTION-HEATED WIND TUNNELS** 

WAYNE D. ERICKSON, GERALD H. MALL, and RAMADAS K. PRABHU (PRC Systems Services Co., Hampton, Va.) Sep. 1988

(NASA-TP-2833; L-16443; NAS 1.60:2833) Avail: NTIS HC A05/MF A01 CSCL 14B

COMBUSTION PRODUCTS, COMBUSTION WIND TUNNELS, CONDENSING, HIGH TEMPERATURE ENVIRONMENTS, NUCLEATION, WATER

### 12

### **ASTRONAUTICS (GENERAL)**

N88-17691\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

THE 1987 GET AWAY SPECIAL EXPERIMENTER'S **SYMPOSIUM** 

NEAL BARTHELME, ed. and FRANCES L. MOSIER, ed. (RMS Technologies, Inc., Landover, Md.) Feb. 1988 169 p Symposium held in Greenbelt, Md., 27-28 Oct. 1987 (NASA-CP-2500; REPT-88B0049; NAS 1.55:2500) Avail: NTIS

HC A08/MF A01 CSCL 22A
GET AWAY SPECIALS (STS), MISSION PLANNING, PROJECT PLANNING, SPACE SHUTTLE MISSIONS, SPACE STATIONS

N88-27214\* National Aeronautics and Space Administration, Washington, D.C.

TECHNOLOGY FOR LARGE SPACE SYSTEMS: A **BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 18)** Jun. 1988 162 p

(NASA-SP-7046(18); NAS 1.21:7046(18)) Avail: NTIS HC A07 CSCL 22B

This bibliography lists 569 reports, articles, and other documents introduced into the NASA scientific and technical information system between July 1,1987 and December 31, 1987. Its purpose is to provide helpful information to the researcher, manager, and designer in technology development and mission design according to system, interactive analysis and design, structural and thermal analysis and design, structural concepts and control systems, electronics, advanced materials, assembly concepts, propulsion, and solar power satellite systems.

. ....

### 13

### **ASTRODYNAMICS**

Includes powered and free-flight trajectories; and orbital and launching dynamics.

N88-15820\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala. A STUDY TO EVALUATE STS HEADS-UP ASCENT TRAJECTORY PERFORMANCE EMPLOYING A MINIMUM-HAMILTONIAN OPTIMIZATION STRATEGY

SUJIT SINHA Feb. 1988 56 p (NASA-TP-2793; M-580; NAS 1.60:2793) Avail: NTIS HC A04/MF A01 CSCL 22A

ASCENT TRAJECTORIES, EVALUATION, HAMILTONIAN FUNCTIONS, OPTIMIZATION, SPACE TRANSPORTATION SYSTEM

### 15

### LAUNCH VEHICLES AND SPACE VEHICLES

Includes boosters; operating problems of launch/space vehicle systems; and reusable vehicles.

N88-14112\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, Ala.

HYDDORUBST TEST OF A CAPRON CAPRON INVOLUTE

HYDROBURST TEST OF A CARBON-CARBON INVOLUTE EXIT CONE

ROY M. SULLIVAN Jan. 1986 33 p (NASA-TP-2556; NAS 1.60:2556) Avail: NTIS HC A03/MF A01 CSCL 20H

BURST TESTS, CARBON-CARBON COMPOSITES, CONES, EXHAUST NOZZLES, HYDRODYNAMICS

### 16

### SPACE TRANSPORTATION

Includes passenger and cargo space transportation, e.g., shuttle operations; and space rescue techniques.

N88-12520\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

### SPACECRAFT FIRE SAFETY

JANICE M. MARGLE, ed. (Pennsylvania State Univ., Abington.) 1987 134 p Workshop held in Cleveland, Ohio, 20-21 Aug. 1986

(NASA-CP-2476; E-3464; NAS 1.55:2476) Avail: NTIS HC A07/MF A01 CSCL 22B

ATMOSPHERIC COMPOSITION, COMBUSTION PHYSICS, CONFERENCES, FIRE EXTINGUISHERS, FIRES, FLAMMABILITY, INERT ATMOSPHERE, SPACE STATIONS, SPACECRAFT ENVIRONMENTS

### 18

### SPACECRAFT DESIGN, TESTING AND PERFORMANCE

Includes satellites; space platforms; space stations; spacecraft systems and components such as thermal and environmental controls; and attitude controls.

**N88-10084\***# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

### **SPACECRAFT 2000**

Jul. 1986 236 p Workshop held in Cleveland, Ohio, 29-31 Jul. 1986

(NASA-CP-2473; E-3358; NAS 1.55:2473) Avail: NTIS HC A11/MF A01 CSCL 22B

CONFERENCES, SPACE STATIONS, SPACECRAFT ELECTRONIC EQUIPMENT, SPACECRAFT PROPULSION, SPACECRAFT TRACKING, SYSTEMS ANALYSIS, TELEMETRY

N88-10829\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

### FOURTEENTH SPACE SIMULATION CONFERENCE: TESTING FOR A PERMANENT PRESENCE IN SPACE

JOSEPH L. STECHER, III, ed. 1986 435 p Conference held in Baltimore, Md., 3-6 Nov. 1986; sponsored by NASA, Inst. of Environmental Sciences, AIAA, and the American Society for Testing and Materials

(NASA-CP-2446; REPT-86B0561; NAS 1.55:2446) Avail: NTIS HC A19/MF A01 CSCL 22B

CLEANING, CONFERENCES, SIMULATION, SPACE SHUTTLES, SPACE STATIONS, SPACECRAFT CONTAMINATION, SPACECRAFT ENVIRONMENTS, TEST FACILITIES, THERMAL ENVIRONMENTS

**N88-10870\***# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

### SPACE CONSTRUCTION

JANE A. HAGAMAN, ed. Oct. 1987 308 p Conference held in Hampton, Va., 6-7 Aug. 1986

(NASA-CP-2490; L-16378; NAS 1.55:2490) Avail: NTIS HC A14/MF A01 CSCL 22B

CONFERENCES, EXTRAVEHICULAR ACTIVITY, MANAGEMENT PLANNING, MISSION PLANNING, SPACE SHUTTLE PAYLOADS, SPACE STATIONS, SPACE TRANSPORTATION SYSTEM

N88-13382\* National Aeronautics and Space Administration, Washington, D.C.

### SPACE STATION SYSTEMS: A BIBLIOGRAPHY WITH INDEXES

Nov. 1987 245 p

(NASA-SP-7056(05); NAS 1.21:7056(05)) Avail: NTIS HC A11 CSCL 22B

This bibliography lists 967 reports, articles, and other documents introduced into the NASA scientific and technical information system between January 1, 1987 and June 30, 1987. Its purpose is to provide helpful information to the researcher, manager, and designer in technology development and mission design according to system, interactive analysis and design, structural and thermal analysis and design, structural concepts and control systems, electronics, advanced materials, assembly concepts, propulsion, and solar power satellite systems. The coverage includes documents that define major systems and subsystems, servicing and support requirements, procedures and operations, and missions for the current and future space station.

**N88-14115\***# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

### CONTÍNUUM MODELING OF LARGE LATTICE STRUCTURES: STATUS AND PROJECTIONS

AHMED K. NOOR and MARTIN M. MIKULAS, JR. Feb. 1988 79 p

(NASA-TP-2767; L-16360; NAS 1.60:2767) Avail: NTIS HC A05/MF A01 CSCL 22B

CONTINUUM MODELING, LATTICES, STRUCTURAL ANALYSIS, TRUSSES

### 20

### SPACECRAFT PROPULSION AND POWER

Includes main propulsion systems and components, e.g., rocket engines; and spacecraft auxiliary power sources.

**N88-12538\***# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

### COMPATABILITY OF DISPERSION-STRENGTHENED PLATINUM WITH RESISTOJET PROPELLANTS

MARGARET V. WHALEN and MICHAEL V. NATHAL Oct. 1987

29 p

(NASA-TP-2765; E-3738; NAS 1.60:2765) Avail: NTIS HC A03/MF A01 CSCL 21H

COMPATIBILITY, DISPERSING, PLATINUM, PRECIPITATION HARDENING, RESISTOJET ENGINES, ROCKET PROPELLANTS

### 23

### **CHEMISTRY AND MATERIALS (GENERAL)**

N88-12543\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.
SURFACE CATALYTIC DEGRADATION STUDY OF TWO LINEAR PERFLUOROPOLYALKYLETHERS AT 345 C
WILFREDO MORALES Nov. 1987 12 p
(NASA-TP-2774; E-3395; NAS 1.60:2774) Avail: NTIS HC
A03/MF A01 CSCL 07A

ALKYL COMPOUNDS, CATALYSIS, DEGRADATION, ETHERS, PERFLUORO COMPOUNDS, SURFACE REACTIONS

### 24

### **COMPOSITE MATERIALS**

Includes physical, chemical, and mechanical properties of laminates and other composite materials.

N88-10117\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

OUTGASSING DATA FOR SELECTING SPACECRAFT MATERIALS

WILLIAM A. CAMPBELL, JR. and RICHARD S. MARRIOTT Aug. 1987 323 p Revised (NASA-RP-1124; REPT-87B0347; NAS 1.61:1124) Avail: NTIS

HC A147MF A01 CSCL 11D

Outgassing data, derived from tests at 398 K (125 C) for 24 hours in vacuum as per ASTM E 595-77, have been compiled for numerous materials for spacecraft use. The data presented are the total mass loss (TML) and the collected volatile condensable materials (CVCM). The various materials are listed by likely usage and alphabetically.

Author

N88-25480\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

PROPÉRTIES OF TWO COMPOSITE MATERIALS MADE OF TOUGHENED EPOXY RESIN AND HIGH-STRAIN GRAPHITE FIBER

MARVIN B. DOW and DONALD L. SMITH (PRC Kentron, Inc., Hampton, Va.) Jul. 1988 44 p (NASA-TP-2826; L-16425; NAS 1.60:2826) Avail: NTIS HC

A03/MF A01 CSCL 11D COMPRESSIVE STRENGTH, EPOXY RESINS, GRAPHITE-EPOXY COMPOSITES, REINFORCING FIBERS

N88-70029\* National Aeronautics and Space Administration.
Langley Research Center, Hampton, Va.

EFFECTS OF CONTINUOUS AND CYCLIC THERMAL EXPOSURES ON BORON- AND BORSIC-REINFORCED 6061 ALUMINUM COMPOSITES

GEORGE C. OLSEN and STEPHEN S. TOMPKINS Nov. 1977 48 p

(NASA-TP-1063; L-11722; NAS 1.60:1063) Avail: NTIS

ALUMINUM, BORON, BORSIC (TRADENAME), COMPOSITE MATERIALS, CYCLIC LOADS, METAL MATRIX COMPOSITES, THERMAL CYCLING TESTS

25

### **INORGANIC AND PHYSICAL CHEMISTRY**

Includes chemical analysis, e.g., chromatography; combustion theory; electrochemistry; and photochemistry.

N88-15846\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

AN ANALYTICAL STUDY OF THE HYDROGEN-AIR REACTION MECHANISM WITH APPLICATION TO SCRAMJET COMBUSTION

CASIMIR J. JACHIMOWSKI Feb. 1988 18 p (NASA-TP-2791; L-16372; NAS 1.60:2791) Avail: NTIS HC A03/MF A01 CSCL 07D

CHEMICAL REACTIONS, COMBUSTION, HYDROGEN OXYGEN ENGINES, REACTION KINETICS, SUPERSONIC COMBUSTION RAMJET ENGINES

N88-16830\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

A RAPID METHOD FOR THE COMPUTATION OF EQUILIBRIUM CHEMICAL COMPOSITION OF AIR TO 15000 K RAMADAS K. PRABHU (Planning Research Corp., Hampton, Va.) and WAYNE D. ERICKSON Mar. 1988 31 p (NASA-TP-2792; L-16375; NAS 1.60:2792) Avail: NTIS HC A03/MF A01 CSCL 07D

AIR, ATMOSPHERIC COMPOSITION, CHEMICAL COMPOSITION, CHEMICAL EQUILIBRIUM, COMPUTATION, HIGH TEMPERATURE

### 27

### **NONMETALLIC MATERIALS**

Includes physical, chemical, and mechanical properties of plastics, elastomers, lubricants, polymers, textiles, adhesives, and ceramic materials.

N88-23872\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

STRUCTURAL CERAMICS

May 1986 226 p Workshop held in Cleveland, Ohio, 20-21 May 1986 Sponsored by NASA, Washington (NASA-CP-2427; E-3063; NAS 1.55:2427) Avail: NTIS HC A117MF A01 CSCL 11B

CERAMICS, CONFERENCES, CORROSION, FRACTURE MECHANICS, NONDESTRUCTIVE TESTS, POLYMER CHEMISTRY, TRIBOLOGY

### 29

### **MATERIALS PROCESSING**

Includes space-based development of products and processes for commercial applications.

N88-10977\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

PREPARATIVE ELECTROPHORESIS FOR SPACE

PERCY H. RHODES and ROBERT S. SNYDER Oct. 1987

(NASA-TP-2777; NAS 1.60:2777) Avail: NTIS HC A03/MF A01 CSCL 22A

CONVECTIVE FLOW, ELECTROHYDRODYNAMICS,

ELECTROKINETICS, ELECTROPHORESIS, TEMPERATURE EFFECTS

N88-10978\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala. CONTINUOUS FLOW ELECTROPHORESIS SYSTEM EXPERIMENTS ON SHUTTLE FLIGHTS STS-6 AND STS-7 ROBERT S. SNYDER, PERCY H. RHODES, and TERESA Y. MILLER Oct. 1987 17 p (NASA-TP-2778; NAS 1.60:2778) Avail: NTIS HC A03/MF A01 CSCL 22A

CONVECTIVE FLOW, ELECTRICAL RESISTIVITY, ELECTRODYNAMICS, ELECTROPHORESIS, GRAVITATIONAL EFFECTS

N88-14212\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.
GROWTH OF SOLID SOLUTION SINGLE CRYSTALS
S. L. LEHOCZKY and F. R. SZOFRAN Dec. 1987 18 p
(NASA-TP-2787; NAS 1.60:2787) Avail: NTIS HC A03/MF A01
CSCL 20B

CRYSTAL GROWTH, MERCURY CADMIUM TELLURIDES, SINGLE CRYSTALS, SOLID SOLUTIONS, THERMOPHYSICAL PROPERTIES

**N88-23895\***# National Aeronautics and Space Administration, Washington, D.C.

NONCONTACT TEMPERATURE MEASUREMENT

MARK C. LEE, ed. Mar. 1988 429 p Workshop held in Washington, D.C., 30 Apr. - 1 May 1987 (NASA-CP-2503; NAS 1.55:2503) Avail: NTIS HC A19/MF A01

CONFERENCES, INFRARED RADIOMETERS, OPTICAL PYROMETERS, RADIATION PYROMETERS, TEMPERATURE MEASUREMENT, TEMPERATURE MEASURING INSTRUMENTS

### 31

### **ENGINEERING (GENERAL)**

Includes vacuum technology; control engineering; display engineering; cryogenics; and fire prevention.

N88-17869\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, Ala.

A GENERALIZED METHOD FOR AUTOMATIC DOWNHAND AND WIREFEED CONTROL OF A WELDING ROBOT AND POSITIONER

KEN FERNANDEZ and GEORGE E. COOK (Vanderbilt Univ., Nashville, Tenn.) Feb. 1988 54 p (NASA-TP-2807; NAS 1.60:2807) Avail: NTIS HC A04/MF A01 CSCL 13H

ARC WELDING, COMPUTER AIDED DESIGN, COMPUTER AIDED MANUFACTURING, PROGRAM VERIFICATION (COMPUTERS), ROBOTICS, ROBOTS

N88-18751\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

FURTHER DEVELOPMENTS IN EXACT STATE RECONSTRUCTION IN DETERMINISTIC DIGITAL CONTROL SYSTEMS

MICHAEL E. POLITES Mar. 1988 19 p (NASA-TP-2812; NAS 1.60:2812) Avail: NTIS HC A03/MF A01 CSCL 13B

CONTROL SYSTEMS DESIGN, DIGITAL SYSTEMS, EQUATIONS OF STATE, RECONSTRUCTION, STATE ESTIMATION

N88-28177\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

MORE ON EXACT STATE RECONSTRUCTION IN DETERMINISTIC DIGITAL CONTROL SYSTEMS

MICHAEL E. POLITES Sep. 1988 21 p

(NASA-TP-2847; NAS 1.60:2847) Avail: NTIS HC A03/MF A01 CSCL 13B

CONTROL SYSTEMS DESIGN, DIGITAL SYSTEMS, PLANT DESIGN, RECONSTRUCTION, STATE ESTIMATION

### 32

### **COMMUNICATIONS AND RADAR**

Includes radar; land and global communications; communications theory; and optical communications.

N88-14226\*# Colorado Univ., Boulder. Dept. of Electrical Engineering.
PROPAGATION EFFECTS ON SATELLITE SYSTEMS AT

PROPAGATION EFFECTS ON SATELLITE SYSTEMS AT FREQUENCIES BELOW 10 GHZ: A HANDBOOK FOR SATELLITE SYSTEMS DESIGN

WARREN L. FLOCK Dec. 1987 501 p (NAS7-100; JPL-956249)

(NASA-RP-1108/2; NAS 1.61:1108/2) Avail: NTIS HC A22/MF A01 CSCL 22D

Frequencies below 10 GHz continue to be used for a large portion of satellite service, and new applications, including mobile satellite service and the global positioning system, use frequencies below 10 GHz. As frequency decreases below 10 GHz, attenuation due to precipitation and gases decreases and ionospheric effects increase. Thus the ionosphere, which can be largely neglected above 10 GHz, receives major attention. Although attenuation and depolarization due to rain are less severe below 10 GHz than above, they are nevertheless still important and constitute another major topic. The handbook emphasizes the propagation effects on satellite communications but material that is pertinent to radio navigation and positioning systems and deep-space telecommunications is included as well. Chapter 1 through 7 describe the various propagation impairments, and Chapter 9 is devoted to the estimation or calculation of the magnitudes of these effects for use in system design. Chapter 10 covers link power budget equations and the role of propagation effects in these equations. Chapter 8 deals with the complex subject of interference between space and terrestrial systems. Author

### 33

### **ELECTRONICS AND ELECTRICAL ENGINEERING**

Includes test equipment and maintainability; components, e.g., tunnel diodes and transistors; microminiaturization; and integrated circuitry.

N88-11021\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

THE 1986 GODDARD SPACE FLIGHT CENTER BATTERY WORKSHOP

GEORGE W. MORROW, ed. and THOMAS Y. YI, ed. Sep. 1987 374 p Workshop held in Greenbelt, Md., 18-19 Nov. 1986 (NASA-CP-2486; REPT-87B0408; NAS 1.55:2486) Avail: NTIS HC A16/MF A01 CSCL 10C

CONFERENCES, ELECTROCHEMISTRY, FAILURE ANALYSIS, FLIGHT TESTS, LITHIUM SULFUR BATTERIES, NICKEL CADMIUM BATTERIES, NICKEL HYDROGEN BATTERIES

N88-15146\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

PERFORMANCE OF A SMALL, GRAPHITE ELECTRODE, MULTISTAGE DEPRESSED COLLECTOR WITH A 500-W, CONTINUOUS WAVE, 4.8- TO 9.6-GHZ TRAVELING WAVE TUBE

PETER RAMINS, GARY G. LESNY, BEN T. EBIHARA, and SHELLY PEET Feb. 1988 15 p

(NASA-TP-2788; E-3800; NAS 1.60:2788) Avail: NTIS HC A03/MF A01 CSCL 09A

ACCUMULATORS, CONTINUOUS RADIATION, ELECTRODES, GRAPHITE, TRAVELING WAVE TUBES

### 34

### FLUID MECHANICS AND HEAT TRANSFER

Includes boundary layers; hydrodynamics; fluidics; mass transfer; and ablation cooling.

N88-14299\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

FLIGHT AND WIND-TUNNEL MEASUREMENTS SHOWING BASE DRAG REDUCTION PROVIDED BY A TRAILING DISK FOR HIGH REYNOLDS NUMBER TURBULENT FLOW FOR SUBSONIC AND TRANSONIC MACH NUMBERS

SHERYLL GOECKE POWERS, JARRETT K. HUFFMAN, and CHARLES H. FOX, JR. (National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.) Nov. 1986 143 p

BASE PRESSURE, DRAG REDUCTION, FLIGHT TESTS, TRAILING EDGE FLAPS, TURBULENT FLOW, WIND TUNNEL TESTS

**N88-15924\***# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

CRYOGENIC FLUID MANAGEMENT TECHNOLOGY WORKSHOP. VOLUME 1: PRESENTATION MATERIAL AND DISCUSSION

JOHN C. AYDELOTT, ed. and WILLIAM DEVOL, ed. (Sverdrup Technology, Inc., Middleburg Heights, Ohio.) Sep. 1987 386 p Workshop held in Cleveland, Ohio, 28-30 Apr. 1987 (NASA-CP-10001; E-3732; NAS 1.55:10001) Avail: NTIS HC A17/MF A01 CSCL 20D

CONFERENCES, CRYOGENIC COOLING, CRYOGENIC FLUID STORAGE, CRYOGENIC FLUIDS, CRYOGENIC ROCKET PROPELLANTS, CRYOGENICS, REDUCED GRAVITY

N88-18881\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, Calif. INFLUENCE OF BASE MODIFICATIONS ON IN-FLIGHT BASE DRAG IN THE PRESENCE OF JET EXHAUST FOR MACH NUMBERS FROM 0.7 TO 1.5

SHERYLL GOECKE POWERS Feb. 1988 20 p (NASA-TP-2802; H-1408; NAS 1.60:2802) Avail: NTIS HC A03/MF A01 CSCL 20D

BASE FLOW, DRAG, FLIGHT TESTS, JET EXHAUST, MACH NUMBER. REVISIONS

N88-18884\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

GALILEO PROBE PARACHUTE TEST PROGRAM: WAKE PROPERTIES OF THE GALILEO PROBE AT MACH NUMBERS FROM 0.25 TO 0.95

THOMAS N. CANNING (Canning, T. N., Portola Valley, Calif) and THOMAS M. EDWARDS Apr. 1988 144 p (NAS2-10000)

(NASA-RP-1130; A-9643; NAS 1.61:1130) Avail: NTIS HC A07/MF A01 CSCL 20D

The results of surveys of the near and far wake of the Galileo Probe are presented for Mach numbers from 0.25 tp 0.95. The trends in the data resulting from changes in Mach number, radial and axial distance, angle of attack, and a small change in model shape are shown in crossplots based on the data. A rationale for selecting an operating volume suitable for parachute inflation based on low Mach number flight results is outlined.

**N88-20599\***# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

CRYOGENIC FLUID MANAGEMENT TECHNOLOGY WORKSHOP. VOLUME 2: ROUNDTABLE DISCUSSION OF TECHNOLOGY REQUIREMENTS

Mar. 1988 84 p Workshop held in Cleveland, Ohio, 28-30 Apr. 1987

(NASA-CP-10009; E-3987; NAS 1.55:10009) Avail: NTIS HC A05/MF A01 CSCL 20D

CONFERENCES, CRYOGENIC FLUIDS, FLUID MANAGEMENT, TECHNOLOGY ASSESSMENT

N88-22325\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

AEROTHERMAL TESTS OF QUILTED DOME MODELS ON A FLAT PLATE AT A MACH NUMBER OF 6.5

CHRISTOPHER E. GLASS and L. ROANE HUNT May 1988

(NASA-TP-2804; L-16346; NAS 1.60:2804) Avail: NTIS HC A04/MF A01 CSCL 20D

AEROTHERMODYNAMICS, HYPERSONIC AIRCRAFT, LAMINAR BOUNDARY LAYER, PRESSURE DISTRIBUTION, THERMAL PROTECTION, TURBULENT BOUNDARY LAYER

### 35

### **INSTRUMENTATION AND PHOTOGRAPHY**

Includes remote sensors; measuring instruments and gages; detectors; cameras and photographic supplies; and holography.

N88-28286\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

OPTICAL MEASUREMENT OF PROPELLER BLADE DEFLECTIONS

ANATOLE P. KURKOV Sep. 1988 31 p (NASA-TP-2841; E-4131; NAS 1.60:2841) Avail: NTIS HC A03/MF A01 CSCL 14B

DEFLECTION, DISPLACEMENT MEASUREMENT, OPTICAL MEASUREMENT, PROPELLER BLADES

N88-30099\*# National Aeronautics and Space Administration.
Lewis Research Center, Cleveland, Ohio.

MEASUREMENT OF LOCAL HIGH-LEVEL, TRANSIENT

MEASUREMENT OF LOCAL HIGH-LEVEL, TRANSIENT SURFACE HEAT FLUX

CURT H. LIEBERT Sep. 1988 9 p Sponsored by NASA, Washington, D.C.

(NASA-TP-2840; E-4200; NAS 1.60:2840) Avail: NTIS HC A02/MF A01 CSCL 14B

HEAT FLUX, SURFACE TEMPERATURE, TEMPERATURE MEASUREMENT, TEMPERATURE MEASURING INSTRUMENTS, TRANSIENT HEATING

37

### **MECHANICAL ENGINEERING**

Includes auxiliary systems (nonpower); machine elements and processes; and mechanical equipment.

N88-15224\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

### EFFICIENCY TESTING OF A HELICOPTER TRANSMISSION PLANETARY REDUCTION STAGE

ROBERT F. HANDSCHUH and DOUGLAS A. ROHN Feb. 1988 18 p Prepared in cooperation with Army Aviation Research and Development Command, Cleveland, Ohio (DA PROJ. 1L1-61102-AH-45)

NASA-TP-2795; E-3770; NAŚ 1.60:2795; AVSCOM-TR-87-C-28; AD-A191884) Avail: NTIS HC A03/MF A01 CSCL 13I

ENGINE TESTS, GEARS, HELICOPTER ENGINES, POWER EFFICIENCY, TRANSMISSIONS (MACHINE ELEMENTS)

**N88-17045\***# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

### DYNAMIC ANALYSIS OF MULTIMESH-GEAR HELICOPTER TRANSMISSIONS

FRED K. CHOY, DENNIS P. TOWNSEND, and FRED B. OSWALD Feb. 1988 22 p

(NASA-TP-2789; E-3191; NAS 1.60:2789) Avail: NTIS HC A03/MF A01 CSCL 13I

DYNAMIC CHARACTERISTICS, GEARS, HELICOPTER ENGINES, SYSTEMS ANALYSIS, TRANSMISSIONS (MACHINE ELEMENTS)

**N88-18933\***# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

COMPUTER-AIDED DESIGN ANALYSIS OF 57-MM,
ANGULAR-CONTACT, CRYOGENIC TURBOPUMP BEARINGS
ELIZABETH S. ARMSTRONG and HAROLD H. COE Mar. 1988
15 D

(NASA-TP-2816; E-3890; NAS 1.60:2816) Avail: NTIS HC A03/MF A01 CSCL 13K

BEARINGS, COMPUTER AIDED DESIGN, CRYOGENIC FLUIDS, RETROFITTING, REVISIONS, SERVICE LIFE, SPACE SHUTTLE MAIN ENGINE, TURBINE PUMPS

### 39

### STRUCTURAL MECHANICS

Includes structural element design and weight analysis; fatigue; and thermal stress.

N88-11140\*# National Aeronautics and Space Administration.

Lewis Research Center, Cleveland, Ohio.
TURBINE ENGINE HOT SECTION TECHNOLOGY, 1985

Oct. 1985 443 p Conference held in Cleveland, Ohio, 22-23 Oct. 1985

(NASA-CP-2405; E-2727; NAS 1.55:2405) Avail: NTIS HC A19/MF A01 CSCL 20K

COMBUSTION CHAMBERS, CONFERENCES, GAS TURBINE ENGINES, LININGS, MATHEMATICAL MODELS, METAL FATIGUE, STRUCTURAL ANALYSIS, TURBINE BLADES, VANES

N88-13609\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

THE 58TH SHOCK AND VIBRATION SYMPOSIUM, VOLUME 1 WALTER D. PILKEY, comp. and BARBARA F. PILKEY, comp. (Virginia Univ., Charlottesville.) Oct. 1987 476 p Symposium held in Huntsville, Ala., 13-15 Oct. 1987; sponsored in part by

DOD

CONFERENCES, DYNAMIC STRUCTURAL ANALYSIS, MECHANICAL SHOCK, SHOCK TESTS, SPACE SHUTTLE MAIN ENGINE, STRUCTURAL VIBRATION, VIBRATION DAMPING, VIBRATION ISOLATORS

N88-15263\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio. LIFE PREDICTION OF THERMOMECHANICAL FATIGUE

LIFE PREDICTION OF THERMOMECHANICAL FATIGUE USING TOTAL STRAIN VERSION OF STRAINRANGE PARTITIONING (SRP): A PROPOSAL

JAMES F. SALTSMAN and GARY R. HALFORD Feb. 1988 25 p

(NASA-TP-2779; E-3795; NAS 1.60:2779) Avail: NTIS HC A03/MF A01 CSCL 20K

FATIGUE LIFE, LIFE (DURABILITY), METALS, PREDICTIONS

N88-17095\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

### STRESS INTENSITY AND CRACK DISPLACEMENT FOR SMALL EDGE CRACKS

THOMAS W. ORANGE Feb. 1988 11 p

(NASA-TP-2801; E-3744; NAS 1.60:2801) Avail: NTIS HC A03/MF A01 CSCL 20K

CRACKS, DISPLACEMENT, EDGES, ELASTIC DEFORMATION, STRESS INTENSITY FACTORS

N88-18948\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

THE 58TH SHOCK AND VIBRATION SYMPOSIUM, VOLUME 2 WALTER D. PILKEY, comp. and BARBARA F. PILKEY, comp. (Virginia Univ., Charlottesville.) Feb. 1988 208 p Symposium held in Huntsville, Ala., 13-15 Oct. 1987; sponsored in part by DOD

(NASA-CP-2488-VOL-2; M-572-VOL-2; NAS 1.55:2488-VOL-2) Avail: NTIS HC A10/MF A01 CSCL 20K

CONFERENCES, DYNAMIC STRUCTURAL ANALYSIS, FINITE ELEMENT METHOD, SPACECRAFT COMPONENTS, SPACECRAFT DESIGN, SPECTRUM ANALYSIS, STRUCTURAL VIBRATION

N88-20652\*# Computer Software Management and Information Center, Athens, Ga.

SIXTEENTH NASTRAN (TRADEMARK) USERS' COLLOQUIUM Mar. 1988 196 p Colloquium held in Arlington, Va., 25-29 Apr. 1988

(NASA-CP-2505; NAS 1.55:2505) Avail: NTIS HC A09/MF A01 CSCL 20K

CONFERENCES, NASTRAN, STRUCTURAL ANALYSIS

N88-21456\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

### ADVANCES IN CONTACT ALGORITHMS AND THEIR APPLICATION TO TIRES

AHMED K. NOOR and JOHN A. TANNER Apr. 1988 36 p Presented at the American Chemical Society Meeting, Montreal, Quebec, 26-29 May 1987 Original contains color illustrations (NASA-TP-2781; L-16376; NAS 1.60:2781) Avail: NTIS HC A03/MF A01 CSCL 20K

ALGORITHMS, FRICTION, SURFACE PROPERTIES, TIRES

**N88-21468\***# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

### THE 22ND AEROSPACE MECHANISMS SYMPOSIUM

May 1988 416 p Symposium held in Hampton, Va.; sponsored by NASA, Washington, California Inst. of Tech., Pasadena, and LMSC, Sunnyvale, Calif.

(NASA-CP-2506; L-16433; NAS 1.55:2506) Avail: NTIS HC A18/MF A01 CSCL 20K

ACTUATORS, BEARINGS, MAGNETIC SUSPENSION, MECHANICAL DRIVES, TELEOPERATORS, VIBRATION ISOLATORS

National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

NONLINEAR CONSTITUTIVE RELATIONS FOR HIGH **TEMPERATURE APPLICATIONS, 1986** 

482 p Symposium held in Akron, Ohio, 11-13 Jun. 1986; sponsored by NASA, Lewis Research Center, Cleveland, Ohio and Akron Univ., Ohio

(NASA-CP-10010; E-3956; NAS 1.55:10010) Avail: NTIS HC

A21/MF A01 CSCL 20K
CONSTITUTIVE EQUATIONS, MATHEMATICAL MODELS, REFRACTORY MATERIALS, STRESS ANALYSIS, STRUCTURAL ANALYSIS, VISCOPLASTICITY

N88-22382\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

LEWIS STRUCTURES TECHNOLOGY, 1988. VOLUME 2: STRUCTURAL MECHANICS

May 1988 307 p Symposium held in Cleveland, Ohio, 24-25 May 1988

(NASA-CP-3003-VOL-2; E-3970-VOL-2; NAS 1.55:3003-VOL-2)

Avail: NTIS HC A14/MF A01 CSCL 20K
AIRCRAFT ENGINES, DYNAMIC STRUCTURAL ANALYSIS, FATIGUE (MATERIALS), FRACTURE MECHANICS, STRESS **ANALYSIS** 

N88-22408\*# National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

LEWIS STRUCTURES TECHNOLOGY, 1988. VOLUME 3: STRUCTURAL INTEGRITY FATIGUE AND FRACTURE WIND **TURBINES HOST** 

May 1988 366 p Symposium held in Cleveland, Ohio, 24-25 May 1988

(NÁSA-CP-3003-VOL-3; E-3970-VOL-3; NAS 1.55:3003-VOL-3) Avail: NTIS HC A16/MF A01 CSCL 20K

CONFERENCES. DYNAMIC STRUCTURAL FRACTURE MECHANICS, METAL FATIGUE, NONDESTRUCTIVE TESTS, PARALLEL PROCESSING (COMPUTERS), WIND **TURBINES** 

National Aeronautics and Space Administration. N88-23226\*# Lewis Research Center, Cleveland, Ohio.

LEWIS STRUCTURES TECHNOLOGY, 1988. VOLUME 1: STRUCTURAL DYNAMICS

463 p Symposium held in Cleveland, Ohio, 24-25 May 1988

(NASA-CP-3003-VOL-1; E-3970-VOL-1; NAS 1.55:3003-VOL-1) Avail: NTIS HC A20/MF A01 CSCL 20K

COMPUTER AEROELASTICITY, TECHNIQUES. CONFERENCES, DYNAMIC **STRUCTURAL** ANALYSIS, NASTRAN. PARALLEL PROCESSING (COMPUTERS), SPACECRAFT STRUCTURES, STRUCTURAL VIBRATION, TURBINE BLADES, VIBRATION DAMPING, WIND TURBINES

N88-23988\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

DYNAMIC CHARACTERISTICS OF A VIBRATING BEAM WITH PERIODIC VARIATION IN BENDING STIFFNESS

JOHN S. TOWNSEND Feb. 1987 23 p Previously announced as N87-22726

(NASA-TP-2697; NAS 1.60:2697) Avail: NTIS HC A03/MF A01 CSCL 20K

BEAMS (SUPPORTS), BENDING, BENDING VIBRATION, CHARACTERISTICS, DYNAMIC MODAL RESPONSE. MODULATION, PERIODIC VARIATIONS, STIFFNESS

National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

SRM PROPELLANT AND POLYMER MATERIALS STRUCTURAL TEST PROGRAM

CARLETON J. MOORE May 1988 16 p. (NASA-TP-2821; NAS 1.60:2821) Avail: NTIS HC A03/MF A01 CSCL 20K

DYNAMIC STRUCTURAL ANALYSIS, PERFORMANCE TESTS, SOLID PROPELLANT ROCKET ENGINES, SPACE SHUTTLE **BOOSTERS** 

N88-26684\*# National Aeronautics and Space Administration.

Langley Research Center, Hampton, Va.

THREE-DIMENSIONAL ANALYSIS OF A POSTBUCKLED **EMBEDDED DELAMINATION** 

JOHN D. WHITCOMB Jul. 1988 26 p

(NASA-TP-2823; L-16453; NAS 1.60:2823) Avail: NTIS HC A03/MF A01 CSCL 20K

BUCKLING, DELAMINATING, FINITE ELEMENT METHOD, LAMINATES, STRAIN ENERGY RELEASE RATE

N88-28343\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

SRM (SOLID ROCKET MOTOR) PROPELLANT AND POLYMER

MATERIALS STRUCTURAL MODELING

CARLETON J. MOORE Aug. 1988 42 p (NASA-TP-2824; NAS 1.60:2824) Avail: NTIS HC A03/MF A01

POLYMERIC FILMS, PROPELLANTS, SOLID PROPELLANT ROCKET ENGINES, STRUCTURAL ANALYSIS

### 42

### **GEOSCIENCES (GENERAL)**

N88-13774\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

SCIENTIFIC AND OPERATIONAL REQUIREMENTS FOR TOMS DATA

ARLIN J. KRUEGER, ed. Dec. 1987 112 p Conference held in Greenbelt, Md., 10-11 Sep. 1986 (NASA-CP-2497; REPT-87B0206; NAS 1.55:2497) Avail: NTIS

HC A06/MF A01 CSCL 04A ATMOSPHERIC CHEMISTRY, CONFERENCES, MAPPING, OZONE DEPLETION, OZONOMETRY, PHOTOCHEMICAL REACTIONS, SATELLITE SOUNDING, TOTAL OZONE MAPPING SPECTROMETER, TROPOSPHERE

N88-17096\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

NIMBUS 7 SOLAR BACKSCATTER ULTRAVIOLET (SBUV) SPECTRAL SCAN SOLAR IRRADIANCE AND EARTH RADIANCE PRODUCT USER'S GUIDE

BARRY M. SCHLESINGER, RICHARD P. CEBULA (ST Systems Corp., Hyattsville, Md.), DONALD F. HEATH, and ALBERT J. FLEIG Feb. 1988 65 p (NAS5-29386)

(NASA-RP-1199; NAS 1.61:1199; REPT-88-0004) Avail: NTIS HC A04/MF A01 CSCL 04A

The archived tape products from the spectral scan mode measurements of solar irradiance (SUNC tapes) and Earth radiance (EARTH tapes) by the Solar Backscatter UV (SBUV) instrument aboard Nimbus 7 are described. Incoming radiation from 160 to 400 nm is measured at intervals of 0.2 nm. The scan-to-scan repeatability of the solar irradiance measurements ranges from approximately 0.5 to 1 percent longward of 280 nm, to 2 percent around 210 nm and 4 percent near 175 nm. The repeatability of the Earth radiance values ranges from 2 to 3 percent at longer wavelengths and low zenith angles to 10 percent at shorter wavelengths and high zenith angles. The tape formats are described in detail, including file structure and contents of each type of record. Catalogs of the tapes and the time period covered are provided, along with lists of the days lacking solar irradiance measurements and the days dedicated to Earth radiance measurements. The method for production of the tapes is outlined

and quality control measures are described. How radiances and irradiances are derived from the raw counts, the corrections for changes in instrument sensitivity, and related uncertainties are discussed.

Author

### 43

### EARTH RESOURCES AND REMOTE SENSING

Includes remote sensing of earth resources by aircraft and spacecraft; photogrammetry; and aerial photography.

N88-20714\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

### THE 1987 AIRBORNE ANTARCTIC OZONE EXPERIMENT: THE NIMBUS-7 TOMS DATA ATLAS

ARLIN J. KRUEGER, PHILIP E. ARDANUY, FRANK S. SECHRIST, LANNING M. PENN, DAVID E. LARKO, SCOTT D. DOIRON, and REGINALD N. GALIMORE (Science Applications Research, Lanham, Md.) Mar. 1988 246 p

Total ozone data taken by the Nimbus-7 Total Ozone Mapping Spectrometer (TOMS) played a central role in the successful outcome of the 1987 Airborne Antarctic Ozone Experiment. The near-real-time TOMS total ozone observations were suppled within hours of real time to the operations center in Punta Arenas, Chile, over a telecommunications network designed specifically for this purpose. The TOMS data preparation and method of transfer over the telecommunications links are reviewed. This atlas includes a complete set of the near-real-time TOMS orbital overpass data over regions around the Palmer Peninsula of Antarctica for the period of August 8 through September 29, 1987. Also provided are daily polar orthographic projections of TOMS total ozone measurements over the Southern Hemisphere from August through November 1987. In addition, a chronology of the salient points of the experiment, along with some latitudinal cross sections and time series at locations of interest of the TOMS total ozone observations are presented. The TOMS total ozone measurements are evaluated along the flight tracks of each of the ER-2 and DC-8 missions during the experiment. The ozone hole is shown here to develop in a monotonic progression throughout late. August and September. The minimum total ozone amount was found on 5 October, when its all-time lowest value of 109 DU is recorded. The hole remains well defined, but fills gradually from mid-October through mid-November. The hole's dissolution is observed here to begin in mid-November, when it elongates and begins to rotate. By the end of November, the south pole is no longer located within the ozone hole. Author

**N88-23314\*** National Aeronautics and Space Administration, Washington, D.C.

### EARTH RESOURCES: A CONTINUING BIBLIOGRAPHY WITH INDEXES (ISSUE 57)

May 1988 129 p

(NASA-SP-7041(57); NAS 1.21:7041(57)) Avail: NTIS HC A07 CSCL 08B

This bibliography lists 451 reports, articles and other documents introduced into the NASA scientific and technical information system between January 1 and March 31, 1988. Emphasis is placed on the use of remote sensing and geophysical instrumentation in spacecraft and aircraft to survey and inventory natural resources and urban areas. Subject matter is grouped according to agriculture and forestry, environmental changes and cultural resources, geodesy and cartography, geology and mineral resources, hydrology and water management, data processing and distribution systems, instrumentation and sensors, and economic analysis.

### 46

### **GEOPHYSICS**

Includes aeronomy; upper and lower atmosphere studies; ionospheric and magnetospheric physics; and geomagnetism.

**N88-18084\***# National Aeronautics and Space Administration, Washington, D.C.

**INTO THE THERMOSPHERE: THE ATMOSPHERE EXPLORERS**ERIC BURGESS and DOUGLASS TORR 1987 172 p Original document contains color illustrations

(NASA-SP-490; NAS 1.21:490; LC-87-14156) Avail: SOD HC \$14.00 as 033-000-01013-3; NTIS MF A01 CSCL 04A

The need to study the lower thermosphere with the new instrument, data handling, and spacecraft technology available in the 1960s led to the formulation and establishment of the Atmospheric Explorer program. This book provides an overview of this program with particular emphasis on the AE3, AE4, and AE5 satellites, which represent early examples of problem-dedicated missions. Both the satellites and their instrumentation on the one hand and the experimental and scientific considerations in studying the thermosphere on the other are discussed.

J.P.B.

N88-19037\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

### CRUSTAL DYNAMICS PROJECT: CATALOGUE OF SITE INFORMATION

CAREY E. NOLL, ed. Mar. 1988 539 p (NASA-RP-1198; REPT-88B9999; NAS 1.61:1198) Avail: NTIS

(NASA-RP-1198; REPT-88B9999; NAS 1.61:1198) Avail: NTIS HC A23/MF A01 CSCL 08G

This document represents a catalog of site information for the Crustal Dynamics Project. It contains information on and descriptions of those sites used by the Project as observing stations for making the precise geodetic measurements necessary for studies of the Earth's crustal movements and deformation.

Author

N88-25094\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

### SAM 2 DATA USER'S GUIDE

W. P. CHU, M. T. OSBORN (ST Systems Corp., Hampton, Va.), and L. R. MCMASTER Jul. 1988 29 p (NASA-RP-1200; L-16377; NAS 1.61:1200) Avail: NTIS HC A03/MF A01 CSCL 04A

This document is intended to serve as a guide to the use of the data products from the Stratospheric Aerosol Measurement (SAM) 2 experiment for scientific investigations of polar stratospheric aerosols. Included is a detailed description of the Beta and Aerosol Number Density Archive Tape (BANAT), which is the SAM 2 data product containing the aerosol extinction data available for these investigations. Also included are brief descriptions of the instrument operation, data collection, processing and validation, and some of the scientific analyses conducted to date.

N88-29233\*# National Aeronautics and Space Administration, Washington, D.C.

### PRESENT STATE OF KNOWLEDGE OF THE UPPER ATMOSPHERE 1988: AN ASSESSMENT REPORT

R. T. WATSON, M. J. PRATHER, and M. J. KURYLO Jun. 1988 203 p

(NASA-RP-1208; NAS 1.61:1208) Avail: NTIS HC A10/MF A01 CSCL 04A

This document was issued in response to the Clean Air Act Amendments of 1977, Public Law 95-95, mandating that NASA and other key agencies submit biennial reports to Congress and EPA. NASA is to report on the state of our knowledge of the upper atmosphere, particularly the stratosphere. This is the sixth ozone assessment report submitted to Congress and the concerned regulatory agencies. Part 1 contains an outline of the NASA Upper Atmosphere Research Program and summaries of the research

efforts supported during the last two years. An assessment is presented of the state of knowledge as of March 15, 1988 when the Ozone Trends Panel, organized by NASA and co-sponsored by the World Meteorological Organization, NOAA, FAA and the United Nations Environment Program released an executive summary of its findings from a critical in-depth study involving over 100 scientists from 12 countries. Chapter summaries of the International Ozone Trends Panel Report form the major part of this report. Two other sections are Model Predictions of Future Ozone Change and Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling. Each of these sections and the report in its entirety were peer reviewed.

N88-29234\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

FORTY-EIGHT-INCH LIDAR AEROSOL MEASUREMENTS TAKEN AT THE LANGLEY RESEARCH CENTER, MAY 1974 TO DECEMBER 1987

W. H. FULLER, JR., M. T. OSBORN, and W. H. HUNT (Wyle Labs., Inc., Hampton, Va.) Oct. 1988 102 p (NASA-RP-1209; L-16473; NAS 1.61:1209) Avail: NTIS HC A06/MF A01 CSCL 04A

A ground based lidar system located at NASA Langley Research Center in Hampton, Va., was used to obtain high resolution vertical profiles of the stratospheric and upper tropospheric aerosol since 1974. More than 200 measurements obtained at a wavelength of 0.6943 microns during 1974 to 1987 are summarized. Plots of peak backscatter mixing ratio and integrated backscatter vs time are presented for the entire measurement sequence. The plots highlight the influence of several major volcanic eruptions on the long term stratospheric aerosol layer. In particular, the eruptions of El Chichon in late Mar. to early Apr. 1982, produced a massive aerosol layer. Aerosol enhancement from El Chichon reached Hampton, Va. by May 1982, with a scattering ratio of approx. 50 detected on Jul. 1, 1982. In addition, scattering ratio profiles for June 1982 to December 1987, along with tables containing numerical values of the backscatter ratio and backscattering function versus altitude, are included to further describe the upper tropospheric and stratospheric aerosol layer. A 14 year summary is presented, in a ready to use format, of lidar observations at a fixed midlatitude location to be used for further study. Author

### 47

### **METEOROLOGY AND CLIMATOLOGY**

Includes weather forecasting and modification.

 $\mbox{\bf N88-10451}^{\bullet}\#$  National Aeronautics and Space Administration, Washington, D.C.

ATLAS OF WIDE-FIELD-OF-VIEW OUTGOING LONGWAVE RADIATION DERIVED FROM NIMBUS 7 EARTH RADIATION BUDGET DATA SET - NOVEMBER 1978 TO OCTOBER 1985 T. DALE BESS and G. LOUIS SMITH Aug. 1987 176 p (NASA-RP-1186; L-16326; NAS 1.61:1186) Avail: NTIS HC A09/MF A01 CSCL 04B

An atlas of monthly mean outgoing longwave radiation global contour maps and associated spherical harmonic coefficients is presented. The atlas contains 84 months of continuous data from November 1978 to October 1985. The data were derived from the second Earth radiation budget experiment, which was flown on the Nimbus 7 Sun-synchronous satellite in 1978. This data set is a companion set and extension to a similar report of the Nimbus 6 satellite. Together these two reports give a data set covering a 10 year time period and will be very valuable in studying different aspects of our changing climate over monthly, annual, and interannual scales in the time domain and over regional, zonal, and global scales in the spatial domain.

N88-14572\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

DESCRIPTION OF DATA ON THE NIMBUS 7 LIMS MAP ARCHIVE TAPE: WATER VAPOR AND NITROGEN DIOXIDE KENNETH V. HAGGARD, B. T. MARSHALL (G and A Technical Software, Hampton, Va.), ROBERT J. KURZEJA (Du Pont de Nemours, E. I. and Co., Aiken, S.C.), ELLIS E. REMSBERG, and JAMES M. RUSSELL, III Feb. 1988 69 p (NASA-TP-2761; L-16313; NAS 1.60:2761) Avail: NTIS HC A04/MF A01 CSCL 04B

ATMOSPHERIC COMPOSITION, EARTH LIMB, INFRARED DETECTORS, MAPPING, NIMBUS 7 SATELLITE, STRATOSPHERE

N88-20772\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

# SUMMARY OF ALONG-TRACK DATA FROM THE EARTH RADIATION BUDGET SATELLITE FOR SEVERAL MAJOR DESERT REGIONS

DAVID R. BROOKS and MARTA A. FENN May 1988 147 p (NASA-RP-1197; L-16401; NAS 1.61:1197) Avail: NTIS HC A07/MF A01 CSCL 04B

For several days in January and August 1985, the Earth Radiation Budget Satellite, a component of the Earth Radiation Budget Experiment (ERBE), was operated in an along-track scanning mode. A survey of radiance measurements is given for four desert areas in Africa, the Arabian Peninsula, Australia, and the Sahel region of Africa. Each overflight provides radiance information for four scene categories: clear, partly cloudy, mostly cloudy, and overcast. The data presented include the variation of radiance in each scene classification as a function of viewing zenith angle during each overflight of the five target areas. Several features of interest in the development of anisotropic models are evident, including day-night differences in longwave limb darkening and the azimuthal dependence of short wave radiance. There is some evidence that surface features may introduce thermal or visible shadowing that is not incorporated in the usual descriptions of the anisotropic behavior of radiance as viewed from space. The data also demonstrate that the ERBE scene classification algorithms give results that, at least for desert surfaces, are a function of viewing geometry.

# N88-25105\*# Tennessee Univ. Space Inst., Tullahoma. METEOROLOGICAL AND ENVIRONMENTAL INPUTS TO AVIATION SYSTEMS

DENNIS W. CAMP, ed. and WALTER FROST, ed. Jun. 1988 226 p Workshop held in Tullahoma, Tenn., 12-14 Mar. 1985; sponsored by NASA, Washington, NOAA, FAA, DOD, and Office of the Federal Coordinator for Meteorology (NASA-CP-2498; L-16338; NAS 1.55:2498) Avail: NTIS HC

(NASA-CP-2498; L-16338; NAS 1.55:2498) AVAII: NTIS HC A11/MF A01 CSCL 04B

AVIATION METEOROLOGY, FLIGHT SAFETY, WEATHER

N88-27677\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

### ANGULAR RADIATION MODELS FOR EARTH-ATMOSPHERE SYSTEM. VOLUME 1: SHORTWAVE RADIATION

J. T. SUTTLES, R. N. GREEN, P. MINNIS, G. L. SMITH, W. F. STAYLOR, B. A. WIELICKI, I. J. WALKER, D. F. YOUNG, V. R. TAYLOR, and L. L. STOWE (National Oceanic and Atmospheric Administration, Washington, D. C.) Jul. 1988 148 p (NASA-RP-1184; L-16414; NAS 1.61:1184) Avail: NTIS HC A07/MF A01 CSCL 04B

Presented are shortwave angular radiation models which are required for analysis of satellite measurements of Earth radiation, such as those fro the Earth Radiation Budget Experiment (ERBE). The models consist of both bidirectional and directional parameters. The bidirectional parameters are anisotropic function, standard deviation of mean radiance, and shortwave-longwave radiance correlation coefficient. The directional parameters are mean albedo as a function of Sun zenith angle and mean albedo normalized to overhead Sun. Derivation of these models from the Nimbus 7 ERB (Earth Radiation Budget) and Geostationary Operational

Environmental Satellite (GOES) data sets is described. Tabulated values and computer-generated plots are included for the bidirectional and directional modes.

### 51

### **LIFE SCIENCES (GENERAL)**

N88-15354\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

### MICROGRAVITY PARTICLE RESEARCH ON THE SPACE

STEVEN W. SQUYRES, ed., CHRISTOPHER P. MCKAY, ed., and DEBORAH E. SCHWARTZ, ed. Dec. 1987 48 p Workshop held in Moffett Field, Calif., 22-24 Aug. 1985 (NASA-CP-2496; A-87361; NAS 1.55:2496) Avail: NTIS HC A03/MF A01 CSCL 06B

PARTICLES, REDUCED GRAVITY. SPACE STATION PAYLOADS, SPACEBORNE EXPERIMENTS

N88-17168\*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

### SPACE BIOREACTOR SCIENCE WORKSHOP

DENNIS R. MORRISON, ed. Dec. 1987 183 p Workshop held in Houston, Tex., 22-23 Aug. 1985 (NASA-CP-2485; S-564; NAS 1.55:2485) Avail: NTIS HC A09/MF A01 CSCL 06B

BIOPROCESSING, BIOREACTORS, BIOTECHNOLOGY. CELLS (BIOLOGY), CONFERENCES, CULTURE TECHNIQUES, REDUCED GRAVITY, SPACE PROCESSING, (BIOLOGY)

National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

### SPACE STATION HUMAN FACTORS RESEARCH REVIEW. **VOLUME 3: SPACE STATION HABITABILITY AND FUNCTION:** ARCHITECTURAL RESEARCH

MARC M. COHEN, ed., ALICE EICHOLD, ed., and SUSAN HEERS, Oct. 1987 211 p Workshop held at Moffett Field, Calif., 3-6 Dec. 1985

(NASA-CP-2426-VOL-3; A-86263-VOL-3; NAS 1.55:2426-VOL-3) Avail: NTIS HC A10/MF A01 CSCL 05H

ARCHITECTURE, HUMAN FACTORS ENGINEERING, SPACE STATIONS, SPACECRAFT DESIGN

National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

### SPACE STATION HUMAN FACTORS RESEARCH REVIEW. **VOLUME 1: EVA RESEARCH AND DEVELOPMENT**

MARC M. COHEN, ed. and H. C. VYKUKAL, ed. Apr. 136 p Workshop held at Moffett Field, Calif., 3-6 Dec. 1985 (NASA-CP-2426-VOL-1; A-87163-VOL-1; NAS 1.55:2426-VOL-1) Avail: NTIS HC A07/MF A01 CSCL 06B

CONFERENCES, EXTRAVEHICULAR ACTIVITY, HUMAN FACTORS ENGINEERING, SPACE STATIONS

National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

### SPACE STATION HUMAN FACTORS RESEARCH REVIEW. **VOLUME 4: INHOUSE ADVANCED DEVELOPMENT AND**

TRIEVE TANNER, ed., YVONNE A. CLEARWATER, ed., and MARC M. COHEN, ed. May 1988 135 p Workshop held at Moffett Field, Calif., 3-6 Dec. 1985

(NASA-CP-2426-VOL-4; A-87247-VOL-4; NAS 1.55:2426-VOL-4) Avail: NTIS HC A07/MF A01 CSCL 06B

HUMAN FACTORS ENGINEERING, SPACE STATIONS, SPACECRAFT DESIGN

### 52

### **AEROSPACE MEDICINE**

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

N88-14623\*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

### AIRBORNE PARTICULATE MATTER IN SPACECRAFT

Feb. 1988 15 p Presented at a Panel Discussion held in Houston, Tex., 23-24 Jul. 1987 (NAS9-17200)

(NASA-CP-2499; S-570; NAS 1.55:2499) Avail: NTIS HC

A03/MF A01 CSCL 06K

**AEROSPACE** AEROSOLS, ENVIRONMENTS, AIR PURIFICATION, AIR QUALITY, SPACECRAFT DESIGN

N88-18180\* National Aeronautics and Space Administration, Washington, D.C.

### AEROSPACE MEDICINE AND BIOLOGY: A CUMULATIVE INDEX TO A CONTINUING BIBLIOGRAPHY (SUPPLEMENT

Jan. 1988 210 p

(NASA-SP-7011(306); NAS 1.21:7011(306)) Avail: NTIS HC A10 CSCL 06E

This publication is a cumulative index to the abstracts contained in the Supplements 294 through 305 of Aerospace Medicine and Biology: A Continuing Bibliography. It includes seven indexes subject, personal author, corporate source, foreign technology, contract number, report number, and accession number.

N88-30281\* National Aeronautics and Space Administration, Washington, D.C.

### AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING **BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 315)**

Oct. 1988 71 p

(NASA-SP-7011(315); NAS 1.21:7011(315)) Avail: NTIS HC A04; NTIS standing order as PB88-912300. \$9.00 domestic, \$18.00 foreign CSCL 06E

This bibliography lists 211 reports, articles and other documents introduced into the NASA scientific and technical information system in September, 1988.

### 53

### **BEHAVIORAL SCIENCES**

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

N88-23370\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

### MENTAL-STATE ESTIMATION, 1987

J. RAYMOND COMSTOCK, JR., comp. May 1988 Workshop held in Williamsburg, Va., 3-4 Jun. 1987; sponsored by NASA, Langley Research Center, Hampton, Va. and Old Dominion Univ., Norfolk, Va. Sponsored by NASA, Washington (NASA-CP-2504; L-16420; NAS 1.55:2504) Avail: NTIS HC A17/MF A01 CSCL 05J

BIOMETRICS, ESTIMATING, HUMAN PERFORMANCE, OPERATOR PERFORMANCE, MENTAL PERFORMANCE. PSYCHOMOTOR PERFORMANCE, STRESS (PSYCHOLOGY), WORKLOADS (PSYCHOPHYSIOLOGY), WORKSTATIONS

### 54

### MAN/SYSTEM TECHNOLOGY AND LIFE **SUPPORT**

Includes human engineering; biotechnology; and space suits and protective clothing.

N88-12251\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

CONTROLLED ECOLOGICAL LIFE SUPPORT SYSTEM: REGENERATIVE LIFE SUPPORT SYSTEMS IN SPACE

ROBERT D. MACELROY and DAVID T. SMERNOFF (New Sep. 1987 153 p Hampshire Univ., Durham.) The 26th COSPAR Meeting held in Toulouse, France, Jul. 1986 (NCC2-231)

(NASA-CP-2480; A-87256; NAS 1.55:2480) Avail: NTIS HC A08/MF A01 CSCL 06K

ALGAE, CLOSED ECOLOGICAL SYSTEMS, GAS EXCHANGE, **VEGETATION GROWTH** 

N88-13852\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif. CONTROLLED ECOLOGICAL LIFE SUPPORT SYSTEM.

DESIGN, DEVELOPMENT, AND USE OF A GROUND-BASED PLANT GROWTH MODULE

ROBERT D. MACELROY, DAVID T. SMERNOFF (New Hampshire Univ., Durham.), and JOHN D. RUMMEL Sep. 1987 Meeting held at Moffett Field, Calif., Sep. 1984, in Cocoa Beach, Fla., Apr. 1985 and in Carmel, Calif., 23-25 Apr. 1986 (NCC2-27)

(NASA-CP-2479; A-87255; NAS 1.55:2479) Avail: NTIS HC A05/MF A01 CSCL 06K

**ECOLOGICAL** SYSTEMS, CROP GROWTH, CLOSED EXPERIMENT DESIGN, FOOD, LABORATORY EQUIPMENT, PLANTS (BOTANY)

### 59

### MATHEMATICAL AND COMPUTER SCIENCES (GENERAL)

N88-12928\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

APPLICATIONS OF THE HYBRID AUTOMATED RELIABILITY **PREDICTOR** 

SALVATORE J. BAVUSO, JOANNE BECHTA DUGAN, KISHOR T. TRIVEDI, BETH ROTHMANN, and MARK BOYD (Duke Univ., Durham, N. C.) 1987 31 p (NASA-TP-2760; L-16304; NAS 1.60:2760) Avail: NTIS HC

A03/MF A01 CSCL 12A

APPLICATIONS PROGRAMS (COMPUTERS), COMPUTER SYSTEMS PERFORMANCE, FLIGHT CONTROL, LOCAL AREA PREDICTION, RELIABILITY NETWORKS, PERFORMANCE ANALYSIS, SYSTEMS ANALYSIS

N88-14629\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif. A GENERAL SOLUTION TO THE SILHOUETTE PROBLEM DAVID R. HEDGLEY, JR. Feb. 1987 9 p (NASA-TP-2695; H-1348; NAS 1.60:2695) Avail: NTIS HC A02/MF A01 CSCL 12A

COMPUTER GRAPHICS, DISPLAY DEVICES, IMAGE ENHANCEMENT, IMAGE PROCESSING

N88-17206\*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

FIRST ANNUAL WORKSHOP ON SPACE OPERATIONS **AUTOMATION AND ROBOTICS (SOAR 87)** 

SANDY GRIFFIN, ed. Oct. 1987 530 p Workshop held in Houston, Tex., 5-7 Aug. 1987; sponsored by NASA, Johnson Space Flight Center and the US Air Force (NĂSA-CP-2491; S-567; NAS 1.55:2491) Avail: NTIS HC

A23/MF A01 CSCL 12B

ARCHITECTURE (COMPUTERS), AUTOMATIC CONTROL, COMPUTER AIDED DESIGN, CONFERENCES, DISTRIBUTED PROCESSING, EXPERT SYSTEMS, LOGISTICS, MAN MACHINE NEURAL PROCESSING SYSTEMS, PARALLEL NETS, (COMPUTERS), ROBOTICS

National Aeronautics and Space Administration. Langley Research Center, Hampton, Va. CARE 3 USER'S WORKSHOP

<u>.a</u>:

ŧ

Apr. 1988 160 p Workshop held in Hampton, Va., 6-7 Oct. 1987; sponsored by NASA, Washington

(NASA-CP-10011; NAS 1.55:10011) Avail: NTIS HC A08/MF A01 CSCL 12A

COMPUTER PROGRAMS, CONFERENCES, **FAULT** TOLERANCE, RELIABILITY ANALYSIS

### 60

### **COMPUTER OPERATIONS AND HARDWARE**

Includes hardware for computer graphics, firmware, and data processing.

N88-20833\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.
DIGITAL ENHANCEMENT OF FLOW FIELD IMAGES

ROBERT A. KUDLINSKI and STEPHEN K. PARK Mar. 1988 25 p Original contains color illustrations

(NASA-TP-2770; L-16318; NAS 1.60:2770) Avail: NTIS HC A03/MF A01 CSCL 09B

DIGITAL TECHNIQUES, FLOW VISUALIZATION, IMAGE ENHANCEMENT, IMAGE PROCESSING, PHOTOGRAPHIC **PROCESSING** 

### 61

### **COMPUTER PROGRAMMING AND SOFTWARE**

Includes computer programs, routines, and algorithms, and specific applications, e.g., CAD/CAM.

N88-16360\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

THIRD CONFERENCE ON ARTIFICIAL INTELLIGENCE FOR SPACE APPLICATIONS, PART 1

JUDITH S. DENTON, comp., MICHAEL S. FREEMAN, comp., and MARY VEREEN, comp. Nov. 1987 421 p. Conference held in Huntsville, Ala., 2-3 Nov. 1987; sponsored by NASA, Marshall Space Flight Center, Huntsville, Ala. and Alabama Univ., Huntsville

(NASA-CP-2492-Pt-1; M-575-PT-1; NAS 1.55:2492-Pt-1) Avail: NTIS HC A18/MF A01 CSCL 09B

COMPUTER PROGRAMS, CONFERENCES, DATA BASE MANAGEMENT SYSTEMS, EXPERT SYSTEMS, KNOWLEDGE, MAN MACHINE SYSTEMS, ROBOTICS, SCHEDULING, SPACE SHUTTLES, SPACE STATIONS, SPACECRAFT CONTROL

N88-24188\*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

THIRD CONFERENCE ON ARTIFICIAL INTELLIGENCE FOR SPACE APPLICATIONS, PART 2

JUDITH S. DENTON, comp., MICHAEL S. FREEMAN, comp., and MARY VEREEN, comp. Jun. 1988 66 p Conference held in Huntsville, Ala., 2-3 Nov. 1987; sponsored by NASA, Marshall Space Flight Center, Huntsville, Ala. and Alabama Univ., Huntsville Sponsored by NASA, Washington (NASA-CP-2492-PT-2; M-576-PT-2; NAS 1.55:2492-PT-2) Avail: NTIS HC A04/MF A01 CSCL 09B

COMPUTER PROGRAMS, CONFERENCES, EXPERI SYSTEMS, SOFTWARE TOOLS, SPACE STATIONS

N88-29351\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, Ala.

SECOND CONFERENCE ON ARTIFICIAL INTELLIGENCE FOR SPACE APPLICATIONS

THOMAS DOLLMAN, comp. Aug. 1988 709 p Conference held in Huntsville, Ala., 13-14 Nov. 1986; sponsored by NASA, Marshall Space Flight Center, Huntsville, Ala. and Alabama Univ., Huntsville Sponsored by NASA, Washington, D.C. (NASA-CP-3007; M-577; NAS 1.55:3007) Avail: NTIS HC A99/MF E03 CSCL 09B

AUTOMATIC CONTROL, COMPUTER AIDED DESIGN, COMPUTER VISION, EXPERT SYSTEMS, ROBOTICS, SPACE STATIONS

### 63

### **CYBERNETICS**

Includes feedback and control theory, artificial intelligence, robotics and expert systems.

N88-30330\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

THE 1988 GODDARD CONFERENCE ON SPACE APPLICATIONS OF ARTIFICIAL INTELLIGENCE

JAMES RASH, ed. and PETER HUGHES, ed. Aug. 1988 437 p Conference held in Greenbelt, Md., 24 May 1988 Sponsored by NASA, Washington, D.C.

(NASA-CP-3009; REPT-88B0212; NAS 1.55:3009) Avail: NTIS HC A19/MF A01 CSCL 09B

AEROSPACE ENGINEERING, ARTIFICIAL INTELLIGENCE, COMPUTERIZED SIMULATION, CONFERENCES, EXPERT SYSTEMS, IMAGE PROCESSING, MISSION PLANNING

### 65

### STATISTICS AND PROBABILITY

Includes data sampling and smoothing; Monte Carlo method; and stochastic processes.

N88-17380\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

SURE RELIABILITY ANALYSIS: PROGRAM AND MATHEMATICS

RICKY W. BUTLER and ALLAN L. WHITE Mar. 1988 77 p (NASA-TP-2764; L-16263; NAS 1.60:2764) Avail: NTIS HC A05/MF A01 CSCL 12A

APPLICATIONS PROGRAMS (COMPUTERS), FAULT TOLERANCE, MARKOV PROCESSES, MATHEMATICAL MODELS, RELIABILITY ANALYSIS

N88-22653\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

ANALYSIS AND TESTING OF THE SURE PROGRAM

KELLY J. DOTSON 1988 1 p

(NASA-TP-2817; L-16413; NAS 1.60:2817) PREVIEW CSCL

COMPUTER PROGRAMS, ERROR ANALYSIS, FAULT TOLERANCE, MARKOV PROCESSES, MATHEMATICAL MODELS, RELIABILITY ANALYSIS

### 66

### SYSTEMS ANALYSIS

Includes mathematical modeling; network analysis; and operations research.

N88-21740\*# National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, Calif. USER'S MANUAL FOR LINEAR, A FORTRAN PROGRAM TO DERIVE LINEAR AIRCRAFT MODELS
EUGENE L. DUKE, BRIAN P. PATTERSON, and ROBERT F. ANTONIEWICZ Dec. 1987 109 p
(NASA-TP-2768; H-1259; NAS 1.60:2768) Avail: NTIS HC
A06/MF A01 CSCL 12B
AIRCRAFT MODELS, COMPUTER PROGRAMS, FORTRAN, LINEARIZATION

### 71

### **ACOUSTICS**

Includes sound generation, transmission, and attenuation.

N88-11450\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

EVALUATION OF A SCALE-MODEL EXPERIMENT TO INVESTIGATE LONG-RANGE ACOUSTIC PROPAGATION

TONY L. PARROTT, GERRY L. MCANINCH, and INGRID A. CARLBERG Nov. 1987 55 p

(NASA-TP-2748; L-16300; NAS 1.60:2748) Avail: NTIS HC A04/MF A01 CSCL 20A

ACOUSTICS, FEASIBILITY ANALYSIS, MATHEMATICAL MODELS, SCALE MODELS, TERRAIN, WAVE PROPAGATION

N88-13002\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

MEASUREMENT OF VELOCITY AND VORTICITY FIELDS IN THE WAKE OF AN AIRFOIL IN PERIODIC PITCHING MOTION EARL R. BOOTH, JR. Dec. 1987 31 p (NASA-TP-2780; L-16339; NAS 1.60:2780) Avail: NTIS HC A03/MF A01 CSCL 20A

AIRFOILS, PITCH (INCLINATION), VORTICES, VORTICITY, WAKES

N88-16510\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va. SHOCK STRUCTURE AND NOISE OF SUPERSONIC JETS IN SIMULATED FLIGHT TO MACH 0.4
THOMAS D. NORUM and JOHN G. SHEARIN Feb. 1988 187 p
(NASA-TP-2785; L-16341; NAS 1.60:2785) Avail: NTIS HC A09/MF A01 CSCL 20A

JET AIRCRAFT NOISE, MACH NUMBER, SHOCK WAVES, SUPERSONIC AIRCRAFT

Ē

#### 71 ACOUSTICS

National Aeronautics and Space Administration. N88-17440\*# Langley Research Center, Hampton, Va. MEASURED AND CALCULATED ACOUSTIC ATTENUATION RATES OF TUNED RESONATOR ARRAYS FOR TWO SURFACE IMPEDANCE DISTRIBUTION MODELS WITH FLOW TONY L. PARROTT, A. LOUIS ABRAHAMSON, and MICHAEL G. JONES (PRC Kentron, Inc., Hampton, Va.) Jan. 1988 51 p (NASA-TP-2766; L-16352; NAS 1.60:2766) Avail: NTIS HC A04/MF A01 CSCL 20A

ACOUSTIC ATTENUATION, ACOUSTIC IMPEDANCE, CAVITY RESONATORS, ENGINE NOISE, FINITE ELEMENT METHOD, GRAZING FLOW, NOISE REDUCTION

National Aeronautics and Space Administration. N88-17441\*# Langley Research Center, Hampton, Va.

ANNOYANCE CAUSED BY ADVANCED TURBOPROP AIRCRAFT FLYOVER NOISE: SINGLE-ROTATING PROPELLER CONFIGURATION

DAVID A. MCCURDY Mar. 1988 43 p (NASA-TP-2782; L-16301; NAS 1.60:2782) Avail: NTIS HC

A03/MF A01 CSCL 20A

NOISE INTENSITY, PROPELLER FANS, TOLERANCES
(PHYSIOLOGY), ENGINE NOISE, JET AIRCRAFT NOISE, NOISE TOLERANCE

National Aeronautics and Space Administration. N88-22710\*# Langley Research Center, Hampton, Va.

ADVANCING-SIDE DIRECTIVITY AND RETREATING-SIDE INTERACTIONS OF MODEL ROTOR BLADE-VORTEX **INTERACTION NOISE** 

R. M. MARTIN, W. R. SPLETTSTOESSER, J. W. ELLIOTT, and K.-J. SCHULTZ (Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Brunswick, West Germany) 43 p

(NASA-TP-2784; L-16354; NAS 1.60:2784; AVSCOM-TR-87-B-3) Avail: NTIS HC A03/MF A01 CSCL 20A

BLADE-VORTEX INTERACTION, ROTOR AERODYNAMICS

National Aeronautics and Space Administration. N88-26907\*# Langley Research Center, Hampton, Va. HELICOPTER MAIN-ROTOR NOISE: DETERMINATION OF SOURCE CONTRIBUTIONS USING SCALED MODEL DATA THOMAS F. BROOKS, J. RALPH JOLLY, JR. (Planning Research Corp., Hampton, Va.), and MICHAEL A. MARCOLINI Aug. 1988

(NASA-TP-2825; L-16399; NAS 1.60:2825) Avail: NTIS HC A04/MF A01 CSCL 20A

BLADE SLAP AIRCRAFT NOISE, BO-105 NOISE, HELICOPTER, ROTARY WINGS, WIND TUNNEL TESTS

### 73

### **NUCLEAR AND HIGH-ENERGY PHYSICS**

Includes elementary and nuclear particles; and reactor theory.

N88-13015\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va. NUCLEAR TECHNIQUES IN STUDIES OF CONDENSED

**MATTER** 

JAG J. SINGH Aug. 1987 22 p

(NASA-RP-1195; L-16361; NAS 1.61:1195) Avail: NTIS HC A03/MF A01 CSCL 20H

Nuclear techniques have played an important role in the studies of materials over the past several decades. For example, X-ray diffraction, neutron diffraction, neutron activation, and particle- or photon-induced X-ray emission techniques have been used extensively for the elucidation of structural and compositional details of materials. Several new techniques have been developed recently. Four such techniques are briefly reviewed which have

great potential in the study and development of new materials. Of these four, Mossbauer spectroscopy, muon spin rotation, and positron annihilation spectroscopy techniques exploit their great sensitivity to the local atomic environments in the test materials. Interest in synchrotron radiation, on the other hand, stems from its special properties, such as high intensity, high degree of polarization, and high monochromaticity. It is hoped that this brief review will stimulate interest in the exploitation of these newer techniques for the development of improved materials.

National Aeronautics and Space Administration. N88-30402\*# Langley Research Center, Hampton, Va.

**EIKONAL SOLUTIONS TO OPTICAL MODEL** COUPLED-CHANNEL EQUATIONS

FRANCIS A. CUCINOTTA, GOVIND S. KHANDELWAL, KHIN M. MAUNG (Old Dominion Univ., Norfolk, Va.), LAWRENCE W. TOWNSEND, and JOHN W. WILSON Nov. 1988 30 p (NASA-TP-2830; L-16462; NAS 1.60:2830) Avail: NTIS HC A03/MF A01 CSCL 20H

EIKONAL EQUATION, ELASTIC SCATTERING, HEAVY IONS, INELASTIC SCATTERING, IONIC COLLISIONS, NUCLEAR SCATTERING, SCATTERING AMPLITUDE

### 75

### **PLASMA PHYSICS**

Includes magnetohydrodynamics and plasma fusion.

National Aeronautics and Space Administration. N88-18443\*# Langley Research Center, Hampton, Va.

LASER PRODUCTION AND HEATING OF PLASMA FOR MHD **APPLICATION** 

N. W. JALUFKA Mar. 1988 11 p

(NASA-TP-2798; L-16373; NAS 1.60:2798) Avail: NTIS HC A03/MF A01 CSCL 201

**ELECTRIC** GENERATORS. **ENERGY** CONVERSION MAGNETOHYDRODYNAMIC EFFICIENCY, GENERATORS. PLASMA HEATING

### 81

### ADMINISTRATION AND MANAGEMENT

Includes management planning and research.

N88-21867\* National Aeronautics and Space Administration, Washington, D.C.

MANAGEMENT: A BIBLIOGRAPHY FOR NASA MANAGERS

Apr. 1988 158 p (NASA-SP-7500(22); NAS 1.21:7500(22)) Avail: NTIS HC A08 CSCL 05A

This bibliography lists 653 reports, articles and other documents introduced into the NASA scientific and technical information system in 1987. Items are selected and grouped according to their usefulness to the manager as manager. Citiations are grouped into ten subject categories; human factors and personnel issues; management theory and techniques; industrial management and manufacturing; robotics and expert systems; computers and information management; research and development; economics, costs and markets, logistics and operations management, reliability

and quality control; and legality, legislation, and policy.

82

**DOCUMENTATION AND INFORMATION SCIENCE** 

Includes information management; information storage and retrieval technology; technical writing; graphic arts; and micrography.

N88-15732\* National Aeronautics and Space Administration, Washington, D.C.

NASA PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY. SECTION 1: ABSTRACTS (SUPPLEMENT 32)
Jan. 1988 61 p

(NASA-SP-7039(32)-SECT-1-ABST; NAS

1.21:7039(32)-SECT-1-ABST) Avail: NTIS HC A04; NTIS standing order as PB 88-911100, \$12.50 domestic, \$25.00 foreign CSCL 05B

Abstracts are provided for 136 patents and patent applications entered into the NASA scientific and technical information system during the period July through December 1987. Each entry consists of a citation, an abstract, and in most cases, a key illustration selected from the patent or patent application.

N88-16575\* National Aeronautics and Space Administration, Washington, D.C.

NASA THESAURUS SUPPLEMENT: A FOUR PART CUMULATIVE SUPPLEMENT TO THE 1985 EDITION OF THE NASA THESAURUS

Jan. 1988 363 p

(NASA-SP-7053(SUPP-4); NAS 1.21:7053(SUPP-4)) Avail: NTIS HC A16 CSCL 05B

The four part cumulative NASA Thesaurus Supplement to the 1985 edition of the NASA Thesaurus includes Part 1, Hierarchical Listing, Part 2, Access Vocabulary, Part 3, NASA Thesaurus Definitions, and Part 4, Changes. The semiannual supplement gives complete hierarchies for new terms.

N88-18511\* National Aeronautics and Space Administration, Washington, D.C.

NASA PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY. SECTION 2: INDEXES (SUPPLEMENT 32)

Jan. 1988 499 p

(NASA-SP-7039(32)-SECT-2; NAS 1.21:7039(32)-SECT-2) Avail: NTIS HC A21; NTIS standing order as PB88-911100, \$26.50 domestic, \$53.00 foreign CSCL 05B

A subject index is provided for over 4700 patents and patent applications for the period May 1969 through December 1987. Additional indexes list personal authors, corporate authors, contract numbers, NASA case numbers, U.S. patent class numbers, U.S. patent numbers, and NASA accession numbers.

**N88-22830\***# National Aeronautics and Space Administration, Washington, D.C.

NASA ŠCIENTIFIC AND TECHNICAL PUBLICATIONS: A CATALOG OF SPECIAL PUBLICATIONS, REFERENCE PUBLICATIONS, CONFERENCE PUBLICATIONS, AND TECHNICAL PAPERS, 1987

Mar. 1988 69 p

(NASA-SP-7063(02); NAS 1.21:7063(02)) Avail: NTIS HC free as PR-828; NASA Scientific and Technical Information Facility, P.O. Box 8757, BWI Airport, Md. 21240 HC free CSCL 05B

This catalog lists 239 citations of all NASA Special Publications, NASA Reference Publications, NASA Conference Publications, and NASA Technical Papers that were entered in the NASA scientific and technical information database during accession year 1987. The entries are grouped by subject category. Indexes of subject terms, personal authors, and NASA report numbers are provided.

Author

84

### LAW, POLITICAL SCIENCE AND SPACE POLICY

Includes NASA appropriation hearings; aviation law; space law and policy; international law; international cooperation; and patent policy.

 $\textbf{N88-19375}^{*}\#$  National Aeronautics and Space Administration, Washington, D.C.

SPACELAB: AN INTERNATIONAL SUCCESS STORY

DOUGLAS R. LORD (Science Applications International Corp., Washington, D.C.) 1987 565 p Original contains color illustrations (NASW-4092)

Spacelab is a European-developed and U.S.-operated space laboratory carried in the cargo bay of the Space Shuttle Orbiter. This story of the Spacelab Development Program traces the program from the origin of the Spacelab concept, describing negotiations and agreements for European participation and the role of Europe and the United States in system development, operational capability development, and utilization planning. It also considers the joint management structure, coordination, and experience in solving management and technical interface problems. The book is not an exhaustive historical treatise, but an informative and readable story of the evolution and technical accomplishments of this unique program in manned space flight and of some of the unusual political and human interest aspects of the program from the viewpoint of one of the key participants.

Autho

SPACECRAFT

### 88

### **SPACE SCIENCES (GENERAL)**

N88-25390\*# National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

A STUDY OF SPACE STATION CONTAMINATION EFFECTS
M. R. TORR, ed., J. F. SPANN, ed., and T. W. MOOREHEAD, ed.
May 1988 141 p Workshop held in Hilton Head Island, S.C.,
29-30 Oct. 1987 Sponsored by NASA, Washington
(NASA-CP-3002; M-586; NAS 1.55:3002) Avail: NTIS HC

A07/MF A01 CSCL 22B

CONFERENCES, CONTAMINANTS, EARTH ORBITAL

SPACE

ENVIRONMENTS,

CONTAMINATION

89

STATIONS.

### **ASTRONOMY**

Includes radio, gamma-ray, and infrared astronomy; and astrometry.

N88-15738\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

CATALOG OF INFRARED OBSERVATIONS. PART 1: DATA Second Edition

DANIEL Y. GEZARI, MARION SCHMITZ (Computer Sciences Corp., Beltsville, Md.), and JAYLEE M. MEAD Dec. 1987 625 p

(NASA-RP-1196-PT-1-ED-2; NAS 1.61:1196-PT-1-ED-2) Avail: NTIS HC A99/MF A01 CSCL 03A

The Catalog of Infrared Observations (CIO) is a compilation of infrared astronomical observational data obtained from an extensive literature search of astronomical journals and major astronomical catalogs and surveys. The literature searches are complete for 1965 through 1986 in this Second Edition. The Catalog is published in two parts, with the observational data (roughly 200,000 observations of 20,000 individual sources) listed in Part I. and supporting appendices in Part II. The expanded Second Edition contains a new feature: complete IRAS 4-band data for all CIO sources detected, listed with the main Catalog observations, as well as in complete detail in the Appendix. The appendices include an atlas of infrared source positions, two bibliographies of infrared literature upon which the search was based, and, keyed to the main Catalog listings (organized alphabetically by author and then chronologically), an atlas of infrared spectral ranges, and IRAS data from the CIO sources. The complete CIO database is available to qualified users in printed microfiche and magnetic tape formats.

N88-16615\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

CATALOG OF INFRARED OBSERVATIONS. PART 2:

**APPENDIXES Second Edition** 

DANIEL Y. GEZARI, MARION SCHMITZ, and JAYLEE M. MEAD Dec. 1987 343 p

(NASA-RP-1196-PT-2-ED-2; NAS 1.61:1196-PT-2-ED-2) Avail:

NTIS HC A15/MF A01 CSCL 03A

The Catalog of Infrared Observations (CIO) is a compilation of infrared astronomical observational data obtained from an extensive literature search of astronomical journals and major astronomical catalogs and surveys. The literature searches are complete for years 1965 to 1986. Supporting appendixes are published in this part. The appendices include an atlas of infrared source positions, two bibliographies of infrared literature upon which the search was based, and, keyed to the main Catalog listings (organized alphabetically by first author, and by date), an atlas of infrared spectral ranges, and IRAS data for the CIO sources. The complete CIO database is available to qualified users in printed microfiche and magnetic tape formats. Author

National Aeronautics and Space Administration, N88-24553\*# Washington, D.C.

NASA THESAURUS: ASTRONOMY VOCABULARY

1988 112 p Presented at the International Astronomical Union Conference, Baltimore, Md., 27-31 Jul. 1988 (NASA-SP-7069; NAS 1,21:7069) Avail: NTIS HC A06 CSCL 03Á

A terminology of descriptors used by the NASA Scientific and Technical information effort to index documents in the area of astronomy is presented. The terms are listed in hierarchical format derived from the 1988 edition of the NASA Thesaurus Volume 1 -- Hierarchical Listing. Over 1600 terms are included. In addition to astronomy, space sciences covered include astrophysics, cosmology, lunar flight and exploration, meteors and meteorites, celestial mechanics, planetary flight and exploration, and planetary science. Author

National Aeronautics and Space Administration.

### Goddard Space Flight Center, Greenbelt, Md. FAR INFRARED SUPPLEMENT: CATALOG OF INFRARED **OBSERVATIONS, SECOND EDITION**

DANIEL Y. GEZARI, MARION SCHMITZ (Computer Sciences Corp., Beltsville, Md.), and JAYLEE M. MEAD Aug. 1988 233 p (NASA-RP-1205; REPT-88B-121; NAS 1.61:1205) Avail: NTIS HC A11/MF A01 CSCL 03A

The Far Infrared Supplement: Catalog of Infrared Observations summarizes all infrared astronomical observations at far infrared wavelengths (5 to 1000 microns) published in the scientific literature from 1965 through 1986. The Supplement list contain 25 percent of the observations in the full Catalog of Infrared Observations (CIO), and essentially eliminates most visible stars from the listings.

The Supplement is thus more compact than the main catalog, and is intended for easy reference during astronomical observations. The Far Infrared Supplement (2nd Edition) includes the Index of Infrared Source Positions and the Bibliography of Infrared Astronomy for the subset of far infrared observations listed.

### 90

### **ASTROPHYSICS**

Includes cosmology; celestial mechanics; space plasmas; and interstellar and interplanetary gases and dust.

N88-11592\*# National Aeronautics and Space Administration, Washington, D.C.

### THE M-TYPE STARS

HOLLIS RALPH JOHNSON, FRANCOIS R. QUERCI, STUART JORDAN, ed., RICHARD THOMAS, ed., LEO GOLDBERG (Kitt Peak National Observatory, Tucson, Ariz.), and JEAN-CLAUDE PECKER 1987 576 p Prepared in cooperation with CNRS, Paris, France Its Monograph Series on Nonthermal Phenomena in Stellar Atmospheres, Volume 5

(NASA-SP-492; NAS 1.21:492; LC-87-11340) Avail: SOD HC \$26.00 as 033-000-01007-9; NTIS MF A01 CSCL 03B

The papers in this volume cover the following topics: (1) basic properties and photometric variability of M and related stars; (2) spectroscopy and nonthermal processes; (3) circumstellar radio molecular lines: (4) circumstellar shells, the formation of grains, and radiation transfer; (5) mass loss; (6) circumstellar chemistry; (7) thermal atmospheric models; (8) quasi-thermal models; (9) observations on the atmospheres of M dwarfs; and (1) theoretical work on M dwarfs. For individual titles, see N88-11593 through N88-11602.

N88-20235\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.
WORKSHOP ON TECHNOLOGY DEVELOPMENT ISSUES FOR

THE LARGE DEPLOYABLE REFLECTOR (LDR)

KENJI NISHIOKA, ed. Feb. 1986 118 p Workshop held in

Asilomar, Calif., 17-22 Mar. 1985 (NASA-CP-2407; A-85394; NAS 1.55:2407) Avail: NTIS HC A06/MF A01 CSCL 03B

CRYOGENIC COOLING, DEPLOYMENT, INFRARED ASTRONOMY, INFRARED TELESCOPES, LARGE SPACE STRUCTURES, REFLECTORS, TECHNOLOGY ASSESSMENT

National Aeronautics and Space Administration. N88-28843\* Goddard Space Flight Center, Greenbelt, Md.

INTERNATIONAL ULTRAVIOLET EXPLORER SPECTRAL ATLAS OF PLANETARY NEBULAE, CENTRAL STARS, AND **RELATED OBJECTS** 

WALTER A. FEIBELMAN, NANCY A. OLIVERSEN, JOY NICHOLSBOHLIN, and MATTHEW P. GARHART (Computer Sciences Corp., Beltsville, Md.) Jun. 1988 380 p (NAS5-28749)

(NASA-RP-1203; NAS 1.61:1203) Avail: NTIS HC A17 CSCL

The International Ultraviolet Explorer (IUE) archives contain a wealth of information on high quality ultraviolet spectra of approximately 180 planetary nebulae, their central stars, and related objects. Selected are representative low-dispersion IUE spectra in the range 1200 to 3200 A for 177 objects arranged by Right Ascension (RA) for this atlas. For most entries, the combined short wavelength (SWP) (1200to 1900) and long wavelength (LWR) (or LWP, 1900 to 3200 A) regions are shown on 30 cm by 10 cm Calcomp plots on a uniform scale to facilitate intercomparison of the spectra. Each calibrated spectrum is also shown on an expanded vertical scale to bring out some of the weaker features.

Ē

Ę

· 🛒

N88-29652\*# National Aeronautics and Space Administration.
Goddard Space Flight Center, Greenbelt, Md.

### CATALOG OF OPEN CLUSTERS AND ASSOCIATED

INTERSTELLAR MATTER

DAVID LEISAWITZ Jun. 1988 294 p

(NASA-RP-1202; REPT-88B0152; NAS 1.61:1202) Avail: NTIS HC A13/MF A01 CSCL 03B

The Catalog of Open Clusters and Associated Interstellar Matter summarizes observations of 128 open clusters and their associated ionized, atomic, and molecular iinterstellar matter. Cluster sizes, distances, radial velocities, ages, and masses, and the radial velocities and masses of associated interstellar medium components, are given. The database contains information from approximately 400 references published in the scientific literature before 1988.

### 91

### **LUNAR AND PLANETARY EXPLORATION**

Includes planetology; and manned and unmanned flights.

**N88-24564\***# National Aeronautics and Space Administration, Washington, D.C.

REFLECTANCE SPECTROSCOPY IN PLANETARY SCIENCE: REVIEW AND STRATEGY FOR THE FUTURE

THOMAS B. MCCORD, ed. (Hawaii Univ., Honolulu.) Jun. 1987 43 p

(NASA-SP-493; NAS 1.21:493; LC-87-28154) Avail: NTIS HC A03/MF A01 CSCL 03B

Reflectance spectroscopy is a remote sensing technique used to study the surfaces and atmospheres of solar system bodies. It provides first-order information on the presence and amounts of certain ions, molecules, and minerals on a surface or in an atmosphere. Reflectance spectroscopy has become one of the most important investigations conducted on most current and planned NASA Solar System Exploration Program space missions. This book reviews the field of reflectance spectroscopy, including information on the scientific technique, contributions, present conditions, and future directions and needs.

**N88-26279\***# National Aeronautics and Space Administration, Washington, D.C.

PLANETARY GEOLOGY: GOALS, FUTURE DIRECTIONS, AND RECOMMENDATIONS Final Report

Aug. 1988 23 p Workshop held in Tempe, Ariz., Jan. 1987 (NASA-CP-3005; NAS 1.55:3005) Avail: NTIS HC A03/MF A01 CSCL 03B

PLANETARY GEOLOGY, PLANETOLOGY, SPACE EXPLORATION

### 92

### **SOLAR PHYSICS**

Includes solar activity, solar flares, solar radiation and sunspots.

N88-11609\*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

THEORETICAL PROBLEMS IN HIGH RESOLUTION SOLAR PHYSICS. 2

G. ATHAY, ed. (National Center for Atmospheric Research, Boulder, Colo.) and D. S. SPICER, ed. Sep. 1987 141 p Workshop held in Boulder, Colo., 15-17 Sep. 1986

(NASA-CP-2483; REPT-87B0401; NAS 1.55:2483) Avail: NTIS HC A07/MF A01 CSCL 03B

HIGH RESOLUTION, MAGNETIC FLUX, SOLAR MAGNETIC FIELD, SOLAR OBSERVATORIES, SOLAR PHYSICS

### 99

### **GENERAL**

N88-14062\*# National Aeronautics and Space Administration, Washington, D.C.

ASTRONAUTICS AND AERONAUTICS, 1978: A CHRONOLOGY BETTE R. JANSON (Creative Resources and Planning, Fairfax, Va.) 1986 394 p /ts NASA History Series (NASA ORDER W-73289)

(NASA-SP-4023; NAS 1.21:4023) Avail: SOD HC \$13.00 as 033-000-01010-9; NTIS MF A01 CSCL 05D

This is the 18th in a series of annual chronologies of significant events in the fields of astronautics and aeronautics. Events covered are international as well as national and political as well as scientific and technical. This series is a reference work for historians, NASA personnel, government agencies, congressional staffs, and the media.

Author

**N88-25428\*#** National Aeronautics and Space Administration, Washington, D.C.

NASA HISTORY DATA BOOK. VOLUME 1: NASA RESOURCES 1958-1968

JANE VANNIMMEN, LEONARD C. BRUNO, and ROBERT L. ROSHOLT 1988 639 p (NASW-3597)

(NASA-SP-4012-VOL-1; NAS 1.21:4012-VOL-1; LC-74-600126) Avail: NTIS MF A01; SOD HC \$57.00 in set of 3 as 033-000-01017-6 CSCL 05D

This is Volume 1, NASA Resources 1958-1968, of a three-volume series providing a 20-year compilation of summary statistical and other data descriptive of NASA's programs in aeronautics and manned and unmanned spaceflight. This series is an important component of NASA published historical reference works, used by NASA personnel, managers, external researchers, and other government agencies.

 $\textbf{N88-25429}^*\#$  National Aeronautics and Space Administration, Washington, D.C.

NASA HISTORICAL DATA BOOK. VOLUME 2: PROGRAMS AND PROJECTS 1958-1968

LINDA NEUMAN EZELL 1988 652 p (NASW-3597)

(NASA-SP-4012-VOL-2; NAS 1.21:4012-VOL-2; LC-74-600126) Avail: NTIS MF A01; SOD HC \$57.00 in set of 3 as 033-000-01017-6 CSCL 05D

This is Volume 2, Programs and Projects 1958-1968, of a three-volume series providing a 20-year compilation of summary statistical and other data descriptive of NASA's programs in aeronautics and manned and unmanned spaceflight. This series is an important component of NASA published historical reference works, used by NASA personnel, managers, external researchers, and other government agencies.

 ${\bf N88\text{-}25430^*\#}$  National Aeronautics and Space Administration, Washington, D.C.

NASA ĤISTORICAL DATA BOOK. VOLUME 3: PROGRAMS AND PROJECTS 1969-1978

LINDA NEUMAN EZELL 1988 492 p (NASW-3597)

(NASA-SP-4012-VOL-3; NAS 1.21:4012-VOL-3; LC-74-600126) Avail: NTIS MF A01; SOD HC \$57.00 in set of 3 as 033-000-01017-6 CSCL 05D


This is Volume 3, Programs and Projects 1969-1978, of a three-volume series providing a 20-year compilation of summary

### 99 GENERAL

statistical and other data descriptive of NASA's programs in aeronautics and manned and unmanned spaceflight. This series is an important component of NASA published historical reference works, used by NASA personnel, managers, external researchers, and other government agencies.

22

### Typical Subject Index Listing



The subject heading is a key to the subject content of the document. The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of document content, a title extension is added, separated from the title by three hyphens. The (NASA or AIAA) accession number and the page number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document. Under any one subject heading, the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

### **ACCUMULATORS**

Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8to 9.6-GHz traveling wave tube p 10 N88-15146

[NASA-TP-2788]

### **ACOUSTIC ATTENUATION**

Measured and calculated acoustic attenuation rates of tuned resonator arrays for two surface impedance distribution models with flow p 18 N88-17440

INASA-TP-27661

### ACOUSTIC IMPEDANCE

Measured and calculated acoustic attenuation rates of tuned resonator arrays for two surface impedance distribution models with flow

p 18 N88-17440 INASA-TP-27661

### **ACQUISTICS**

Evaluation of a scale-model experiment to investigate long-range acoustic propagation [NASA-TP-2748] p 17 N88-11450

### **ACTIVE CONTROL**

Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application

INASA-TP-24821 o 6 N88-14987

### **ACTUATORS**

The 22nd Aerospace Mechanisms Symposium [NASA-CP-2506] p 11 N88-21468

### **AFROACOUSTICS**

NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics

[NASA-CP-2495-VOL-2] p 1 N88-16632

### **AERODYNAMIC CHARACTERISTICS**

Planform effects on the supersonic aerodynamics of multibody configurations p 2 N88-12454 INASA-TP-27621

Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of

[NASA-TP-2799] n 3 N88-19420 wind shear on the aerodynamic Influence of characteristics of airplanes p 4 N88-26344

[NASA-TP-2827]

#### **AERODYNAMIC CONFIGURATIONS**

Langley Symposium on Aerodynamics, volume 1 [NASA-CP-2397] p 1 N88p 1 N88-14926 A performance index approach to aerodynamic design with the use of analysis codes only

p 2 N88-18552 [NASA-TP-2805] A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley

14- x 22-foot subsonic tunnel p 3 N88-20264 INASA-TP-27961

#### **AERODYNAMIC DRAG**

Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 2 N88-12454

#### AERODYNAMIC FORCES

Nonlinear programming extensions to rational function approximation methods for unsteady aerodynamic forces p 5 N88-24623 NASA-TP-27761

#### **AERODYNAMIC HEATING**

Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients p 2 N88-19412 NASA-TP-2614

AERODYNAMIC LOADS

### Cornering characteristics of the main-gear tire of the space shuttle orbiter

p 4 N88-18583 NASA-TP-27901 AERODYNAMIC STABILITY

Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane

p 2 N88-12455 Integrated Technology Rotor Methodology Assessment

Workshop [NASA-CP-10007] p 1 N88-27148

### AÉRODYNAMICS

Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-17615 Aeronautical engineering: A cumulative index to a

continuing bibliography [NASA-SP-7037(222)] p 3 N88-19416 Joint University Program for Air Transportation

INASA-CP-25021 p 1 N88-23715

Nonlinear programming extensions to rational function approximation methods for unsteady aerodynamic forces NASA-TP-2776] p.5 N88-24623 INASA-TP-27761

Aeronautical engineering: A continuing bibliography with indexes

[NASA-SP-7037(229)] p 1 N88-27163

### AEROELASTICITY

NASA/Army Rotorcraft Technology. Vol. Aerodynamics, and Dynamics and Aeroelasticity Volume 1: p 1 N88-16625 INASA-CP-2495-VOL-11

An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover

[NASA-TP-2546] p.3 N88-20257 Shape sensitivity analysis of wing static aeroelastic characteristics

[NASA-TP-2808] p 5 N88-22031 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics

[NASA-CP-3003-VOL-1] p 12 N88-23226 Integrated Technology Rotor Methodology Assessment

Workshop [NASA-CP-10007] p 1 N88-27148

### AERONAUTICAL ENGINEERING

Astronautics and aeronautics, 1978: A chronology p 21 N88-14062 INASA-SP-40231 Aeronautical engineering: A cumulative index to a continuing bibliography [NASA-SP-7037(222)] p 3 N88-19416 NASA history data book. Volume 1: NASA resources

1958-1968 [NASA-SP-4012-VOL-1] o 21 N88-25428

Aeronautical engineering: A continuing bibliography with [NASA-SP-7037(229)] p 1 N88-27163

**AERONAUTICS** 

NASA historical data book. Volume 2: Programs and projects 1958-1968 n 21 N88-25429

NASA-SP-4012-VOL-21 NASA historical data book. Volume 3: Programs and

projects 1969-1978 [NASA-SP-4012-VOL-3] p 21 N88-25430

### AFROSOLS

Airborne particulate matter in spacecraft [NASA-CP-2499] p 15 N88-14623

SAM 2 data user's guide

[NASA-RP-1200] p 13 N88-25094

Forty-eight-inch lidar aerosol measurements taken at the Langley Research Center, May 1974 to December 1987 [NASA-RP-1209] p 14 N88-29234

### AEROSPACE ENGINEERING

Astronautics and aeronautics, 1978: A chronology p 21 N88-14062 1NASA-SP-40231

The 1988 Goddard Conference on Space Applications of Artificial Intelligence

#### [NASA-CP-3009] p 17 N88-30330 AEROSPACE ENVIRONMENTS

Airborne particulate matter in spacecraft p 15 N88-14623 INASA-CP-24991

#### **AEROSPACE INDUSTRY**

Wind shear detection. Forward-looking sensor technology

[NASA-CP-10004] p 4 N88-14970

### AFROSPACE MEDICINE

Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306)

p 15 N88-18180 INASA-SP-7011(306)] Aerospace medicine and biology: A continuing

bibliography with indexes (supplement 315) [NASA-SP-7011(315)] p 15

p 15 N88-30281

### AEROSPACE SCIENCES

NASA scientific and technical publications: A catalog Publications, Special Publications, Reference Conference Publications, and Technical Papers 1987 p 19 N88-22830 (NASA-SP-7063(02))

### **AEROTHERMODYNAMICS**

Aerothermal tests of quilted dome models on a flat plate at a Mach number of 6.5 p 10 N88-22325 [NASA-TP-2804]

### AFTERBODIES

Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds

INASA-TP-25881 p 2 N88-10765 Effect of empennage arrangement on single-engine

nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771

### AGRICULTURE

Earth resources: A continuing bibliography with indexes (issue 57)

[NASA-SP-7041(57)] p 13 N88-23314 AIR

### A rapid method for the computation of equilibrium

chemical composition of air to 15000 K p 8 N88-16830 [NASA-TP-2792]

### AIR PURIFICATION

Airborne particulate matter in spacecraft [NASA-CP-2499] p 1

p 15 N88-14623

### AIR QUALITY

Airborne particulate matter in spacecraft

p 15 N88-14623 INASA-CP-24991

### AIRBORNE EQUIPMENT

Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference

INASA-CP-100061 p 4 N88-17616

### AIRCRAFT CONFIGURATIONS

Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 2 N88-12454

Ξ

AIRCRAFT CONTROL	ANNUAL VARIATIONS	Second Conference on Artificial Intelligence for Space
Effects of the installation and operation of jet-exhaust	Atlas of wide-field-of-view outgoing longwave radiation	Applications
yaw vanes on the longitudinal and lateral-directional	derived from Nimbus 7 Earth radiation budget data set -	[NASA-CP-3007] p 17 N88-29351
characteristics of the F-14 airplane	November 1978 to October 1985	AUTOMATIC PILOTS
[NASA-TP-2769] p 2 N88-12455 Proceedings of the Circulation-Control Workshop,	[NASA-RP-1186] p 14 N88-10451	Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft
1986	ANTARCTIC REGIONS  The 1987 Airborne Antarctic Ozone Experiment: The	[NASA-TP-2618] p 5 N88-21153
[NASA-CP-2432] p 2 N88-17586	Nimbus-7 TOMS data atlas	AVIATION METEOROLOGY
Airborne Wind Shear Detection and Warning Systems:	[NASA-RP-1201] p 13 N88-20714	Meteorological and Environmental Inputs to Aviation
First Combined Manufacturers' and Technologists' Conference	ANTENNA DESIGN	Systems [NASA-CP-2498] p 14 N88-25105
[NASA-CP-10006] p 4 N88-17616	A simplified approach to axisymmetric dual-reflector	AVIONICS p 14 1060-25105
Rotorcraft flight-propulsion control integration: An	antenna design [NASA-TP-2797] p 2 N88-16662	Joint University Program for Air Transportation
eclectic design concept	ANTENNA RADIATION PATTERNS	Research, 1986
[NASA-TP-2815] p 6 N88-19475	A simplified approach to axisymmetric dual-reflector	[NASA-CP-2502] p 1 N88-23715
Joint University Program for Air Transportation	antenna design	AXISYMMETRIC BODIES  Static performance of an axisymmetric nozzle with
Research, 1986 [NASA-CP-2502] p.1 N88-23715	[NASA-TP-2797] p 2 N88-16662	post-exit varies for multiaxis thrust vectoring
Influence of wind shear on the aerodynamic	APPLICATIONS PROGRAMS (COMPUTERS)	[NASA-TP-2800] p 3 N88-20280
characteristics of airplanes	Applications of the hybrid automated reliability predictor	AXISYMMETRIC FLOW
[NASA-TP-2827] p 4 N88-26344	[NASA-TP-2760] p 16 N88-12928	Effect of empennage arrangement on single-engine
AIRCRAFT DESIGN	SURE reliability analysis: Program and mathematics	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771
Langley Symposium on Aerodynamics, volume 1	[NASA-TP-2764] p 17 N88-17380	[14A3A-17-2733] p 2 1466-10777
[NASA-CP-2397] p 1 N88-14926	Numerical simulation of scramjet inlet flow fields	В
NASA/Army Rotorcraft Technology. Volume 2: Materials	[NASA-TP-2517] p 3 N88-23735	D
and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics	APPROACH	BALLISTIC TRAJECTORIES
[NASA-CP-2495-VOL-2] p.1 N88-16632	Effect of motion cues during complex curved approach	Trajectory characteristics and heating of hypervelocity
NASA/Army Rotorcraft Technology. Volume 3: Systems	and landing tasks: A piloted simulation study [NASA-TP-2773] p 4 N88-12480	projectiles having large ballistic coefficients
Integration, Research Aircraft, and Industry	APPROXIMATION	[NASA-TP-2614] p.2 N88-19412
[NASA-CP-2495-VOL-3] p 1 N88-16650	Nonlinear programming extensions to rational function	BASE FLOW
Aerodynamic characteristics of wings designed with a	approximation methods for unsteady aerodynamic forces	Influence of base modifications on in-flight base drag
combined-theory method to cruise at a Mach number of	[NASA-TP-2776] p 5 N88-24623	in the presence of jet exhaust for Mach numbers from
4.5	ARC WELDING	0.7 to 1.5 [NASA-TP-2802] p 10 N88-18881
[NASA-TP-2799] p 3 N88-19420	A generalized method for automatic downhand and	BASE PRESSURE
Laminar Flow Aircraft Certification  f NASA-CP-24131 p.3 N88-23737	wirefeed control of a welding robot and positioner [NASA-TP-2807] p 9 N88-17869	Flight and wind-tunnel measurements showing base
[NASA-CP-2413] p 3 N88-23737  AIRCRAFT ENGINES	ARCHITECTURE	drag reduction provided by a trailing disk for high Reynolds
Investigation of the misfueling of reciprocating piston	Space Station Human Factors Research Review.	number turbulent flow for subsonic and transonic Mach
aircraft engines	Volume 3: Space Station Habitability and Function:	numbers
[NASA-TP-2803] p 4 N88-21144	Architectural Research	[NASA-TP-2638] p 10 N88-14299 BEAMS (SUPPORTS)
Lewis Structures Technology, 1988. Volume 2: Structural	[NASA-CP-2426-VOL-3] p 15 N88-19883	Dynamic characteristics of a vibrating beam with periodic
Mechanics	ARCHITECTURE (COMPUTERS) First Annual Workshop on Space Operations Automation	variation in bending stiffness
[NASA-CP-3003-VOL-2] p 12 N88-22382	and Robotics (SOAR 87)	[NASA-TP-2697] p 12 N88-23988
AIRCRAFT GUIDANCE	[NASA-CP-2491] p 16 N88-17206	BEARINGS
Joint University Program for Air Transportation Research, 1986	ARTIFICIAL INTELLIGENCE	Computer-aided design analysis of 57-mm,
[NASA-CP-2502] p 1 N88-23715	The 1988 Goddard Conference on Space Applications	angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 11 N88-18933
AIRCRAFT MANEUVERS	of Artificial Intelligence	The 22nd Aerospace Mechanisms Symposium
Langley Symposium on Aerodynamics, volume 1	[NASA-CP-3009] p 17 N88-30330 ASCENT TRAJECTORIES	[NASA-CP-2506] p 11 N88-21468
[NASA-CP-2397] p 1 N88-14926	A study to evaluate STS heads-up ascent trajectory	BENDING
AIRCRAFT MODELS	performance employing a minimum-Hamiltonian	Dynamic characteristics of a vibrating beam with periodic
User's manual for LINEAR, a FORTRAN program to	optimization strategy	variation in bending stiffness [NASA-TP-2697] p.12 N88-23988
derive linear aircraft models [NASA-TP-2768] p 17 N88-21740	[NASA-TP-2793] p 6 N88-15820	BENDING VIBRATION
AIRCRAFT NOISE	ASTRONOMICAL CATALOGS	Dynamic characteristics of a vibrating beam with periodic
Helicopter main-rolor noise: Determination of source	Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738	variation in bending stiffness
contributions using scaled model data	Catalog of infrared observations. Part 2: Appendixes	[NASA-TP-2697] p 12 N88-23988
[NASA-TP-2825] p 18 N88-26907	[NASA-RP-1196-PT-2-ED-2] p 20 N88-16615	BIBLIOGRAPHIES
AIRCRAFT TIRES	Far infrared supplement: Catalog of infrared	NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32)
Static mechanical properties of 30 x 11.5 - 14.5, type	observations, second edition	[NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732
8 aircraft tires of bias-ply and radial-belted design	[NASA-RP-1205] p 20 N88-30545	Catalog of infrared observations. Part 1: Data
[NASA-TP-2810] p 5 N88-21157  AIRFOILS	ASTRONOMY NASA thesaurus: Astronomy vocabulary	[NASA-RP-1196-PT-1-ED-2] p 19 N88-15738
Measurement of velocity and vorticity fields in the wake	[NASA-SP-7069] p 20 N88-24553	Aerospace medicine and biology: A cumulative index
of an airfoil in periodic pitching motion	Catalog of open clusters and associated interstellar	to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 15 N88-18180
[NASA-TP-2780] p 17 N88-13002	matter	NASA patent abstracts bibliography: A continuing
ALGAE	[NASA-RP-1202] p 21 N88-29652	bibliography. Section 2: Indexes (supplement 32)
Controlled Ecological Life Support System:	ATMOSPHERIC CHEMISTRY Scientific and Operational Requirements for TOMS	[NASA-SP-7039(32)-SECT-2] p 19 N88-18511
Regenerative Life Support Systems in Space	Data	Aeronautical engineering: A cumulative index to a
[NASA-CP-2480] p 16 N88-12251	[NASA-CP-2497] p 12 N88-13774	continuing bibliography
ALGORITHMS Advances in contact algorithms and their application to	ATMOSPHERIC COMPOSITION	[NASA-SP-7037(222)] p 3 N88-19416
tires	Spacecraft Fire Safety	Management: A bibliography for NASA managers [NASA-SP-7500(22)] p 18 N88-21867
[NASA-TP-2781] p 11 N88-21456	[NASA-CP-2476] p 7 N88-12520	Earth resources: A continuing bibliography with indexes
ALKYL COMPOUNDS	Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide	(issue 57)
Surface catalytic degradation study of two linear	[NASA-TP-2761] p 14 N88-14572	[NASA-SP-7041(57)] p 13 N88-23314
perfluoropolyalkylethers at 345 C	A rapid method for the computation of equilibrium	Aeronautical engineering: A continuing bibliography with
[NASA-TP-2774] p 8 N88-12543	chemical composition of air to 15000 K	indexes [NASA-SP-7037(229)] p 1 N88-27163
ALTITUDE SIMULATION  Experimental evaluation of turning yang designs for	[NASA-TP-2792] p 8 N88-16830	Technology for large space systems: A bibliography with
Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale	Forty-eight-inch lidar aerosol measurements taken at the	indexes (supplement 18)
model of NASA Lewis Research Center's proposed altitude	Langley Research Center, May 1974 to December 1987 [NASA-RP-1209] p 14 N88-29234	[NASA-SP-7046(18)] p 6 N88-27214
wind tunnel	ATOMIC STRUCTURE	Aerospace medicine and biology: A continuing
[NASA-TP-2681] p 6 N88-17686	Nuclear techniques in studies of condensed matter	bibliography with indexes (supplement 315)
ALUMINUM	[NASA-RP-1195] p 18 N88-13015	(NASA-SP-7011(315)) p 15 N88-30281
Effects of continuous and cyclic thermal exposures on	AUTOMATIC CONTROL	BIDIRECTIONAL REFLECTANCE
boron- and borsic-reinforced 6061 aluminum composites	First Annual Workshop on Space Operations Automation	Summary of along-track data from the Earth radiation budget satellite for several major desert regions
[NASA-TP-1063] p 8 N88-70029	and Robotics (SOAR 87) [NASA-CP-2491] p 16 NB8-17206	[NASA-RP-1197] p 14 N88-20772
Angular radiation models for Earth-atmosphere system.	Development and flight test of an experimental	Angular radiation models for Earth-atmosphere system.
Volume 1: Shortwave radiation	maneuver autopilot for a highly maneuverable aircraft	Volume 1: Shortwave radiation
[NASA-RP-1184] p 14 N88-27677	[NASA-TP-2618] p 5 N88-21153	[NASA-RP-1184] p 14 N88-27677

SUBJECT INDEX CONFERENCES

BIOLOGICAL EFFECTS	CERAMICS	COMMUNICATION SATELLITES
Aerospace medicine and biology: A cumulative index	Aeropropulsion '87. Session 1: Aeropropulsion Materials	Propagation effects on satellite systems at frequencies
to a continuing bibliography (supplement 306)	Research	below 10 GHz: A handbook for satellite systems design
[NASA-SP-7011(306)] p 15 N88-18180	[NASA-CP-10003-SESS-1] p 6 N88-16697 Structural Ceramics	[NASA-RP-1108/2] p 9 N88-14226 COMPATIBILITY
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315)	[NASA-CP-2427] p 8 N88-23872	Compatability of dispersion-strengthened platinum with
[NASA-SP-7011(315)] p 15 N88-30281	CERTIFICATION	resistojet propellants
BIOMETRICS	Laminar Flow Aircraft Certification	[NASA-TP-2765] p 7 N88-12538
Mental-State Estimation, 1987	[NASA-CP-2413] p 3 N88-23737	COMPOSITE MATERIALS
[NASA-CP-2504] p 15 N88-23370	CHEMICAL COMPOSITION  Nuclear techniques in studies of condensed matter	Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites
BIOPROCESSING	[NASA-RP-1195] p 18 N88-13015	[NASA-TP-1063] p 8 N88-70029
Space Bioreactor Science Workshop [NASA-CP-2485] p 15 N88-17168	A rapid method for the computation of equilibrium	COMPRESSIVE STRENGTH
BIOREACTORS	chemical composition of air to 15000 K	Properties of two composite materials made of
Space Bioreactor Science Workshop	[NASA-TP-2792] p 8 N88-16830 CHEMICAL EQUILIBRIUM	toughened epoxy resin and high-strain graphite fiber
[NASA-CP-2485] p 15 N88-17168	A rapid method for the computation of equilibrium	[NASA-TP-2826] p 8 N88-25480
BIOTECHNOLOGY	chemical composition of air to 15000 K	COMPUTATION  A rapid method for the computation of equilibrium
Space Bioreactor Science Workshop [NASA-CP-2485] p 15 N88-17168	[NASA-TP-2792] p 8 N88-16830	chemical composition of air to 15000 K
BLADE SLAP NOISE	CHEMICAL REACTIONS Aeropropulsion '87. Session 3: Internal Fluid Mechanics	[NASA-TP-2792] p.8 N88-16830
Helicopter main-rotor noise: Determination of source	Research	COMPUTATIONAL FLUID DYNAMICS
contributions using scaled model data	[NASA-CP-10003-SESS-3] p 5 N88-15790	Langley Symposium on Aerodynamics, volume 1
[NASA-TP-2825] p 18 N88-26907	An analytical study of the hydrogen-air reaction	[NASA-CP-2397] p.1 N88-14926 NASA/Army Rotorcraft Technology, Volume 1:
BLADE-VORTEX INTERACTION	mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846	NASA/Army Rotorcraft Technology. Volume 1: Aerodynamics, and Dynamics and Aeroelasticity
Advancing-side directivity and retreating-side interactions of model rotor blade-vortex interaction noise	[NASA-TP-2791] p 8 N88-15846 CHRONOLOGY	[NASA-CP-2495-VOL-1] p 1 N88-16625
[NASA-TP-2784] p 18 N88-22710	Astronautics and aeronautics, 1978: A chronology	Numerical simulation of scramjet inlet flow fields
BO-105 HELICOPTER	[NASA-SP-4023] p 21 N88-14062	[NASA-TP-2517] p 3 N88-23735
Helicopter main-rotor noise: Determination of source	CIRCULATION CONTROL AIRFOILS	COMPUTER AIDED DESIGN
contributions using scaled model data [NASA-TP-2825] p 18 N88-26907	Proceedings of the Circulation-Control Workshop, 1986	First Annual Workshop on Space Operations Automation and Robotics (SOAR 87)
[NASA-TP-2825] p 18 N88-26907 BORON	[NASA-CP-2432] p 2 N88-17586	[NASA-CP-2491] p 16 N88-17206
Effects of continuous and cyclic thermal exposures on	CIRCULATION CONTROL ROTORS	A generalized method for automatic downhand and
boron- and borsic-reinforced 6061 aluminum composites	Proceedings of the Circulation-Control Workshop,	wirefeed control of a welding robot and positioner
[NASA-TP-1063] p 8 N88-70029	1986 [NASA-CP-2432] p.2 N88-17586	[NASA-TP-2807] p 9 N88-17869
BORSIC (TRADENAME)	CLEANING	Computer-aided design analysis of 57-mm,
Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites	Fourteenth Space Simulation Conference: Testing for	angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 11 N88-18933
[NASA-TP-1063] p 8 N88-70029	a Permanent Presence in Space	Second Conference on Artificial Intelligence for Space
BOUNDARY LAYER CONTROL	[NASA-CP-2446] p 7 N88-10829	Applications
The NASA Langley Laminar-Flow-Control (LFC)	CLIMATE Atlas of wide-field-of-view outgoing longwave radiation	[NASA-CP-3007] p 17 N88-29351
experiment on a swept, supercritical airfoil: Design overview	derived from Nimbus 7 Earth radiation budget data set -	COMPUTER AIDED MANUFACTURING A generalized method for automatic downhand and
[NASA-TP-2809] p.3 N88-21117	November 1978 to October 1985	wirefeed control of a welding robot and positioner
BUCKLING	[NASA-RP-1186] p 14 N88-10451	[NASA-TP-2807] p 9 N88-17869
Three-dimensional analysis of a postbuckled embedded	CLOSED ECOLOGICAL SYSTEMS  Controlled Ecological Life Support System:	COMPUTER GRAPHICS
delamination [NASA-TP-2823] p 12 N88-26684	Regenerative Life Support Systems in Space	A general solution to the silhouette problem INASA-TP-26951 p 16 N88-14629
	[NASA-CP-2480] p 16 N88-12251	[NASA-TP-2695] p 16 N88-14629 COMPUTER PROGRAMS
BURST TESTS  Hydroburst test of a carbon-carbon involute exit cone	Controlled Ecological Life Support System. Design,	Third Conference on Artificial Intelligence for Space
	Development, and Use of a Ground-Based Plant Growth	Third Conference on Artificial Intelligence for Space Applications, part 1
Hydroburst test of a carbon-carbon involute exit cone		Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360
Hydroburst test of a carbon-carbon involute exit cone	Development, and Use of a Ground-Based Plant Growth Module	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852 CLOUDS SAM 2 data user's guide	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614 A performance index approach to aerodynamic design
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986	Third Conference on Artificial Intelligence for Space Applications, part 1  INASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a	Development, and Use of a Ground-Based Plant Growth Module  [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586	Third Conference on Artificial Intelligence for Space Applications, part 1  INASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop  [NASA-CP-10011] p 16 N88-21646
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614 A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646 User's manual for LINEAR, a FORTRAN program to derive linear aircraft models
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614 A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646 User's manual for LINEAR, a FORTRAN program to derive linear aircraft models [NASA-TP-2768] p 17 N88-21740 Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop  [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models  [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program  [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 1 N88-19407	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology	Third Conference on Artificial Intelligence for Space Applications, part 1  INASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  INASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  INASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop  INASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models  INASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program  INASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799]  P 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615]  CASCADE FLOW	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799]  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615]  CASCADE FLOW  Aerodynamics in ground effect and predicted landing	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799]  P 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615]  CASCADE FLOW	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614 A performance index approach to aerodynamic design	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop  [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models  [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program  [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2  [NASA-CP-2492-Pt-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor  [NASA-TP-2760] p 16 N88-12928
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system  [NASA-TP-2815] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser  [NASA-TP-2834] p 4 N88-29752  CATALOGS	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS  Cornering characteristics of the main-gear tire of the	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS  Cornering characteristics of the main-gear tire of the space shuttle orbiter	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop  [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models  [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program  [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2  [NASA-CP-2492-Pt-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor  [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar matter	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COFFFICIENTS  Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23266
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799]  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615]  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834]  p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar matter	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICENTS  Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION  An analytical study of the hydrogen-air reaction	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop  [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models  [NASA-TP-2817] p 17 N88-21740  Analysis and testing of the SURE program  [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2  [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor  [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics  [NASA-CP-3003-VOL-1] p 12 N88-23226
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799]  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615]  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834]  CATALOGS  Catalog of open clusters and associated interstellar matter [NASA-RP-1202]  CATALOGS (PUBLICATIONS)  NASA scientific and technical publications: A catalog	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS  Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION  An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23266
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  CATALOGS [PUBLICATIONS)  NASA scientific and technical publications: A catalog of Special Publications, Reference Publications,	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS  Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION  An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop  [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models  [NASA-TP-2817] p 17 N88-21740  Analysis and testing of the SURE program  [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2  [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor  [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics  [NASA-CP-3003-VOL-1] p 12 N88-23226  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications  [NASA-CP-3007] p 17 N88-29351
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system  [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser  [NASA-TP-2834] p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar matter  [NASA-RP-1202] p 21 N88-29652  CATALOGS (PUBLICATIONS)  NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-27806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS  Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION  An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models [NASA-TP-268] p 17 N88-21740  Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 17 N88-29351  COMPUTERIZED SIMULATION
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  CATALOGS [PUBLICATIONS)  NASA scientific and technical publications: A catalog of Special Publications, Reference Publications,	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS  Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION  An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop  [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models  [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program  [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2  [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor  [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics  [NASA-CP-3003-VOL-1] p 12 N88-23226  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications  [NASA-CP-3007] p 17 N88-29351  COMPUTERIZED SIMULATION  The 1988 Goddard Conference on Space Applications
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system  [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser  [NASA-TP-2834] p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar matter  [NASA-RP-1202] p 21 N88-29652  CATALOGS (PUBLICATIONS)  NASA-sientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987  [NASA-SP-7063(02)] p 19 N88-22830  CATALYSIS  Surface catalytic degradation study of two linear	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614 A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846  COMBUSTION CHAMBERS Turbine Engine Hot Section Technology, 1985 [NASA-CP-24051] p 11 N88-11140	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear altrcraft models [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2  [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 17 N88-29351  COMPUTERIZED SIMULATION  The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  CATALOGS (PUBLICATIONS)  NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  CATALYSIS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614 A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846  COMBUSTION CHAMBERS Turbine Engine Hot Section Technology, 1985 [NASA-CP-2405] p 11 N88-11140  COMBUSTION PHYSICS Spacecraft Fire Safety	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop  [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models  [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program  [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2  [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor  [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics  [NASA-CP-3003-VOL-1] p 12 N88-23226  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications  [NASA-CP-3007] p 17 N88-29351  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications  [NASA-CP-3007] p 17 N88-29351  COMPUTER VISION  The 1988 Goddard Conference on Space Applications of Artificial Intelligence  [NASA-CP-3009] p 17 N88-30330  CONDENSING
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  CATALOGS (PUBLICATIONS)  NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  CATALYSIS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543	Development, and Use of a Ground-Based Plant Growth Module  [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS  Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION  An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846  COMBUSTION CHAMBERS  Turbine Engine Hot Section Technology, 1985 [NASA-CP-2405] p 11 N88-11140  COMBUSTION PHYSICS  Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models [NASA-TP-2817] p 17 N88-21740  Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 17 N88-29351  COMPUTER VISION  The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  CONDENSING  Finite-rate water condensation in combustion-heated
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  CATALOGS (PUBLICATIONS)  NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  CATALYSIS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  CAVITY RESONATORS  Measured and calculated acoustic attenuation rates of	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614 A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846  COMBUSTION CHAMBERS Turbine Engine Hot Section Technology, 1985 [NASA-CP-2405] p 11 N88-11140  COMBUSTION PHYSICS Spacecraft Fire Safety	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop  [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models  [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program  [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2  [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor  [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics  [NASA-CP-3003-VOL-1] p 12 N88-23226  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications  [NASA-CP-3007] p 17 N88-29351  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications  [NASA-CP-3007] p 17 N88-29351  COMPUTER VISION  The 1988 Goddard Conference on Space Applications of Artificial Intelligence  [NASA-CP-3009] p 17 N88-30330  CONDENSING
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799]  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615]  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834]  CATALOGS  Catalog of open clusters and associated interstellar matter [NASA-RP-1202]  CATALOGS (PUBLICATIONS)  NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)]  CATALYSIS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774]  CAVITY RESONATORS  Measured and calculated acoustic attenuation rates of tuned resonator arrays for two surface impedance	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT  Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS  Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION  An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846  COMBUSTION CHAMBERS  Turbine Engine Hot Section Technology, 1985 [NASA-CP-2405] p 11 N88-11140  COMBUSTION PHYSICS  Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  COMBUSTION PRODUCTS Finite-rate water condensation in combustion-heated wind tunnets	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 17 N88-29351  COMPUTERIZED SIMULATION  The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  CONDENSING  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2831] p 6 N88-28075
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar matter  [NASA-RP-1202] p 21 N88-29652  CATALOGS (PUBLICATIONS)  NASA-SP-7063(02)] p 19 N88-22830  CATALYSIS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2741] p 8 N88-12543  CAVITY RESONATORS  Measured and calculated acoustic attenuation rates of tuned resonator arrays for two surface impedance distribution models with flow	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COFFICIENTS  Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION  An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846  COMBUSTION CHAMBERS  Turbine Engine Hot Section Technology, 1985  [NASA-CP-2405] p 7 N88-12520  COMBUSTION PHYSICS Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  COMBUSTION PRODUCTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614 A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646 User's manual for LINEAR, a FORTRAN program to derive linear altrcraft models [NASA-TP-2817] p 17 N88-21740 Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653 Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188 COMPUTER SYSTEMS PERFORMANCE Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928 COMPUTER TECHNIQUES Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226 COMPUTER VISION Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 17 N88-29351 COMPUTERIZED SIMULATION The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330 COMPUTERIZED SIMULATION The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330 COMPUTSING Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 CONES Hydroburst test of a carbon-carbon involute exit cone
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799]  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556]  P 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system  [NASA-TP-2615]  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser  [NASA-TP-2834]  CATALOGS  Catalog of open clusters and associated interstellar matter  [NASA-RP-1202]  CATALOGS (PUBLICATIONS)  NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987  [NASA-SP-7063(02)]  CATALYSIS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C  [NASA-TP-2741]  P 8 N88-12543  CAVITY RESONATORS  Measured and calculated acoustic attenuation rates of tuned resonator arrays for two surface impedance distribution models with flow [NASA-TP-2766]  P 18 N88-17440	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING A transonic-small-disturbance wing design methodology [NASA-TP-27806] p 2 N88-17614 A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COEFFICIENTS Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846  COMBUSTION CHAMBERS Turbine Engine Hot Section Technology, 1985 [NASA-CP-2405] p 11 N88-11140  COMBUSTION PHYSICS Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  COMBUSTION PRODUCTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology  [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only  [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop  [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear aircraft models  [NASA-TP-2768] p 17 N88-21740  Analysis and testing of the SURE program  [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2  [NASA-CP-2492-Pt-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor  [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics  [NASA-CP-3003-VOL-1] p 12 N88-23226  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications  [NASA-CP-3007] p 17 N88-29351  COMPUTER SPSULLATION  The 1988 Goddard Conference on Space Applications of Artificial Intelligence  [NASA-CP-3009] p 17 N88-30300  CONDENSING  Finite-rate water condensation in combustion-heated wind tunnels  [NASA-TP-2833] p 6 N88-28075  COMES  Hydroburst test of a carbon-carbon involute exit cone  [NASA-TP-2556] p 7 N88-14112
Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  C  CAMBERED WINGS  Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5  [NASA-TP-2799] p 3 N88-19420  CARBON-CARBON COMPOSITES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  CARGO AIRCRAFT  General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615] p 1 N88-19407  CASCADE FLOW  Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  CATALOGS  Catalog of open clusters and associated interstellar matter  [NASA-RP-1202] p 21 N88-29652  CATALOGS (PUBLICATIONS)  NASA-SP-7063(02)] p 19 N88-22830  CATALYSIS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2741] p 8 N88-12543  CAVITY RESONATORS  Measured and calculated acoustic attenuation rates of tuned resonator arrays for two surface impedance distribution models with flow	Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CLOUDS  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  COANDA EFFECT Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586  COCKPITS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487  CODING  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  COFFICIENTS  Cornering characteristics of the main-gear tire of the space shuttle orbiter [NASA-TP-2790] p 4 N88-18583  COMBUSTION  An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion [NASA-TP-2791] p 8 N88-15846  COMBUSTION CHAMBERS  Turbine Engine Hot Section Technology, 1985  [NASA-CP-2405] p 7 N88-12520  COMBUSTION PHYSICS Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  COMBUSTION PRODUCTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  A transonic-small-disturbance wing design methodology [NASA-TP-2806] p 2 N88-17614  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646  User's manual for LINEAR, a FORTRAN program to derive linear altrcaft models [NASA-TP-2868] p 17 N88-21740  Analysis and testing of the SURE program [NASA-TP-2817] p 17 N88-22653  Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188  COMPUTER SYSTEMS PERFORMANCE  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  COMPUTER TECHNIQUES  Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  COMPUTER VISION  Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 17 N88-29351  COMPUTERIZED SIMULATION  The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  COMPUTERIZED SIMULATION  The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  COMPUTSION  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075

= •

=

Fourteenth Space Simulation Conference: Testing for	CONSOLIDATION	Workshop on Technology Development Issues for the
a Permanent Presence in Space [NASA-CP-2446] p 7 N88-10829	Effects of combining vertical and horizontal information into a primary flight display	Large Deployable Reflector (LDR) (NASA-CP-2407) p 20 N88-20235
Space Construction	[NASA-TP-2783] p 5 N88-12487	CRYOGENIC FLUID STORAGE
[NASA-CP-2490] p 7 N88-10870 The 1986 Goddard Space Flight Center Battery	CONSTITUTIVE EQUATIONS  Nonlinear Constitutive Relations for High Temperature	Cryogenic Fluid Management Technology Workshop.  Volume 1: Presentation material and discussion
Workshop	Applications, 1986	[NASA-CP-10001] p 10 N88-15924
[NASA-CP-2486] p 9 N88-11021 Turbine Engine Hot Section Technology, 1985	[NASA-CP-10010] p 12 N88-21498 CONTAMINANTS	CRYOGENIC FLUIDS Cryogenic Fluid Management Technology Workshop.
[NASA-CP-2405] p 11 N88-11140	A Study of Space Station Contamination Effects	Volume 1: Presentation material and discussion
Spacecraft Fire Safety (NASA-CP-2476) p 7 N88-12520	conference [NASA-CP-3002] p 19 N88-25390	[NASA-CP-10001] p 10 N88-15924 Computer-aided design analysis of 57-mm,
The 58th Shock and Vibration Symposium, volume 1	CONTINUOUS RADIATION	angular-contact, cryogenic turbopump bearings
[NASA-CP-2488-VOL-1] p.11 N88-13609	Performance of a small, graphite electrode, multistage	[NASA-TP-2816] p 11 N88-18933
Scientific and Operational Requirements for TOMS Data	depressed collector with a 500-W, continuous wave, 4.8- to 9.6-GHz traveling wave tube	Cryogenic Fluid Management Technology Workshop. Volume 2: Roundtable Discussion of Technology
[NASA-CP-2497] p 12 N88-13774	[NASA-TP-2788] p 10 N8B-15146	Requirements
Langley Symposium on Aerodynamics, volume 1 [NASA-CP-2397] p 1 N88-14926	CONTINUUM MODELING  Continuum modeling of large lattice structures: Status	[NASA-CP-10009] p 10 N88-20599 CRYOGENIC ROCKET PROPELLANTS
Wind shear detection. Forward-looking sensor	and projections	Cryogenic Fluid Management Technology Workshop.
technology [NASA-CP-10004] p 4 N88-14970	[NASA-TP-2767] p 7 N88-14115 CONTROL SURFACES	Volume 1: Presentation material and discussion (NASA-CP-10001) p 10 N88-15924
Aeropropulsion '87. Session 4: Instrumentation and	Steady and unsteady transonic pressure measurements	CRYOGENICS
Controls Research [NASA-CP-10003-SESS-4] p 5 N88-15794	on a clipped delta wing for pitching and control-surface oscillations	Cryogenic Fluid Management Technology Workshop.
Aeropropulsion '87. Session 5: Subsonic Propulsion	[NASA-TP-2594] p 4 N88-28895	Volume 1: Presentation material and discussion [NASA-CP-10001] p 10 N88-15924
Technology [NASA-CP-10003-SESS-5] p 5 N88-15800	CONTROL SYSTEMS DESIGN Aeropropulsion '87. Session 2: Aeropropulsion	CRYSTAL GROWTH
Aeropropulsion '87. Session 6: High-Speed Propulsion	Structures Research	Growth of solid solution single crystals [NASA-TP-2787] p 9 N88-14212
Technology [NASA-CP-10003-SESS-6] p 5 N88-15807	[NASA-CP-10003-SESS-2] p 5 N88-15785	[NASA-TP-2787] p 9 N88-14212 CUES
[NASA-CP-10003-SESS-6] p 5 N88-15807 Cryogenic Fluid Management Technology Workshop.	Aeropropulsion '87, Session 4: Instrumentation and Controls Research	Effect of motion cues during complex curved approach
Volume 1: Presentation material and discussion	[NASA-CP-10003-SESS-4] p 5 N88-15794	and landing tasks: A piloted simulation study [NASA-TP-2773] p 4 N88-12480
[NASA-CP-10001] p 10 N88-15924 Third Conference on Artificial Intelligence for Space	Further developments in exact state reconstruction in deterministic digital control systems	CULTURE TECHNIQUES
Applications, part 1	[NASA-TP-2812] p 9 N88-18751	Space Bioreactor Science Workshop
[NASA-CP-2492-Pt-1] p 16 N88-16360 NASA/Army Rotorcraft Technology. Volume 1:	More on exact state reconstruction in deterministic digital control systems	[NASA-CP-2485] p 15 N88-17168 CYCLIC LOADS
Aerodynamics, and Dynamics and Aeroelasticity	[NASA-TP-2847] p 9 N88-28177	Effects of continuous and cyclic thermal exposures on
[NASA-CP-2495-VOL-1] p.1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials	CONTROLLABILITY NASA/Army Rotorcraft Technology. Volume 2: Materials	boron- and borsic-reinforced 6061 aluminum composites [NASA-TP-1063] p 8 N88-70029
and Structures, Propulsion and Drive Systems, Flight	and Structures, Propulsion and Drive Systems, Flight	[14757-17-1865] \$6 1165 75525
Dynamics and Control, and Acoustics {NASA-CP-2495-VOL-21 p.1 N88-16632	Dynamics and Control, and Acoustics	D
[NASA-CP-2495-VOL-2] p 1 N88-16632 Space Bioreactor Science Workshop	[NASA-CP-2495-VOL-2] p 1 N88-16632 CONVECTIVE FLOW	<b>5</b>
[NASA-CP-2485] p 15 N88-17168	Preparative electrophoresis for space	DATA ACQUISITION
First Annual Workshop on Space Operations Automation	[NASA-TP-2777] p.8 N88-10977	Outgassing data for selecting spacecraft materials [NASA-RP-1124]
and Hobotics (SUAH 87)	CONTINUOUS NOW Electrophoresis system expensions on	1NASA-RP-11241 DO NOO-10117
and Robotics (SOAR 87) [NASA-CP-2491] p 16 NB8-17206	Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7	DATA BASE MANAGEMENT SYSTEMS
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems:	shuttle (lights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978	DATA BASE MANAGEMENT SYSTEMS Third Conference on Artificial Intelligence for Space
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978 CONVERGENT NOZZLES Static performance of nonaxisymmetric nozzles with yaw	DATA BASE MANAGEMENT SYSTEMS
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978 CONVERGENT NOZZLES Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes	DATA BASE MANAGEMENT SYSTEMS Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring varies [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES	DATA BASE MANAGEMENT SYSTEMS Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948 Cryogenic Fluid Management Technology Workshop.	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES Static performance of an axisymmetric nozzle with	DATA BASE MANAGEMENT SYSTEMS Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652 DATA BASES
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280	DATA BASE MANAGEMENT SYSTEMS Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652 DATA BASES Catalog of infrared observations. Part 1: Data
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring varies [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit varies for multiaxis thrust vectoring [NASA-TP-2800]  Static performance of nonaxisymmetric nozzles with yaw	DATA BASE MANAGEMENT SYSTEMS Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652 DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738 DEFLECTION
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948 Cryogenic Fluid Management Technology Workshop. Volume 2: Roundtable Discussion of Technology Requirements [NASA-CP-10009] p 10 N88-20599 Sixteenth NASTRAN (Irademark) Users' Colloquium	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948 Cryogenic Fluid Management Technology Workshop. Volume 2: Roundtable Discussion of Technology Requirements [NASA-CP-10009] p 10 N88-20599 Sixteenth NASTRAN (trademark) Users' Colloquium [NASA-CP-2505] p 11 N88-20652 CARE 3 User's Workshop	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  Catalog of open clusters and associated interstellar matter  [NASA-RP-1202] p 21 N88-29652  DATA BASES  Catalog of infrared observations. Part 1: Data  [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION  Optical measurement of propeller blade deflections  [NASA-TP-2841] p 10 N88-28286
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW	Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p 16 N88-16360  Catalog of open clusters and associated interstellar matter  [NASA-RP-1202] p 21 N88-29652  DATA BASES  Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION  Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58lh Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948 Cryogenic Fluid Management Technology Workshop. Volume 2: Roundtable Discussion of Technology Requirements [NASA-CP-10009] p 10 N88-20599 Sixteenth NASTRAN (trademark) Users' Colloquium [NASA-CP-10011] p 16 N88-21646 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 NASA scientific and technical publications: A catalog	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948 Cryogenic Fluid Management Technology Workshop. Volume 2: Roundtable Discussion of Technology Requirements [NASA-CP-10009] p 10 N88-20599 Sixteenth NASTRAN (trademark) Users' Colloquium [NASA-CP-2505] p 11 N88-20652 CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646 Lewis Structures Technology, 1988 Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-tevis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948 Cryogenic Fluid Management Technology Workshop. Volume 2: Roundtable Discussion of Technology Requirements [NASA-CP-10009] p 10 N88-20599 Sixteenth NASTRAN (Irademark) Users' Colloquium [NASA-CP-2505] p 11 N88-20652 CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 (NASA-SP-7063(02)] p 19 N88-22830 Lewis Structures Technology, 1988. Volume 1: Structural	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948 Cryogenic Fluid Management Technology Workshop. Volume 2: Roundtable Discussion of Technology Requirements [NASA-CP-10009] p 10 N88-20599 Sixteenth NASTRAN (trademark) Users' Colloquium [NASA-CP-2505] p 11 N88-20652 CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646 Lewis Structures Technology, 1988 Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948 Cryogenic Fluid Management Technology Workshop. Volume 2: Roundtable Discussion of Technology Requirements [NASA-CP-10009] p 10 N88-20599 Sixteenth NASTRAN (trademark) Users' Colloquium [NASA-CP-10009] p 11 N88-20652 CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-CP-3003-VOL-1] p 19 N88-22830 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226 Laminar Flow Aircraft Certification	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-RP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2841] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948 Cryogenic Fluid Management Technology Workshop. Volume 2: Roundtable Discussion of Technology Requirements [NASA-CP-10009] p 10 N88-20599 Sixteenth NASTRAN (trademark) Users' Colloquium [NASA-CP-2505] p 11 N88-20652 CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 (NASA-SP-7063(02)] p 19 N88-22830 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-2326 Laminar Flow Aircraft Certification [NASA-CP-2413] p 3 N88-23737	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-281] p 8 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-RP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-17615 Steady and unsteady transonic pressure measurements
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681]	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-RP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2841] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-27715 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 4 N88-28895  DEPLOYMENT
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948 Cryogenic Fluid Management Technology Workshop. Volume 2: Roundtable Discussion of Technology Requirements [NASA-CP-10009] p 10 N88-20599 Sixteenth NASTRAN (Irademark) Users' Colloquium [NASA-CP-2505] p 11 N88-2069 CARE 3 User's Workshop [NASA-CP-10011] p 16 N88-21646 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 (NASA-SP-7063(02)] p 19 N88-22830 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-2326 Laminar Flow Aircraft Certification [NASA-CP-2413] Structural Ceramics [NASA-CP-2427] p 8 N88-23872 Noncontact Temperature Measurement	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 8 N88-23872	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 4 N88-28895  DEPLOYMENT Workshop on Technology Development Issues for the
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CNRCS  Stress intensity and crack displacement for small edge	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-RP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2771] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 4 N88-28895  DEPLOYMENT Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 20 N88-2035
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 8 N88-23872	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 4 N88-28895  DEPLOYMENT Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 20 N88-20235
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CRACKS  Stress intensity and crack displacement for small edge cracks [NASA-TP-2801] p 11 N88-17095	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-RP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 4 N88-28895  DEPLOYMENT Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 20 N88-20235  DESERTS Summary of along-track data from the Earth radiation budget satellite for several major desert regions
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORPOSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CHACKS  Stress intensity and crack displacement for small edge cracks [NASA-TP-2801] p 11 N88-17095	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and confrol-surface oscillations [NASA-TP-2594] p 4 N88-28895  DEPLOYMENT Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 20 N88-20235  DESERTS Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 14 N88-20772
[NASA-CP-2491] p 16 N88-17206 Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948 Cryogenic Fluid Management Technology Workshop. Volume 2: Roundtable Discussion of Technology Requirements [NASA-CP-10009] p 10 N88-20599 Sixteenth NASTRAN (trademark) Users' Colloquium [NASA-CP-2505] p 11 N88-20599 CARE 3 User's Workshop [NASA-CP-2505] p 16 N88-21646 Lewis Structures Technology, 1988 Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-22830 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226 Laminar Flow Aircraft Certification [NASA-CP-2413] Structural Ceramics [NASA-CP-2427] p 8 N88-23737 Structural Ceramics [NASA-CP-2427] p 8 N88-23872 Noncontact Temperature Measurement [NASA-CP-2427] p 8 N88-23895 Space Station Human Factors Research Review. Volume 1: EVA Research and Development [NASA-CP-2426-VOL-1] p 15 N88-24145 Third Conference on Artificial Intelligence for Space Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORPOSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CRACKS  Stress intensity and crack displacement for small edge cracks [NASA-TP-2801] p 11 N88-17095  CREEP PROPERTIES  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 4 N88-28895  DEPLOYMENT Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 20 N88-20235  DESERTS Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] DESIGN ANALYSIS
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CRACKS  Stress intensity and crack displacement for small edge cracks [NASA-TP-2801] p 1 N88-17095  CREEP PROPERTIES  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1]
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CRACKS  Stress intensity and crack displacement for small edge cracks [NASA-TP-2801] p 1 N88-17095  CREEP PROPERTIES  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697  CROP GROWTH  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-26895  DEPLOYMENT Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 20 N88-20235  DESERTS Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 14 N88-20772  DESIGN ANALYSIS Aeropropulsion 87 Session 2 Aeropropulsion Structures Research [NASA-CP-10003-SESS-2] p 5 N88-15785
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CRACKS  Stress intensity and crack displacement for small edge cracks [NASA-TP-2801] p 6 N88-17095  CREEP PROPERTIES  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697  CROP GROWTH  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2771] p 2 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 4 N88-28895  DEPLOYMENT Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 20 N88-20235  DESERTS Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 14 N88-20772  DESIGN ANALYSIS Aeropropulsion '87. Session 2 Aeropropulsion Structures Research [NASA-CP-10003-SESS-2] p 5 N88-15785 wing design methodology
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  COROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-23872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CRACKS  Stress intensity and crack displacement for small edge cracks [NASA-TP-2801] p 1 N88-17095  CREEP PROPERTIES  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697  CROP GROWTH  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  CRYOGENIC COOLING	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2823] p 12 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2824] p 4 N88-28895  DELTA WINGS Supersonic aerodynamics of certain and control-surface oscillations [NASA-TP-2594] p 4 N88-28895  DEPLOYMENT Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 20 N88-20235  DESERTS Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 14 N88-20772  DESIGN ANALYSIS Aeropropulsion '87 Session 2: Aeropropulsion Structures Research [NASA-CP-10003-SESS-2] p 5 N88-15785 wing design methodology [NASA-TP-2806] p 2 N88-17614
NASA-CP-2491   p 16 N88-17206	shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  CONVERGENT NOZZLES  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  CONVERGENT-DIVERGENT NOZZLES  Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280  Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118  COOL STARS  The M-type stars [NASA-SP-492] p 20 N88-11592  CORNER FLOW  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-29872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CORROSION  Structural Ceramics [NASA-CP-2427] p 8 N88-29872  COUPLING  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA-Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686  CRACKS  Stress intensity and crack displacement for small edge cracks [NASA-TP-2681] p 6 N88-17686  CRACKS  Stress intensity and crack displacement for small edge cracks [NASA-TP-2681] p 6 N88-17695  CREEP PROPERTIES  Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697  CROP GROWTH  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852	Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360 Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  DATA BASES Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738  DEFLECTION Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286  DEGRADATION Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  DELAMINATING Three-dimensional analysis of a postbuckled embedded delamination [NASA-TP-2771] p 2 N88-26684  DELTA WINGS Supersonic aerodynamics of delta wings [NASA-TP-2771] p 2 N88-17615 Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations [NASA-TP-2594] p 4 N88-28895  DEPLOYMENT Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 20 N88-20235  DESERTS Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 14 N88-20772  DESIGN ANALYSIS Aeropropulsion '87. Session 2 Aeropropulsion Structures Research [NASA-CP-10003-SESS-2] p 5 N88-15785 wing design methodology

SUBJECT INDEX **EXPERT SYSTEMS** 

Aerodynamic characteristics of wings designed with a	Lewis Structures Technology, 1988. Volume 3: Structural	ENERGY CONVERSION EFFICIENCY
combined-theory method to cruise at a Mach number of	Integrity Fatigue and Fracture Wind Turbines HOST	Laser production and heating of plasma for MHD
4.5	[NASA-CP-3003-VOL-3] p 12 N88-22408	application
[NASA-TP-2799] p 3 N88-19420	Lewis Structures Technology, 1988. Volume 1: Structural	[NASA-TP-2798] p 18 N88-18443
Rotorcraft flight-propulsion control integration: An	Dynamics	ENGINE DESIGN
eclectic design concept	[NASA-CP-3003-VOL-1] p 12 N88-23226	Aeropropulsion '87. Session 5: Subsonic Propulsion
[NASA-TP-2815] p 6 N88-19475	SRM propellant and polymer materials structural test	Technology
DETECTION	program (NASA-TP-2821) p 12 N88-25013	[NASA-CP-10003-SESS-5] p 5 N88-15800
Airborne Wind Shear Detection and Warning Systems:	[NASA-18-2021] p 12 (100-20013	NASA/Army Rotorcraft Technology. Volume 2: Materials
First Combined Manufacturers' and Technologists'	_	and Structures, Propulsion and Drive Systems, Flight
Conference	E	Dynamics and Control, and Acoustics
[NASA-CP-10006] p 4 N88-17616		[NASA-CP-2495-VOL-2] p 1 N88-16632
DIGITAL SYSTEMS	EARTH ALBEDO	Aeropropulsion '87. Session 1: Aeropropulsion Materials
Further developments in exact state reconstruction in	Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral	Research [NASA-CP-10003-SESS-1]  p 6 N88-16697
deterministic digital control systems [NASA-TP-2812] p 9 N88-18751	scan solar irradiance and Earth radiance product user's	•
· · · · · · · · · · · · · · · · · · ·	guide	ENGINE NOISE
More on exact state reconstruction in deterministic digital	[NASA-RP-1199] p 12 N88-17096	Measured and calculated acoustic attenuation rates of
control systems (NASA-TP-2847) p 9 N88-28177	EARTH CRUST	tuned resonator arrays for two surface impedance distribution models with flow
DIGITAL TECHNIQUES	Crustal Dynamics Project: Catalogue of site information	[NASA-TP-2766] p 18 N88-17440
Digital enhancement of flow field images	[NASA-RP-1198] p 13 N88-19037	Annoyance caused by advanced turboprop aircraft
[NASA-TP-2770] p 16 N88-20833	EARTH LIMB	flyover noise: Single-rotating propeller configuration
DIRECTIONAL STABILITY	Description of data on the Nimbus 7 LIMS map archive	[NASA-TP-2782] p 18 N88-17441
Effects of the installation and operation of jet-exhaust	tape: Water vapor and nitrogen dioxide	ENGINE PARTS
yaw vanes on the longitudinal and lateral-directional	[NASA-TP-2761] p 14 N88-14572	Aeropropulsion '87. Session 1: Aeropropulsion Materials
characteristics of the F-14 airplane	EARTH ORBITAL ENVIRONMENTS	Research
[NASA-TP-2769] p 2 N88-12455	A Study of Space Station Contamination Effects	[NASA-CP-10003-SESS-1] p 6 N88-16697
DISPERSING	conference	ENGINE TESTS
Compatability of dispersion-strengthened platinum with	[NASA-CP-3002] p 19 N88-25390	Efficiency testing of a helicopter transmission planetary
resistojet propellants	EARTH RADIATION BUDGET	reduction stage
[NASA-TP-2765] p 7 N88-12538	Atlas of wide-field-of-view outgoing longwave radiation	[NASA-TP-2795] p 11 N88-15224
DISPLACEMENT	derived from Nimbus 7 Earth radiation budget data set -	EPOXY RESINS
Stress intensity and crack displacement for small edge	November 1978 to October 1985	Properties of two composite materials made of
cracks	[NASA-RP-1186] p 14 N88-10451	toughened epoxy resin and high-strain graphite fiber
[NASA-TP-2801] p 11 N88-17095	EARTH RADIATION BUDGET EXPERIMENT	[NASA-TP-2826] p.8 N88-25480
DISPLACEMENT MEASUREMENT	Atlas of wide-field-of-view outgoing longwave radiation	EQUATIONS OF MOTION
Optical measurement of propeller blade deflections	derived from Nimbus 7 Earth radiation budget data set - November 1978 to October 1985	Nonlinear programming extensions to rational function
[NASA-TP-2841] p 10 N88-28286	[NASA-RP-1186] p 14 N88-10451	approximation methods for unsteady aerodynamic forces
DISPLAY DEVICES	Summary of along-track data from the Earth radiation	[NASA-TP-2776] p 5 N88-24623
Effects of combining vertical and horizontal information	budget satellite for several major desert regions	EQUATIONS OF STATE
into a primary flight display	[NASA-RP-1197] p 14 N88-20772	Further developments in exact state reconstruction in
[NASA-TP-2783] p 5 N88-12487	EARTH RESOURCES	deterministic digital control systems
A general solution to the silhouette problem	Earth resources: A continuing bibliography with indexes	[NASA-TP-2812] p 9 N88-18751
[NASA-TP-2695] p 16 N88-14629	(issue 57)	EQUILIBRIUM
DISTRIBUTED PROCESSING First Annual Workshop on Space Operations Automation	[NASA-SP-7041(57)] p 13 N88-23314	General equilibrium characteristics of a dual-lift
and Robotics (SOAR 87)	EDGES	helicopter system
[NASA-CP-2491] p 16 N88-17206	Stress intensity and crack displacement for small edge	[NASA-TP-2615] p.1 N88-19407
DOCUMENTATION	cracks	ERROR ANALYSIS
NASA scientific and technical publications: A catalog	[NASA-TP-2801] p 11 N88-17095	Analysis and testing of the SURE program
of Special Publications, Reference Publications,	EIKONAL EQUATION	[NASA-TP-2817] p 17 N88-22653
Conference Publications, and Technical Papers, 1987	Eikonal solutions to optical model coupled-channel	ERRORS
[NASA-SP-7063(02)] p 19 N88-22830	equations	Investigation of the misfueling of reciprocating piston
DOPPLER RADAR	[NASA-TP-2830] p 18 N88-30402 ELASTIC DEFORMATION	aircraft engines
Wind shear detection. Forward-looking sensor	Stress intensity and crack displacement for small edge	[NASA-TP-2803] p 4 N88-21144
technology	cracks	ESTIMATING
[NASA-CP-10004] p 4 N88-14970	[NASA-TP-2801] p 11 N88-17095	Mental-State Estimation, 1987 [NASA-CP-2504] p 15 N88-23370
Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists'	ELASTIC SCATTERING	, ,
Conference Manufacturers and recrinologists	Eikonal solutions to optical model coupled-channel	ETHERS  Surface catalytic degradation study of two linear
[NASA-CP-10006] p 4 N88-17616	equations	perfluoropolyalkylethers at 345 C
DRAG	[NASA-TP-2830] p 18 N88-30402	[NASA-TP-2774] p.8 N88-12543
Influence of base modifications on in-flight base drag	ELECTRIC GENERATORS	EUROPEAN SPACE AGENCY
in the presence of jet exhaust for Mach numbers from	Laser production and heating of plasma for MHD	Spacelab: An international success story
0.7 to 1.5	application	[NASA-SP-487] p 19 N88-19375
[NASA-TP-2802] p 10 N88-18881	[NASA-TP-2798] p 18 N88-18443	EVALUATION
DRAG REDUCTION	ELECTRICAL RESISTIVITY  Continuous flow electrophoresis system experiments on	A study to evaluate STS heads-up ascent trajectory
Flight and wind-tunnel measurements showing base	shuttle flights STS-6 and STS-7	performance employing a minimum-Hamiltonian
drag reduction provided by a trailing disk for high Reynolds	[NASA-TP-2778] p 9 N88-10978	optimization strategy
number turbulent flow for subsonic and transonic Mach numbers	ELECTROCHEMISTRY	[NASA-TP-2793] p 6 N88-15820
		Present state of knowledge of the upper atmosphere
[NASA-TP-2638] p 10 N88-14299	The 1986 Goddard Space Flight Center Battery Workshop	1988: An assessment report
[NASA-TP-2638] p 10 N88-14299 DUCTS	The 1986 Goddard Space Flight Center Battery	[NASA-RP-1208] p 13 N88-29233
[NASA-TP-2638] p 10 N88-14299 <b>DUCTS</b> Aeropropulsion '87. Session 3: Internal Fluid Mechanics	The 1986 Goddard Space Flight Center Battery Workshop	[NASA-RP-1208] p 13 N88-29233 <b>EXHAUST NOZZLES</b>
[NASA-TP-2638] p 10 N88-14299 DUCTS Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021	[NASA-RP-1208] p 13 N88-29233 <b>EXHAUST NOZZLES</b> Hydroburst test of a carbon-carbon involute exit cone
NASA-TP-2638   p 10 N88-14299   DUCTS   Aeropropulsion '87. Session 3: Internal Fluid Mechanics   Research   NASA-CP-10003-SESS-3   p 5 N88-15790	The 1986 Goddard Space Flight Center Battery Workshop  [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-	[NASA-RP-1208] p 13 N88-29233 <b>EXHAUST NOZZLES</b> Hydroburst lest of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112
[NASA-TP-2638] p 10 N88-14299  DUCTS  Aeropropulsion '87. Session 3: Internal Fluid Mechanics  Research [NASA-CP-10003-SESS-3] p 5 N88-15790  DYNAMIC CHARACTERISTICS	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY
NASA-TP-2638   p 10 N88-14299 DUCTS	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index
[NASA-TP-2638] p 10 N88-14299  DUCTS  Aeropropulsion '87. Session 3: Internal Fluid Mechanics  Research [NASA-CP-10003-SESS-3] p 5 N88-15790  DYNAMIC CHARACTERISTICS	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 15 N88-18180
NASA-TP-2638   p 10 N88-14299 DUCTS	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306)  [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing
NASA-TP-2638   p 10 N88-14299	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8- to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst lest of a carbon-carbon involute exil cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306)  [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315)
NASA-TP-2638   p 10 N88-14299   DUCTS	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306)  [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315)  [NASA-SP-7011(315)] p 15 N88-30281
NASA-TP-2638   p 10 N88-14299   DUCTS	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  ELECTROHYDRODYNAMICS	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES  Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315) [NASA-SP-7011(315)] p 15 N88-30281  EXPERIMENT DESIGN
NASA-TP-2638   p 10 N88-14299	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306)  [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315)  [NASA-SP-7011(315)] p 15 N88-30281  EXPERIMENT DESIGN  Controlled Ecological Life Support System. Design,
NASA-TP-2638   p 10 N88-14299	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8- to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  ELECTROHYDRODYNAMICS  Preparative electrophoresis for space	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst lest of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306)  [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315)  [NASA-SP-7011(315)] p 15 N88-30281  EXPERIMENT DESIGN  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth
NASA-TP-2638   p 10 N88-14299	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8- to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  ELECTROPYDRODYNAMICS  Preparative electrophoresis for space [NASA-TP-2777] p 8 N88-10977	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES  Hydroburst lest of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315) [NASA-SP-7011(315)] p 15 N88-30281  EXPERIMENT DESIGN  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module
[NASA-TP-2638] p 10 N88-14299 DUCTS  Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 DYNAMIC CHARACTERISTICS Dynamic analysis of multimesh-gear helicopter transmissions [NASA-TP-2789] p 11 N88-17045 Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2697] p 12 N88-23988 DYNAMIC RESPONSE Shape sensitivity analysis of wing static aeroelastic characteristics [NASA-TP-2808] p 5 N88-22031 DYNAMIC STRUCTURAL ANALYSIS	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  ELECTROHYDRODYNAMICS  Preparative electrophoresis for space [NASA-TP-2777]  ELECTROKINETICS	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst lest of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306)  [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315)  [NASA-SP-7011(315)] p 15 N88-30281  EXPERIMENT DESIGN  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module  [NASA-CP-2479] p 16 N88-13852
NASA-TP-2638   p 10 N88-14299	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  ELECTROHYDRODYNAMICS  Preparative electrophoresis for space [NASA-TP-2777] p 8 N88-10977  ELECTROKINETICS  Preparative electrophoresis for space	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst lest of a carbon-carbon involute exil cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306)  [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315)  [NASA-SP-7011(315)] p 15 N88-30281  EXPERIMENT DESIGN  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module  [NASA-CP-2479] p 16 N88-13852  EXPERT SYSTEMS
NASA-TP-2638   p 10 N88-14299	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8- to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  ELECTROHYDRODYNAMICS  Preparative electrophoresis for space [NASA-TP-2777] p 8 N88-10977  ELECTROKINETICS  Preparative electrophoresis for space [NASA-TP-2777] p 8 N88-10977	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst lest of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306) [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315) [NASA-SP-7011(315)] p 15 N88-30281  EXPERIMENT DESIGN  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p 16 N88-13852  EXPERT SYSTEMS  Third Conference on Artificial Intelligence for Space
NASA-TP-2638   p 10 N88-14299	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  ELECTROHYDRODYNAMICS  Preparative electrophoresis for space [NASA-TP-2777]  ELECTROKINETICS  Preparative electrophoresis for space [NASA-TP-2777]  ELECTROPHORESIS	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst lest of a carbon-carbon involute exil cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306)  [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315)  [NASA-SP-7011(315)] p 15 N88-30281  EXPERIMENT DESIGN  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module  [NASA-CP-2479] p 16 N88-13852  EXPERT SYSTEMS
NASA-TP-2638   p 10 N88-14299	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  ELECTROHYDRODYNAMICS  Preparative electrophoresis for space [NASA-TP-2777] p 8 N88-10977  ELECTROKINETICS  Preparative electrophoresis for space [NASA-TP-2777] p 8 N88-10977  ELECTROPHORESIS  Preparative electrophoresis for space	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst test of a carbon-carbon involute exit cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306)  [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315)  [NASA-SP-7011(315)] p 15 N88-30281  EXPERIMENT DESIGN  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module  [NASA-CP-2479] p 16 N88-13852  EXPERT SYSTEMS  Third Conference on Artificial Intelligence for Space Applications, part 1
[NASA-TP-2638] p 10 N88-14299 DUCTS  Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 DYNAMIC CHARACTERISTICS Dynamic analysis of multimesh-gear helicopter transmissions [NASA-TP-2789] p 11 N88-17045 Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2697] p 12 N88-23988 DYNAMIC RESPONSE Shape sensitivity analysis of wing static aeroelastic characteristics [NASA-TP-2808] p 5 N88-22031 DYNAMIC STRUCTURAL ANALYSIS The 58th Shock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 11 N88-13609 The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948	The 1986 Goddard Space Flight Center Battery Workshop [NASA-CP-2486] p 9 N88-11021  ELECTRODES  Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8-to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146  ELECTRODYNAMICS  Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7 [NASA-TP-2778] p 9 N88-10978  ELECTROHYDRODYNAMICS  Preparative electrophoresis for space [NASA-TP-2777] p 8 N88-10977  ELECTROHORESIS  Preparative electrophoresis for space [NASA-TP-2777] p 8 N88-10977	[NASA-RP-1208] p 13 N88-29233  EXHAUST NOZZLES Hydroburst lest of a carbon-carbon involute exil cone [NASA-TP-2556] p 7 N88-14112  EXOBIOLOGY  Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 306)  [NASA-SP-7011(306)] p 15 N88-18180  Aerospace medicine and biology: A continuing bibliography with indexes (supplement 315)  [NASA-SP-7011(315)] p 15 N88-30281  EXPERIMENT DESIGN  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module  [NASA-CP-2479] p 16 N88-13852  EXPERT SYSTEMS  Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360

Ē

p 4 N88-29752

Third Conference on Artificial Intelligence for Space	FIRE EXTINGUISHERS	FOOD
Applications, part 2	Spacecraft Fire Safety	Controlled Ecological Life Support System. Design Development, and Use of a Ground-Based Plant Growth
[NASA-CP-2492-PT-2] p 17 N88-24188	[NASA-CP-2476] p 7 N88-12520	Module
Second Conference on Artificial Intelligence for Space Applications	FIRES Spacecraft Fire Safety	[NASA-CP-2479] p 16 N88-13852
[NASA-CP-3007] p 17 N88-29351	[NASA-CP-2476] p 7 N88-12520	FOREST MANAGEMENT
The 1988 Goddard Conference on Space Applications	FLAMMABILITY	Earth resources: A continuing bibliography with indexes
of Artificial Intelligence	Spacecraft Fire Safety	(issue 57) {NASA-SP-7041(57)} p 13 N88-23314
[NASA-CP-3009] p 17 N88-30330 EXPLORER SATELLITES	[NASA-CP-2476] p 7 N88-12520 FLAPS (CONTROL SURFACES)	FORTRAN
Into the thermosphere: The atmosphere explorers	An experimental investigation of the flap-lag-torsion	User's manual for LINEAR, a FORTRAN program to
[NASA-SP-490] p 13 N88-18084	aeroelastic stability of a small-scale hingeless helicopter	derive linear aircraft models [NASA-TP-2768] p 17 N88-21740
EXPLORER 51 SATELLITE	rotor in hover	[NASA-TP-2768] p 17 N88-21740 FRACTURE MECHANICS
into the thermosphere: The atmosphere explorers [NASA-SP-490] p 13 N88-18084	[NASA-TP-2546] p 3 N88-20257 FLEXIBLE BODIES	NASA/Army Rotorcraft Technology. Volume 2: Materials
EXPLORER 54 SATELLITE	Nonlinear programming extensions to rational function	and Structures, Propulsion and Drive Systems, Fligh
Into the thermosphere: The atmosphere explorers	approximation methods for unsteady aerodynamic forces	Dynamics and Control, and Acoustics
[NASA-SP-490] p 13 N88-18084	[NASA-TP-2776] p 5 N88-24623	[NASA-CP-2495-VOL-2] p 1 N88-16632 Lewis Structures Technology, 1988. Volume 2: Structura
EXPLORER 55 SATELLITE Into the thermosphere: The atmosphere explorers	FLIGHT CHARACTERISTICS  Handling qualities of a wide-body transport airplane	Mechanics
[NASA-SP-490] p 13 N88-18084	utilizing Pitch Active Control Systems (PACS) for relaxed	[NASA-CP-3003-VOL-2] p 12 N88-22382
EXTRAVEHICULAR ACTIVITY	static stability application	Lewis Structures Technology, 1988. Volume 3: Structura
Space Construction (NASA-CP-2490) p 7 N88-10870	[NASA-TP-2482] p 6 N88-14987	Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408
[NASA-CP-2490] p 7 N88-108/0 Space Station Human Factors Research Review.	FLIGHT CONTROL Applications of the hybrid automated reliability	Structural Ceramics
Volume 1: EVA Research and Development	predictor	[NASA-CP-2427] p 8 N88-23872
[NASA-CP-2426-VOL-1] p 15 N88-24145	[NASA-TP-2760] p 16 N88-12928	FRICTION
	NASA/Army Rotorcraft Technology Volume 1:	Advances in contact algorithms and their application to tires
F	Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625	[NASA-TP-2781] p 11 N88-21456
	FLIGHT SAFETY	•
-106 AIRCRAFT	Meteorological and Environmental Inputs to Aviation	G
Sensitivity of F-106B leading-edge-vortex images to	Systems	<del>-</del>
flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760	[NASA-CP-2498] p 14 N88-25105 FLIGHT SIMULATION	GALILEO PROBE
-14 AIRCRAFT	Handling qualities of a wide-body transport airplane	Galileo probe parachute test program: Wake properties
Effects of the installation and operation of jet-exhaust	utilizing Pitch Active Control Systems (PACS) for relaxed	of the Galileo probe at Mach numbers from 0.25 to 0.95 [NASA-RP-1130] p 10 N88-18884
yaw vanes on the longitudinal and lateral-directional	static stability application	GAS EXCHANGE
characteristics of the F-14 airplane (NASA-TP-2769) p 2 N88-12455	[NASA-TP-2482] p 6 N88-14987 FLIGHT TESTS	Controlled Ecological Life Support System
[NASA-TP-2769] p 2 N88-12455 FAILURE ANALYSIS	Comparison of wind tunnel and flight test afterbody and	Regenerative Life Support Systems in Space [NASA-CP-2480] p 16 N88-1225
The 1986 Goddard Space Flight Center Battery	nozzle pressures for a twin-jet fighter aircraft at transonic	[NASA-CP-2480] p 16 N88-1225
Workshop	speeds	Turbine Engine Hot Section Technology, 1985
[NASA-CP-2486] p 9 N88-11021	[NASA-TP-2588] p 2 N88-10765 The 1986 Goddard Space Flight Center Battery	[NASA-CP-2405] p 11 N88-11140
FAR INFRARED RADIATION Far infrared supplement: Catalog of infrared	Workshop	GEARS
observations, second edition	[NASA-CP-2486] p 9 N88-11021	Efficiency testing of a helicopter transmission planetary reduction stage
[NASA-RP-1205] p 20 N88-30545	Flight and wind-tunnel measurements showing base	[NASA-TP-2795] p 11 N88-15224
ATIGUE (MATERIALS)	drag reduction provided by a trailing disk for high Reynolds number turbulent flow for subsonic and transonic Mach	Dynamic analysis of multimesh-gear helicopte
Aeropropulsion '87. Session 1: Aeropropulsion Materials	numbers	transmissions [NASA-TP-2789] p 11 N88-17049
Research [NASA-CP-10003-SESS-1] p 6 N88-16697	[NASA-TP-2638] p 10 N88-14299	[NASA-TP-2789] p 11 N88-1704! GENERAL AVIATION AIRCRAFT
Lewis Structures Technology, 1988. Volume 2: Structural	NASA/Army Rotorcraft Technology. Volume 3: Systems	Wind-tunnel investigation of a full-scale general aviation
Mechanics	Integration, Research Aircraft, and Industry [NASA-CP-2495-VOL-3] p 1 N88-16650	airplane equipped with an advanced natural laminar flow
[NASA-CP-3003-VOL-2] p 12 N88-22382	Influence of base modifications on in-flight base drag	wing
FATIGUE LIFE	in the presence of jet exhaust for Mach numbers from	[NASA-TP-2772] p 2 N88-10009
Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A	0.7 to 1.5	Investigation of the misfueling of reciprocating pistor aircraft engines
proposal	[NASA-TP-2802] p 10 N88-18881 A perspective on 15 years of proof-of-concept aircraft	[NASA-TP-2803] p 4 N88-2114-
[NASA-TP-2779] p 11 N88-15263	development and flight research at Ames-Moffett by the	GEODETIC SURVEYS
FAULT TOLERANCE	Rotorcraft and Powered-Lift Flight Projects Division,	Crustal Dynamics Project: Catalogue of site
SURE reliability analysis: Program and mathematics (NASA-TP-2764) p 17 N88-17380	1970-1985 [NASA-RP-1187] p.4 N88-19467	information [NASA-RP-1198] p 13 N88-1903
[NASA-TP-2764] p 17 N88-17380 CARE 3 User's Workshop	[NASA-RP-1187] p.4 N88-19467 A review of technologies applicable to low-speed flight	GEODYNAMICS
[NASA-CP-10011] p 16 N88-21646	of high-performance aircraft investigated in the Langley	Crustal Dynamics Project: Catalogue of site
Analysis and testing of the SURE program	14- x 22-foot subsonic tunnel	information
[NASA-TP-2817] p 17 N88-22653	[NASA-TP-2796] p.3 N88-20264  Development and flight test of an experimental	[NASA-RP-1198] p 13 N88-1903
FEASIBILITY ANALYSIS	maneuver autopilot for a highly maneuverable aircraft	GET AWAY SPECIALS (STS)  The 1987 Get Away Special Experimenter's
Evaluation of a scale-model experiment to investigate long-range acoustic propagation	[NASA-TP-2618] p 5 N88-21153	Symposium
[NASA-TP-2748] p 17 N88-11450	FLIR DETECTORS	[NASA-CP-2500] p 6 N88-1769
FIBER OPTICS	Wind shear detection. Forward-looking sensor	GRAPHITE
Aeropropulsion '87. Session 4: Instrumentation and	technology [NASA-CP-10004] p.4 N88-14970	Performance of a small, graphite electrode, multistage
Controls Research [NASA-CP-10003-SESS-4] p.5 N88-15794	FLOW VISUALIZATION	depressed collector with a 500-W, continuous wave, 4.8 to 9.6-GHz traveling wave tube
[NASA-CP-10003-SESS-4] p 5 N88-15794 FIGHTER AIRCRAFT	Digital enhancement of flow field images	[NASA-TP-2788] p 10 N88-1514
Comparison of wind tunnel and flight test afterbody and	[NAŠA-TP-2770] p 16 N88-20833	GRAPHITE-EPOXY COMPOSITES
nozzle pressures for a twin-jet fighter aircraft at transonic	FLUID MANAGEMENT  Cryogenic Fluid Management Technology Workshop.	Properties of two composite materials made of
speeds	Volume 2: Roundtable Discussion of Technology	toughened epoxy resin and high-strain graphite fiber INASA-TP-28261 p.8 N88-2548
[NASA-TP-2588] p 2 N88-10765	Requirements	[NASA-TP-2826] p 8 N88-2548 GRAVITATIONAL EFFECTS
FINENESS RATIO  Planform effects on the supersonic aerodynamics of	[NASA-CP-10009] p 10 N88-20599	Continuous flow electrophoresis system experiments of
multibody configurations	FLUID MECHANICS Aeropropulsion '87. Session 3: Internal Fluid Mechanics	shuttle flights STS-6 and STS-7
[NASA-TP-2762] p 2 N88-12454	Research	[NASA-TP-2778] p 9 N88-1097
FINITE ELEMENT METHOD	[NASA-CP-10003-SESS-3] p 5 N88-15790	GRAZING FLOW
Measured and calculated acoustic attenuation rates of	Aeropropulsion '87. Session 4: Instrumentation and	Measured and calculated acoustic attenuation rates of tuned resonator arrays for two surface impedance
tuned resonator arrays for two surface impedance distribution models with flow	Controls Research [NASA-CP-10003-SESS-4] p 5 N88-15794	distribution models with flow
[NASA-TP-2766] p 18 N88-17440	Aeropropulsion '87. Session 5: Subsonic Propulsion	[NASA-TP-2766] p 18 N88-1744
The 58th Shock and Vibration Symposium, volume 2	Technology	GROUND EFFECT (AERODYNAMICS)
[NASA-CP-2488-VOL-2] p 11 N8B-18948	[NASA-CP-10003-SESS-5] p 5 N88-15800	Aerodynamics in ground effect and predicted landin ground roll of a fighter configuration with
Three-dimensional analysis of a postbuckled embedded	Aeropropulsion '87. Session 6: High-Speed Propulsion	ground roll of a fighter configuration with secondary-nozzle thrust reverser
delamination INASA-TP-28231 p 12 N88-26684	Technology [NASA-CP-10003-SESS-6] p 5 N88-15807	[NASA-TP-2834] p 4 N88-2975
[NASA-TP-2823] p 12 N88-26684	framework responses at	•

GROUND STATIONS	HOVERING	INFRARED RADIATION
Crustal Dynamics Project: Catalogue of site	An experimental investigation of the flap-lag-torsion	Catalog of infrared observations. Part 2: Appendixes INASA-RP-1196-PT-2-ED-21 p 20 N88-16615
information	aeroelastic stability of a small-scale hingeless helicopter	[NASA-RP-1196-PT-2-ED-2] p 20 N88-16615 INFRARED RADIOMETERS
[NASA-RP-1198] p 13 N88-19037	rotor in hover [NASA-TP-2546] p 3 N88-20257	Noncontact Temperature Measurement
GUIDE VANES	HUMAN FACTORS ENGINEERING	[NASA-CP-2503] p 9 N88-23895
Experimental evaluation of turning vane designs for	Space Station Human Factors Research Review.	INFRARED SOURCES (ASTRONOMY)
high-speed and coupled fan-drive corners of 0.1-scale	Volume 3: Space Station Habitability and Function:	Catalog of infrared observations. Part 1: Data
model of NASA Lewis Research Center's proposed altitude	Architectural Research	[NASA-RP-1196-PT-1-ED-2] p 19 N88-15738
wind tunnel	[NASA-CP-2426-VOL-3] p 15 N88-19883	Catalog of infrared observations. Part 2: Appendixes
[NASA-TP-2681] p 6 N88-17686	Space Station Human Factors Research Review.	[NASA-RP-1196-PT-2-ED-2] p 20 N88-16615
	Volume 1: EVA Research and Development	Far infrared supplement: Catalog of infrared
Н	[NASA-CP-2426-VOL-1] p 15 N88-24145	observations, second edition
Π	Space Station Human Factors Research Review.	[NASA-RP-1205] p 20 N88-30545
	Volume 4: Inhouse Advanced Development and	INFRARED TELESCOPES
HAMILTONIAN FUNCTIONS	Research	Workshop on Technology Development Issues for the
A study to evaluate STS heads-up ascent trajectory	[NASA-CP-2426-VOL-4] p 15 N88-24148	Large Deployable Reflector (LDR)
performance employing a minimum-Hamiltonian	HUMAN PERFORMANCE	[NASA-CP-2407] p 20 NB8-20235
optimization strategy	Mental-State Estimation, 1987	INLET FLOW
[NASA-TP-2793] p 6 N88-15820	[NASA-CP-2504] p 15 N88-23370	Aeropropulsion '87. Session 3: Internal Fluid Mechanics
HEAT FLUX	HYDRODYNAMICS	Research
Measurement of local high-level, transient surface heat	Hydroburst test of a carbon-carbon involute exit cone	[NASA-CP-10003-SESS-3] p 5 N88-15790
flux	[NASA-TP-2556] p 7 N88-14112	Numerical simulation of scramjet inlet flow fields
[NASA-TP-2840] p 10 N88-30099	HYDROGEN OXYGEN ENGINES	[NASA-TP-2517] p 3 N88-23735
HEAT TREATMENT	An analytical study of the hydrogen-air reaction	INTEGRATORS
Outgassing data for selecting spacecraft materials	mechanism with application to scramjet combustion	Rotorcraft flight-propulsion control integration: An
[NASA-RP-1124] p.8 N88-10117	[NASA-TP-2791] p B NB8-15846	eclectic design concept
HEAVY IONS	HYPERSONIC AIRCRAFT	[NASA-TP-2815] p 6 N88-19475
Eikonal solutions to optical model coupled-channel	Aeropropulsion '87. Session 6: High-Speed Propulsion	INTERSTELLAR MATTER
equations	Technology	Catalog of open clusters and associated interstellar
[NASA-TP-2830] p 18 N88-30402	[NASA-CP-10003-SESS-6] p 5 NB8-15807	matter
HEAVY LIFT HELICOPTERS	Aerothermal tests of quilted dome models on a flat plate	[NASA-RP-1202] p 21 N88-29652
General equilibrium characteristics of a dual-lift	at a Mach number of 6.5	INVISCID FLOW
helicopter system	[NASA-TP-2804] p 10 N88-22325	Supersonic aerodynamics of delta wings
[NASA-TP-2615] p 1 N88-19407	HYPERSONIC SPEED	[NASA-TP-2771] p 2 N88-17615
HELICOPTER ENGINES	Aerodynamic characteristics of wings designed with a	IONIC COLLISIONS
Efficiency testing of a helicopter transmission planetary	combined-theory method to cruise at a Mach number of	Eikonal solutions to optical model coupled-channel
reduction stage	4.5	equations
[NASA-TP-2795] p 11 N88-15224	[NASA-TP-2799] p.3 N88-19420	[NASA-TP-2830] p 18 N88-30402
· · · · · · · · · · · · · · · · · · ·	HYPERVELOCITY PROJECTILES	IUE
	Trajectory characteristics and heating of hypervelocity	International ultraviolet explorer spectral atlas of
transmissions [NASA-TP-2789] p 11 N88-17045	projectiles having large ballistic coefficients	planetary nebulae, central stars, and related objects
• •	[NASA-TP-2614] p 2 N88-19412	[NASA-RP-1203] p 20 N88-28843
HELICOPTER PERFORMANCE	(INTOTAL ESTA)	·
NASA/Army Rotorcraft Technology. Volume 3: Systems	_	I
Integration, Research Aircraft, and Industry [NASA-CP-2495-VOL-3] p.1 N88-16650		J
• • • • • • • • • • • • • • • • • • • •	•	
HELICOPTERS NASA/Army Rotorcraft Technology. Volume 1:	IMAGE ENHANCEMENT	JET AIRCRAFT
		Effect of empennage arrangement on single-engine
	A general solution to the silhouette problem	
Aerodynamics, and Dynamics and Aeroelasticity	A general solution to the silhouette problem (NASA-TP-2695) p 16 N88-14629	nozzle/afterbody static pressures at transonic speeds
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625	[NASA-TP-2695] p 16 N88-14629	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 <b>JET AIRCRAFT NOISE</b>
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771 <b>JET AIRCRAFT NOISE</b> Shock structure and noise of supersonic jets in simulated
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 IMAGE PROCESSING	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771 JET AIRCRAFT NOISE Shock structure and noise of supersonic jets in simulated flight to Mach 0.4
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p 17 N88-16510
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629  Digital enhancement of flow field images	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 18 N88-17441  JET ENGINES
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2. N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17. N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration  [NASA-TP-2782] p. 18. N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics,	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] MAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics,	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  HIGH SPEED	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330	nozzle/afterbody static pressures at transonic speeds NASA-TP-2753]  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753]  JET EXHAUST influence of base modifications on in-flight base drag
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  HIGH SPEED  Experimental evaluation of turning vane designs for	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330 INDEXES (DOCUMENTATION)	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771  JET EXHAUST  influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  HIGH SPEED  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  HIGH SPEED  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881
Aerodynamics, and Dynamics and Aeroelasticity  [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics  [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover  [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2  [NASA-CP-2483] p 21 N88-11609  HIGH SPEED  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel  [NASA-TP-2681] p 6 N88-17686	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330 INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-28051] p 2 N88-18552 NASA scientific and technical publications: A catalog	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771  JET EXHAUST influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p 10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  HIGH SPEED  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686  HIGH TEMPERATURE	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications,	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p. 10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  HIGH SPEED  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686  HIGH TEMPERATURE  A rapid method for the computation of equilibrium	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771  JET EXHAUST influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p 10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional
Aerodynamics, and Dynamics and Aeroelasticity  [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics  [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover  [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2  [NASA-CP-2483] p 21 N88-11609  HIGH SPEED  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel  [NASA-TP-2681] p 6 N88-17686  HIGH TEMPERATURE  A rapid method for the computation of equilibrium chemical composition of air to 15000 K	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p. 10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  HIGH SPEED  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686  HIGH TEMPERATURE  A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330 INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830 INELASTIC SCATTERING	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  HIGH SPEED  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2781] p 6 N88-17686  HIGH TEMPERATURE  A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830  HIGH TEMPERATURE ENVIRONMENTS	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p. 10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-20833 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5 [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p. 2 N88-12455
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2800] p 18 N88-30402	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane  [NASA-TP-2769] p.2 N88-12455
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686  HIGH TEMPERATURE  A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830  HIGH TEMPERATURE ENVIRONMENTS  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration  [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-20833 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration  [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  HIGH SPEED  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2781] p 6 N88-17686  HIGH TEMPERATURE  A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830  HIGH TEMPERATURE ENVIRONMENTS  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075  HIGHLY MANEUVERABLE AIRCRAFT  Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618]	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2800] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] [NFORMATION TRANSFER Airborne Wind Shear Detection and Warning Systems:	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p 5 N88-21153 HISTORIES	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-20833 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  INFORMATION TRANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists'	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p 5 N88-21153 HISTORIES NASA history data book. Volume 1: NASA resources	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, Conference Publications in Reference Publications, Conference Publications to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  INFORMATION TRANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686  HIGH TEMPERATURE  A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830  HIGH TEMPERATURE ENVIRONMENTS  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075  HIGHLY MANEUVERABLE AIRCRAFT  Development and light test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p 5 N88-21153  HISTORIES  NASA history data book. Volume 1: NASA resources	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] MAGE PROCESSING A general solution to the silhouette problem [NASA-TP-27695] p 16 N88-20833 Bigital enhancement of flow field images [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330 INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830 INELASTIC SCATTERING Elikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402 INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520 INFORMATION THANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p. 10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p. 2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p. 16 N88-16360
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft (NASA-TP-2618) p 5 N88-21153 HISTORIES NASA history data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 21 N88-25428	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] P 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-20833 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Salety [NASA-CP-12006] p 7 N88-12520  INFORMATION TRANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10066] p 4 N88-17616  INFRARED ASTRONOMY	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4  [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane  [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p.16 N88-16360  L  LABORATORY EQUIPMENT
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625  NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632  An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257  HIGH RESOLUTION  Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609  Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686  HIGH TEMPERATURE  A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830  HIGH TEMPERATURE ENVIRONMENTS  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075  HIGHLY MANEUVERABLE AIRCRAFT  Development and light test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p 5 N88-21153  HISTORIES  NASA history data book. Volume 1: NASA resources	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  INFORMATION THANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616  INFARED ASTRONOMY Workshop on Technology Development Issues for the	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p.16 N88-16360  L  LABORATORY EQUIPMENT  Controlled Ecological Life Support System. Design,
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p 5 N88-21153 HISTORIES  NASA history data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 21 N88-25428 NASA historical data book. Volume 2: Programs and projects 1958-1968	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications. A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Elkonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  INFORMATION THANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616  INFRARED ASTRONOMY Workshop on Technology Development Issues for the Large Deployable Reflector (LDR)	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p. 10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p. 2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p. 16 N88-16360  L  L  LABORATORY EQUIPMENT  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p 5 N88-21153 HISTORIES NASA history data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 21 N88-25428 NASA historical data book. Volume 2: Programs and	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  INFORMATION THANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616  INFARED ASTRONOMY Workshop on Technology Development Issues for the	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p.16 N88-16360  L  LABORATORY EQUIPMENT  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p 5 N88-21153 HISTORIES  NASA history data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 21 N88-25428 NASA historical data book. Volume 2: Programs and projects 1958-1968	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications. A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Elkonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  INFORMATION THANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616  INFRARED ASTRONOMY Workshop on Technology Development Issues for the Large Deployable Reflector (LDR)	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1  [NASA-CP-2492-Pt-1] p.16 N88-16360  L  LABORATORY EQUIPMENT  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p.16 N88-13852
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2819] p 5 N88-21153 HISTORIES NASA history data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 21 N88-25428 NASA historical data book. Volume 2: Programs and projects 1958-1968 [NASA-SP-4012-VOL-2] p 21 N88-25429	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications. A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, Conference Publications and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  INFORMATION TRANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616  INFRARED ASTRONOMY Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 20 N88-20235 Far infrared supplement: Catalog of infrared observations, second edition	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p. 10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p. 2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p. 16 N88-16360  L  LABORATORY EQUIPMENT  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p. 16 N88-13852  LAMINAR BOUNDARY LAYER
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft (NASA-TP-2618] p 5 N88-21153 HISTORIES NASA history data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-2] p 21 N88-25428 NASA historical data book. Volume 2: Programs and projects 1958-1968 [NASA-SP-4012-VOL-2] p 21 N88-25429 NASA historical data book. Volume 3: Programs and	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  INFORMATION TRANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616  INFRARED ASTRONOMY Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) INFARED ASTRONOMY Workshop of Infrared	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p.16 N88-16360  L  LABORATORY EQUIPMENT  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p.16 N88-13852  LAMINAR BOUNDARY LAYER  The NASA Langley Laminar-Flow-Control (LFC)
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA/Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft [NASA-TP-2618] p 5 N88-21153 HISTORIES NASA historical data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 21 N88-25428 NASA historical data book. Volume 3: Programs and projects 1958-1968 [NASA-SP-4012-VOL-2] p 21 N88-25429 NASA historical data book. Volume 3: Programs and projects 1958-1978	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications. A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, Conference Publications and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  INFORMATION TRANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616  INFRARED ASTRONOMY Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-CP-2407] p 20 N88-20235 Far infrared supplement: Catalog of infrared observations, second edition	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p.16 N88-16360  L  LABORATORY EQUIPMENT  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p.16 N88-13852  LAMINAR BOUNDARY LAYER  The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p.3 N88-21117
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2831] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft (NASA-TP-2618) p 5 N88-21153 HISTORIES NASA history data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 21 N88-25428 NASA historical data book. Volume 3: Programs and projects 1958-1968 [NASA-SP-4012-VOL-2] p 21 N88-25429 NASA historical data book. Volume 3: Programs and projects 1958-1968 [NASA-SP-4012-VOL-3] p 21 N88-25420	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833  IMAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330  INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, Reference Publications, Conference Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830  INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  INERT ATMOSPHERE Spacecraft Fire Safety [NASA-CP-2476] p 7 N88-12520  INFORMATION TRANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p 4 N88-17616  INFRARED ASTRONOMY Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) [NASA-RP-1205] p 20 N88-20235 Far infrared supplement: Catalog of infrared observations, second edition [NASA-RP-1205] p 20 N88-30545	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p. 17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p. 18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p. 10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p. 2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p. 16 N88-16360  L  LABORATORY EQUIPMENT  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p. 16 N88-13852  LAMINAR BOUNDARY LAYER  The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview
Aerodynamics, and Dynamics and Aeroelasticity [NASA-CP-2495-VOL-1] p 1 N88-16625 NASA-Army Rotorcraft Technology. Volume 2: Materials and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics [NASA-CP-2495-VOL-2] p 1 N88-16632 An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter rotor in hover [NASA-TP-2546] p 3 N88-20257 HIGH RESOLUTION Theoretical Problems in High Resolution Solar Physics, 2 [NASA-CP-2483] p 21 N88-11609 HIGH SPEED Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed allitude wind tunnel [NASA-TP-2681] p 6 N88-17686 HIGH TEMPERATURE A rapid method for the computation of equilibrium chemical composition of air to 15000 K [NASA-TP-2792] p 8 N88-16830 HIGH TEMPERATURE ENVIRONMENTS Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075 HIGHLY MANEUVERABLE AIRCRAFT Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft (NASA-TP-2618] p 5 N88-21153 HISTORIES NASA history data book. Volume 1: NASA resources 1958-1968 [NASA-SP-4012-VOL-1] p 21 N88-25428 NASA historical data book. Volume 2: Programs and projects 1958-1968 [NASA-SP-4012-VOL-2] p 21 N88-25430 HORIZONTAL ORIENTATION	[NASA-TP-2695] p 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2770] MAGE PROCESSING A general solution to the silhouette problem [NASA-TP-2695] p 16 N88-20833 By 16 N88-14629 Digital enhancement of flow field images [NASA-TP-2695] p 16 N88-20833 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760 The 1988 Goddard Conference on Space Applications of Artificial Intelligence [NASA-CP-3009] p 17 N88-30330 INDEXES (DOCUMENTATION) A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 NASA scientific and technical publications: A catalog of Special Publications, and Technical Papers, 1987 [NASA-SP-7063(02)] p 19 N88-22830 INELASTIC SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402 INERT ATMOSPHERE Spacecraft Fire Salety [NASA-CP-1006] p 7 N88-12520 INFRARION TRANSFER Airborne Wind Shear Detection and Warning Systems: First Combined Manufacturers' and Technologists' Conference [NASA-CP-1006] p 4 N88-17616 INFRARED ASTRONOMY Workshop on Technology Development Issues for the Large Deployable Reflector (LDR) INSA-CP-20471 p 20 N88-20235 Far infrared supplement: Catalog of infrared observations, second edition [NASA-RP-1205] p 20 N88-30545 INFRARED DETECTORS	nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET AIRCRAFT NOISE  Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 [NASA-TP-2785] p.17 N88-16510  Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p.18 N88-17441  JET ENGINES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  JET EXHAUST  Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from 0.7 to 1.5  [NASA-TP-2802] p.10 N88-18881  JET VANES  Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane [NASA-TP-2769] p.2 N88-12455  K  KNOWLEDGE  Third Conference on Artificial Intelligence for Space Applications, part 1 [NASA-CP-2492-Pt-1] p.16 N88-16360  L  LABORATORY EQUIPMENT  Controlled Ecological Life Support System. Design, Development, and Use of a Ground-Based Plant Growth Module [NASA-CP-2479] p.16 N88-13852  LAMINAR BOUNDARY LAYER  The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p.3 N88-21117

- -

ī

Ę

LAMINAR FLOW The NASA Langley Laminar-Flow-Control (LFC)	Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from	MERCURY CADMIUM TELLURIDES Growth of solid solution single crystals
experiment on a swept, supercritical airfoil: Design	0.7 to 1.5	[NASA-TP-2787] p 9 N88-14212
overview	[NASA-TP-2802] p 10 NB8-18881	METAL FATIGUE
[NASA-TP-2809] p 3 N88-21117	Galileo probe parachule test program: Wake properties	Turbine Engine Hot Section Technology, 1985
Laminar Flow Aircraft Certification [NASA-CP-2413] p 3 N88-23737	of the Galileo probe at Mach numbers from 0.25 to 0.95 [NASA-RP-1130] p 10 N88-18884	[NASA-CP-2405] p 11 N88-11140 Lewis Structures Technology, 1988. Volume 3: Structural
LAMINAR FLOW AIRFOILS	Aeropropulsive characteristics of isolated combined	Integrity Fatigue and Fracture Wind Turbines HOST
Wind-tunnel investigation of a full-scale general aviation	turbojet/ramjet nozzles at Mach numbers from 0 to 1.20	[NASA-CP-3003-VOL-3] p 12 N88-22408
airplane equipped with an advanced natural laminar flow	[NASA-TP-2814] p 3 N88-23757	METAL MATRIX COMPOSITES
wing [NASA-TP-2772] p 2 N88-10009	MAGNETIC FLUX	Aeropropulsion '87. Session 1: Aeropropulsion Materials Research
Laminar Flow Aircraft Certification	Theoretical Problems in High Resolution Solar Physics,	[NASA-CP-10003-SESS-1] p 6 N88-16697
[NASA-CP-2413] p 3 N88-23737	2 [NASA-CP-2483] p 21 NB8-11609	Effects of continuous and cyclic thermal exposures on
LAMINATES	MAGNETIC SUSPENSION	boron- and borsic-reinforced 6061 aluminum composites
Three-dimensional analysis of a postbuckled embedded	The 22nd Aerospace Mechanisms Symposium	[NASA-TP-1063] p 8 N88-70029
delamination [NASA-TP-2823] p 12 N88-26684	[NASA-CP-2506] p 11 N88-21468	METALS  Life prediction of thermomechanical fatigue using total
LANDING	MAGNETOHYDRODYNAMIC GENERATORS	strain version of strainrange partitioning (SRP): A
Effect of motion cues during complex curved approach	Laser production and heating of plasma for MHD	proposal
and landing tasks: A piloted simulation study	application [NASA-TP-2798] p 18 N88-18443	[NASA-TP-2779] p 11 N88-15263
[NASA-TP-2773] p 4 N88-12480 LANDING GEAR	MAN MACHINE SYSTEMS	MICROBURSTS (METEOROLOGY) Influence of wind shear on the aerodynamic
Cornering characteristics of the main-gear tire of the	Third Conference on Artificial Intelligence for Space	characteristics of airplanes
space shuttle orbiter	Applications, part 1	[NASA-TP-2827] p 4 N88-26344
(NASA-TP-2790) p 4 N88-18583	[NASA-CP-2492-Pt-1] p 16 N88-16360	MICROWAVE LANDING SYSTEMS
LARGE SPACE STRUCTURES	First Annual Workshop on Space Operations Automation	Effect of motion cues during complex curved approach
Workshop on Technology Development Issues for the Large Deployable Reflector (LDR)	and Robotics (SOAR 87) [NASA-CP-2491] p 16 N88-17206	and landing tasks: A piloted simulation study [NASA-TP-2773] p 4 N88-12480
[NASA-CP-2407] p 20 N88-20235	MANAGEMENT	MICROWAVES
Technology for large space systems: A bibliography with	Management: A bibliography for NASA managers	Propagation effects on satellite systems at frequencies
indexes (supplement 18)	[NASA-SP-7500(22)] p 18 N88-21867	below 10 GHz: A handbook for satellite systems design
[NASA-SP-7046(18)] p 6 N88-27214	MANAGEMENT METHODS	[NASA-RP-1108/2] p 9 N88-14226
LATERAL STABILITY	Management: A bibliography for NASA managers	MISSION PLANNING Space Construction
Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional	[NASA-SP-7500(22)] p 18 N88-21867 MANAGEMENT PLANNING	[NASA-CP-2490] p 7 N88-10870
characteristics of the F-14 airplane	Space Construction	Space station systems: A bibliography with indexes
[NASA-TP-2769] p 2 N88-12455	[NASA-CP-2490] p 7 N88-10870	[NASA-SP-7056(05)] p 7 N88-13382
LATTICES	Management: A bibliography for NASA managers	The 1987 Get Away Special Experimenter's
Continuum modeling of large lattice structures: Status	[NASA-SP-7500(22)] p 18 N88-21867	Symposium {NASA-CP-2500} p.6 N88-17691
and projections [NASA-TP-2767] p 7 N88-14115	MAPPING Scientific and Operational Requirements for TOMS	The 1988 Goddard Conference on Space Applications
LEADING EDGES	Data	of Artificial Intelligence
Sensitivity of F-106B leading-edge-vortex images to	[NASA-CP-2497] p 12 N88-13774	[NASA-CP-3009] p 17 N88-30330
flight and vapor-screen parameters	Description of data on the Nimbus 7 LIMS map archive	MODAL RESPONSE
[NASA-TP-2818] p 3 N88-23760 LIFE (DURABILITY)	tape: Water vapor and nitrogen dioxide	Dynamic characteristics of a vibrating beam with periodic
Life prediction of thermomechanical fatigue using total	[NASA-TP-2761] p 14 N88-14572 The 1987 Airborne Antarctic Ozone Experiment: The	variation in bending stiffness [NASA-TP-2697] p 12 N88-23988
strain version of strainrange partitioning (SRP): A	Nimbus-7 TOMS data atlas	MODULATION
proposal	[NASA-RP-1201] p 13 N88-20714	Dynamic characteristics of a vibrating beam with periodic
[NASA-TP-2779] p 11 N88-15263	MARKOV PROCESSES	variation in bending stiffness
LINEARIZATION  User's manual for LINEAR, a FORTRAN program to	SURE reliability analysis: Program and mathematics [NASA-TP-2764] p 17 N88-17380	[NASA-TP-2697] p 12 N88-23988
derive linear aircraft models	Analysis and testing of the SURE program	MOTION
[NASA-TP-2768] p 17 N88-21740	[NASA-TP-2817] p 17 N88-22653	Effect of motion cues during complex curved approach and landing tasks: A piloted simulation study
LININGS	MATERIALS HANDLING	[NASA-TP-2773] p 4 NB8-12480
Turbine Engine Hot Section Technology, 1985 (NASA-CP-2405) p 11 N88-11140	Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015	, , , , , , , , , , , , , , , , , , , ,
LITHIUM SULFUR BATTERIES	MATHEMATICAL MODELS	N
The 1986 Goddard Space Flight Center Battery	Turbine Engine Hot Section Technology, 1985	17
Workshop	[NASA-CP-2405] p 11 N88-11140	NASA PROGRAMS
[NASA-CP-2486] p 9 N88-11021 LOCAL AREA NETWORKS	Evaluation of a scale-model experiment to investigate	NASA patent abstracts bibliography: A continuing
Applications of the hybrid automated reliability	long-range acoustic propagation [NASA-TP-2748] p 17 N88-11450	bibliography. Section 1: Abstracts (supplement 32)
predictor	SURE reliability analysis: Program and mathematics	[NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732
[NASA-TP-2760] p 16 N88-12928	[NASA-TP-2764] p 17 NB8-17380	NASA thesaurus supplement: A four part cumulative
LOGISTICS	Nonlinear Constitutive Relations for High Temperature	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575
First Annual Workshop on Space Operations Automation and Robotics (SOAR 87)	Applications, 1986 [NASA-CP-10010] p 12 N88-21498	[NASA-SP-7053(SUPP-4)] p 19 N88-16575 Into the thermosphere: The atmosphere explorers
[NASA-CP-2491] p 16 N88-17206	Analysis and testing of the SURE program	[NASA-SP-490] p 13 N88-18084
LONGITUDINAL CONTROL	[NASA-TP-2817] p 17 N88-22653	NASA patent abstracts bibliography: A continuing
Steady and unsteady transonic pressure measurements	Integrated Technology Rotor Methodology Assessment	bibliography. Section 2: Indexes (supplement 32)
on a clipped delta wing for pitching and control-surface	Workshop	[NASA-SP-7039(32)-SECT-2] p 19 N88-18511
oscillations [NASA-TP-2594] p 4 N88-28895	[NASA-CP-10007] p.1 N88-27148 Angular radiation models for Earth-atmosphere system.	NASA history data book. Volume 1: NASA resources
LONGITUDINAL STABILITY	Volume 1: Shortwave radiation	1958-1968 [NASA-SP-4012-VOL-1] p 21 N88-25428
Effects of the installation and operation of jet-exhaust	[NASA-RP-1184] p 14 N88-27677	NASA historical data book. Volume 2: Programs and
yaw vanes on the longitudinal and lateral-directional	MEASURING INSTRUMENTS	projects 1958-1968
characteristics of the F-14 airplane	Aeropropulsion '87. Session 4: Instrumentation and	[NASA-SP-4012-VOL-2] p 21 N88-25429
[NASA-TP-2769] p 2 N88-12455 LOW SPEED	Controls Research [NASA-CP-10003-SESS-4] p 5 N88-15794	NASA historical data book. Volume 3: Programs and
A review of technologies applicable to low-speed flight	Into the thermosphere: The atmosphere explorers	projects 1969-1978
of high-performance aircraft investigated in the Langley	[NASA-SP-490] p 13 N88-18084	[NASA-SP-4012-VOL-3] p 21 N88-25430
14- x 22-foot subsonic tunnel	MECHANICAL DRIVES	NASTRAN Sixteenth NASTRAN (trademark) Users' Colloquium
[NASA-TP-2796] p 3 N88-20264	The 22nd Aerospace Mechanisms Symposium	[NASA-CP-2505] p 11 N88-20652
5.0	[NASA-CP-2506] p 11 N88-21468 MECHANICAL PROPERTIES	Lewis Structures Technology, 1988. Volume 1: Structural
M	Static mechanical properties of 30 x 11.5 - 14.5, type	Dynamics
	8 aircraft tires of bias-ply and radial-belted design	[NASA-CP-3003-VOL-1] p 12 N88-23226
M STARS	[NASA-TP-2810] p 5 N88-21157	NAVIER-STOKES EQUATION  Numerical simulation of caramiol infet flow fields
The M-type stars [NASA-SP-492] p 20 N88-11592	MECHANICAL SHOCK The 58th Shock and Vibration Symposium, volume 1	Numerical simulation of scramjet inlet flow fields [NASA-TP-2517] p 3 N88-23735
MACH NUMBER	[NASA-CP-2488-VOL-1] p 11 N88-13609	NEURAL NETS
Shock structure and noise of supersonic jets in simulated	MENTAL PERFORMANCE	First Annual Workshop on Space Operations Automation
flight to Mach 0.4	Mental-State Estimation, 1987	and Robotics (SOAR 87)
[NASA-TP-2785] p 17 N88-16510	[NASA-CP-2504] p 15 N88-23370	[NASA-CP-2491] p 16 N88-17206

PRESSURE DISTRIBUTION SUBJECT INDEX

NICKEL CADMIUM BATTERIES	OPTICAL RADAR	PISTON ENGINES
The 1986 Goddard Space Flight Center Battery	Airborne Wind Shear Detection and Warning Systems:	Investigation of the misfueling of reciprocating piston
Workshop	First Combined Manufacturers' and Technologists'	aircraft engines INASA-TP-28031 p 4 N88-21144
[NASA-CP-2486] p 9 N88-11021	Conference [NASA-CP-10006] p 4 N88-17616	1,
NICKEL HYDROGEN BATTERIES  The 1986 Goddard Space Flight Center Battery	Forty-eight-inch lidar aerosol measurements taken at the	PITCH (INCLINATION)  Measurement of velocity and vorticity fields in the wake
Workshop	Langley Research Center, May 1974 to December 1987	of an airfoil in periodic pitching motion
[NASA-CP-2486] p 9 N88-11021	[NASA-RP-1209] p 14 N88-29234	[NASA-TP-2780] p 17 N88-13002
NIMBUS 7 SATELLITE	OPTIMIZATION	Handling qualities of a wide-body transport airplane
Description of data on the Nimbus 7 LIMS map archive	A study to evaluate STS heads-up ascent trajectory	utilizing Pitch Active Control Systems (PACS) for relaxed
tape: Water vapor and ni. jen dioxide	performance employing a minimum-Hamiltonian	static stability application
[NASA-TP-2761] p 14 N88-14572	optimization strategy [NASA-TP-2793] p 6 N88-15820	[NASA-TP-2482] p 6 N88-14987 PLANETARY GEOLOGY
Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral	Nonlinear programming extensions to rational function	Planetary Geology: Goals, Future Directions, and
scan solar irradiance and Earth radiance product user's	approximation methods for unsteady aerodynamic forces	Recommendations
guide [NASA-RP-1199] p 12 N88-17096	[NASA-TP-2776] p 5 N88-24623	[NASA-CP-3005] p 21 N88-26279
The 1987 Airborne Antarctic Ozone Experiment: The	OSCILLATIONS	PLANETARY NEBULAE
Nimbus-7 TOMS data atlas	Steady and unsteady transonic pressure measurements	International ultraviolet explorer spectral atlas of
[NASA-RP-1201] p 13 N88-20714	on a clipped delta wing for pitching and control-surface	planetary nebulae, central stars, and related objects
NOISE INTENSITY	oscillations [NASA-TP-2594] p 4 N88-28895	[NASA-RP-1203] p 20 NB8-28843
Annoyance caused by advanced turboprop aircraft	OUTGASSING	PLANETOLOGY  Reflectance spectroscopy in planetary science: Review
flyover noise: Single-rotating propeller configuration	Outgassing data for selecting spacecraft materials	and strategy for the future
[NASA-TP-2782] p 18 N88-17441	[NASA-RP-1124] p 8 N88-10117	[NASA-SP-493] p 21 N88-24564
NOISE REDUCTION	OZONE DEPLETION	Planetary Geology: Goals, Future Directions, and
Measured and calculated acoustic attenuation rates of	Scientific and Operational Requirements for TOMS	Recommendations
tuned resonator arrays for two surface impedance	Data	[NASA-CP-3005] p 21 N88-26279
distribution models with flow [NASA-TP-2766] p 18 N88-17440	[NASA-CP-2497] p 12 N88-13774	PLANFORMS
,	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas	Planform effects on the supersonic aerodynamics of
NOISE TOLERANCE Annoyance caused by advanced turboprop aircraft	[NASA-RP-1201] p 13 N88-20714	multibody configurations [NASA-TP-2762] p 2 N88-12454
flyover noise: Single-rotating propeller configuration	Present state of knowledge of the upper atmosphere	PLANT DESIGN
[NASA-TP-2782] p 18 N88-17441	1988: An assessment report	More on exact state reconstruction in deterministic digital
NONDESTRUCTIVE TESTS	[NASA-RP-1208] p 13 N88-29233	control systems
Lewis Structures Technology, 1988. Volume 3: Structural	OZONOMETRY	[NASA-TP-2847] p 9 N88-28177
Integrity Fatigue and Fracture Wind Turbines HOST	Scientific and Operational Requirements for TOMS	PLANTS (BOTANY)
[NASA-CP-3003-VOL-3] p 12 N88-22408	Data	Controlled Ecological Life Support System. Design,
Structural Ceramics	[NASA-CP-2497] p 12 N88-13774	Development, and Use of a Ground-Based Plant Growth
[NASA-CP-2427] p 8 N88-23872	_	Module [NASA-CP-2479] p 16 N88-13852
NONLINEAR PROGRAMMING	P	PLASMA HEATING
Nonlinear programming extensions to rational function		Laser production and heating of plasma for MHD
approximation methods for unsteady aerodynamic forces	PARACHUTE DESCENT	application
[NASA-TP-2776] p 5 N88-24623 NOZZLE EFFICIENCY	Galileo probe parachute test program: Wake properties	[NASA-TP-2798] p 18 N88-18443
Aeropropulsive characteristics of isolated combined	of the Galileo probe at Mach numbers from 0.25 to 0.95 INASA-RP-11301 p 10 N88-18884	PLATINUM
turbojet/ramjet nozzles at Mach numbers from 0 to 1.20	[NASA-RP-1130] p 10 N88-18884 PARALLEL PROCESSING (COMPUTERS)	Compatability of dispersion-strengthened platinum with
[NASA-TP-2814] p 3 N88-23757	First Annual Workshop on Space Operations Automation	resistojet propellants
NOZZLE FLOW		[NASA-TP-2765] p 7 N88-12538
Aerodynamics in ground effect and predicted landing	and Robotics (SOAR 87) [NASA-CP-2491] p 16 N88-17206	POLAR REGIONS The 1987 Airhorne Antarctic Ozone Experiment: The
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a	[NASA-CP-2491] p. 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural	The 1987 Airborne Antarctic Ozone Experiment: The
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3 : Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757  NOZZLE THRUST COEFFICIENTS	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226 PARTICLES	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3 : Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] ρ 8 N88-23872 POLYMER MATRIX COMPOSITES
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p. 4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p. 3 N88-23757  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226 PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354 PATENT POLICY NASA patent abstracts bibliography: A continuing	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] ρ 8 N88-23872 POLYMER MATRIX COMPOSITES
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226 PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354 PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32)	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757 NOZZLE TRRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p.2 N88-10765 NOZZLES	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion'87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES  Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814]  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds  [NASA-TP-2588] p.2 N88-10765  NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p. 4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p. 3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p. 2 N88-10765 NOZZLES  Effect of emperinage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226 PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354 PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32)	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765 NOZZLES Effect of emperinage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511  PERFLUORO COMPOUNDS Surface catalytic degradation study of two linear	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds  [NASA-TP-2588] p.2 N88-10765 NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p.5 N88-15790	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732  NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511  PERFLUORO COMPOUNDS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p. 4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p. 3 N88-23757  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p. 2 N88-10765  NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p. 2 N88-10771  Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p. 5 N88-15790  NUCLEAR PHYSICS	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732  NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-2] p 19 N88-18511  PERFLUORO COMPOUNDS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS  Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds  [NASA-TP-2588] p.2 N88-10765 NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p.5 N88-15790	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511  PERFLUORO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  PERFORMANCE PREDICTION	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and potymer materials structural modeling [NASA-TP-2824] p 12 N88-28434 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765 NOZZLES  Effect of emperinage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226 PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354 PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-18511 PERFLUORO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543 PERFORMANCE PREDICTION Applications of the hybrid automated reliability	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p.2 N88-10765 NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p.5 N88-15790 NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p.18 N88-13015	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511  PERFLUORO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  PERFORMANCE PREDICTION	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p.2 N88-10765 NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p.5 N88-15790 NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p.18 N88-13015 NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732  NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-] p 19 N88-18511  PERFLUORO COMPOUNDS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  PERFORMANCE PREDICTION Applications of the hybrid automated reliability	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion'87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28434 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p.2 N88-10765  NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p.5 N88-15790  NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p.18 N88-13015  NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p.18 N88-30402	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-] p 19 N88-18511  PERFLUGRO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774]  PERFORMANCE PREDICTION Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PEFFORMANCE TESTS A performance index approach to aerodynamic design	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765 NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015 NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402 NUCLEATION	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1] p 19 N88-18511  PERFUORO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  PERFORMANCE PREDICTION Applications of the hybrid automated reliability predictor [NASA-TP-27760] p 16 N88-12928  PERFORMANCE TESTS A performance index approach to aerodynamic design with the use of analysis codes only	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion'87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28434 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765 NOZZLES Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 NUCLEAR PHYSICS Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015 NUCLEAR SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402 NUCLEATION Finite-rate water condensation in combustion-heated	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732  NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-18511  PERFLUORO COMPOUNDS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 NB8-12543  PERFORMANCE PREDICTION  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p.2 N88-10765  NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p.5 N88-15790  NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p.18 N88-13015  NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p.18 N88-30402  NUCLEATION  Finite-rate water condensation in combustion-heated wind tunnets	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732  NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511  PERFLUORO COMPOUNDS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774]  PERFORMANCE PREDICTION  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 SRM propellant and polymer materials structural test	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765 NOZZLES Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 NUCLEAR PHYSICS Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015 NUCLEAR SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402 NUCLEATION Finite-rate water condensation in combustion-heated	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511  PERFUORO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  PERFORMANCE PREDICTION Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  SRM propellant and polymer materials structural test	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffert by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1995 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765 NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015 NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402 NUCLEATION  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732  NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511  PERFLUORO COMPOUNDS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774]  PERFORMANCE PREDICTION  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 SRM propellant and polymer materials structural test	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERE DIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p.2 N88-10765  NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p.5 N88-15790  NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p.18 N88-13015  NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p.18 N88-30402  NUCLEATION  Finite-rate water condensation in combustion-heated wind tunnets	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732  NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-18511  PERFLUORO COMPOUNDS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 NB8-12543  PERFORMANCE PREDICTION  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  SRM propellant and polymer materials structural test program [NASA-TP-2821] p 12 N88-25013	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p.2 N88-10765  NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p.5 N88-15790  NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p.18 N88-13015  NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p.18 N88-30402  NUCLEAR INSEATION  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p.6 N88-28075	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226 PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354 PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1] p 19 N88-18511 PERFLUOHO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543 PERFORMANCE PREDICTION Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928 PERFORMANCE TESTS A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 SRM propellant and polymer materials structural test program [NASA-TP-2821] p 12 N88-25013 PERIODIC VARIATIONS Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and potymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffert by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants [NASA-TP-2765] p 7 N88-12538
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765  NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790  NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015  NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  NUCLEATION  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732  NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732  NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511  PERFLUORO COMPOUNDS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  PERFORMANCE PREDICTION  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  SRM propellant and polymer materials structural test program [NASA-TP-2821] p 12 N88-25013  PERIODIC VARIATIONS  Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2697] p 12 N88-23988	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p.2 N88-10765  NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771  Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p.5 N88-15790  NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p.18 N88-13015  NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p.18 N88-30402  NUCLEAR INSA-TP-2830] p.18 N88-30402  NUCLEATION  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p.6 N88-28075  OPEN CLUSTERS  Catalog of open clusters and associated interstellar matter	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511  PERFLUORO COMPOUNDS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  PERFORMANCE PREDICTION Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-27801] p 2 N88-18552  SRM propellant and polymer materials structural test program [NASA-TP-2821] p 12 N88-25013  PERIODIC VARIATIONS Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2897] p 12 N88-23988	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1995 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants [NASA-TP-2765] p 7 N88-12538 PREDICTION ANALYSIS TECHNIQUES Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765  NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion 87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790  NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015  NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  NUCLEATION  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075  O  OPEN CLUSTERS  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-18511  PERFLUORO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  PERFORMANCE PREDICTION Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 SRM propellant and polymer materials structural test program [NASA-TP-2821] p 12 N88-25013  PERIODIC VARIATIONS Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2697]  PHOTOCHEMICAL REACTIONS Scientific and Operational Requirements for TOMS	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28434 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWER DITT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffert by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants [NASA-TP-2765] p 7 N88-12538 PREDICTION ANALYSIS TECHNIQUES Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765  NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771  Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790  NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015  NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  NUCLEATION  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075  OPEN CLUSTERS  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  OPERATOR PERFORMANCE	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732  NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-18511  PERFLUORO COMPOUNDS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 NB8-12543  PERFORMANCE PREDICTION  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  SRM propellant and polymer materials structural test program [NASA-TP-2821] p 12 N88-25013  PERIODIC VARIATIONS  Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2697] p 12 N88-23988  PHOTOCHEMICAL REACTIONS  Scientific and Operational Requirements for TOMS Data	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants [NASA-TP-2765] p 7 N88-12538 PREDICTION ANALYSIS TECHNIQUES Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 PREDICTIONS
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p.4 N88-29752  NOZZLE GEOMETRY Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757  NOZZLE THRUST COEFFICIENTS Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p.2 N88-10765  NOZZLES Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p.2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p.5 N88-15790  NUCLEAR PHYSICS Nuclear techniques in studies of condensed matter [NASA-RP-1195] p.18 N88-13015  NUCLEAR SCATTERING Eikonal solutions to optical model coupled-channel equations (NASA-TP-2830) p.18 N88-30402  NUCLEATION Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p.6 N88-28075  O  OPEN CLUSTERS Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p.21 N88-29652  OPERATOR PERFORMANCE Mental-State Estimation, 1987	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226 PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354 PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511 PERFLUORO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543 PERFORMANCE PREDICTION Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928 PERFORMANCE TESTS A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 SRM propellant and polymer materials structural test program [NASA-TP-2801] p 12 N88-25013 PERIODIC VARIATIONS Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2897] p 12 N88-23988 PHOTOCHEMICAL REACTIONS Scientific and Operational Requirements for TOMS Data	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1995 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants [NASA-TP-2765] p 7 N88-12538 PREDICTION ANALYSIS TECHNIQUES Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 PREDICTIONS Life prediction of thermomechanical fatigue using total
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752  NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757  NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765  NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion 87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790  NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015  NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402  NUCLEATION  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075  O  OPEN CLUSTERS  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652  OPERATOR PERFORMANCE Mental-State Estimation, 1987 [NASA-CP-2504] p 15 N88-2370	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511  PERFLUORO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  PERFORMANCE PREDICTION Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  SRM propellant and polymer materials structural test program [NASA-TP-2801] p 12 N88-25013  PERIODIC VARIATIONS Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2697] p 12 N88-23988  PHOTOCHEMICAL REACTIONS Scientific and Operational Requirements for TOMS Data [NASA-CP-2497] p 12 N88-13774	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion'87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-284343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants [NASA-TP-2765] p 7 N88-12538 PREDICTION ANALYSIS TECHNIQUES Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 PREDICTIONS Life prediction of strainrange partitioning (SRP): A
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765 NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 NUCLEAR PHYSICS Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015 NUCLEAR SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402 NUCLEATION Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075  OPEN CLUSTERS Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652 OPERATOR PERFORMANCE Mental-State Estimation, 1987 [NASA-CP-2504] p 15 N88-23370 OPTICAL MEASUREMENT	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226 PARTICLES Microgravity Particle Research on the Space Station (NASA-CP-2496) p 15 N88-15354 PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511 PERFLUOHO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543 PERFORMANCE PREDICTION Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928 PERFORMANCE TESTS A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552 SRM propellant and polymer materials structural test program [NASA-TP-2821] p 12 N88-25013 PERIODIC VARIATIONS Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2697] p 12 N88-23988 PHOTOCHEMICAL REACTIONS Scientific and Operational Requirements for TOMS Data [NASA-CP-2497] p 12 N88-13774 PHOTOGRAPHIC PROCESSING Digital enhancement of flow field images	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants [NASA-TP-2765] p 7 N88-12538 PREDICTION ANALYSIS TECHNIQUES Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 PREDICTIONS Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765 NOZZLES Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 NUCLEAR PHYSICS Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015 NUCLEAR SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402 NUCLEATION Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075  OPEN CLUSTERS Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652 OPENATOR PERFORMANCE Mental-State Estimation, 1987 [NASA-CP-2504] p 15 N88-2370 OPTICAL MEASUREMENT Optical measurement of propeller blade deflections	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES  Microgravity Particle Research on the Space Station (NASA-CP-2496) p 15 N88-15354  PATENT POLICY  NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732  NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1] p 19 N88-18511  PERFLUORO COMPOUNDS  Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  PERFORMANCE PREDICTION  Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS  A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 2 N88-18552  SRM propellant and polymer materials structural test program [NASA-TP-2821] p 12 N88-25013  PERIODIC VARIATIONS  Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2697] p 12 N88-23988  PHOTOCHEMICAL REACTIONS  Scientific and Operational Requirements for TOMS  Data [NASA-CP-2497] p 12 N88-13774  PHOTOGRAPHIC PROCESSING  Digital enhancement of flow field images	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants [NASA-TP-2765] p 7 N88-12538 PREDICTION ANALYSIS TECHNIQUES Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 PREDICTIONS Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS Comparison of wind tunnel and flight test afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765 NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 NUCLEAR PHYSICS Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015 NUCLEAR SCATTERING Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402 NUCLEATION Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075  OPEN CLUSTERS Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 21 N88-29652 OPERATOR PERFORMANCE Mental-State Estimation, 1987 [NASA-CP-2504] p 15 N88-23370 OPTICAL MEASUREMENT	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-2326 PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354 PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-2] p 19 N88-18511 PERFLUORO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543 PERFORMANCE PREDICTION Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928 PERFORMANCE TESTS A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2805] p 16 N88-18552 SRM propellant and polymer materials structural test program [NASA-TP-2821] p 12 N88-25013 PERIODIC VARIATIONS Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2897] p 12 N88-23988 PHOTOCHEMICAL REACTIONS Scientific and Operational Requirements for TOMS Data [NASA-TP-2497] p 12 N88-13774 PHOTOGRAPHIC PROCESSING Digital enhancement of flow field images [NASA-TP-2770] p 16 N88-2083	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion'87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28434 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-275] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants [NASA-TP-2765] p 7 N88-12538 PREDICTION ANALYSIS TECHNIQUES Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 PREDICTIONS Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 11 N88-15263 PRESSURE DISTRIBUTION
Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser [NASA-TP-2834] p 4 N88-29752 NOZZLE GEOMETRY  Aeropropulsive characteristics of isolated combined turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p 3 N88-23757 NOZZLE THRUST COEFFICIENTS  Comparison of wind tunnel and flight lest afterbody and nozzle pressures for a twin-jet fighter aircraft at transonic speeds [NASA-TP-2588] p 2 N88-10765 NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 2 N88-10776 NOZZLES  Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds [NASA-TP-2753] p 5 N88-10771 Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 NUCLEAR PHYSICS  Nuclear techniques in studies of condensed matter [NASA-RP-1195] p 18 N88-13015 NUCLEAR SCATTERING  Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402 NUCLEATION  Finite-rate water condensation in combustion-heated wind tunnels [NASA-TP-2833] p 6 N88-28075  O  OPEN CLUSTERS  Catalog of open clusters and associated interstellar matter [NASA-RP-1202] p 1 N88-29652  OPERATOR PERFORMANCE  Mental-State Estimation, 1987 [NASA-CP-2504] p 15 N88-2370  OPTICAL MEASUREMENT  Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286	[NASA-CP-2491] p 16 N88-17206 Lewis Structures Technology, 1988. Volume 3: Structural Integrity Fatigue and Fracture Wind Turbines HOST [NASA-CP-3003-VOL-3] p 12 N88-22408 Lewis Structures Technology, 1988. Volume 1: Structural Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226  PARTICLES Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354  PATENT POLICY NASA patent abstracts bibliography: A continuing bibliography. Section 1: Abstracts (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-15732 NASA patent abstracts bibliography: A continuing bibliography. Section 2: Indexes (supplement 32) [NASA-SP-7039(32)-SECT-1-AB] p 19 N88-18517  PERFLUORO COMPOUNDS Surface catalytic degradation study of two linear perfluoropolyalkylethers at 345 C [NASA-TP-2774] p 8 N88-12543  PERFORMANCE PREDICTION Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928  PERFORMANCE TESTS A performance index approach to aerodynamic design with the use of analysis codes only [NASA-TP-2760] p 2 N88-18552  SRM propellant and polymer materials structural test program [NASA-TP-2881] p 12 N88-25013  PERIODIC VARIATIONS Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2897] p 12 N88-23988  PHOTOCHEMICAL REACTIONS Scientific and Operational Requirements for TOMS Data [NASA-TP-2770] p 16 N88-2083  PILOT PERFORMANCE	The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714 SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 [NASA-RP-1200] p 13 N88-25094 POLYMER CHEMISTRY Structural Ceramics [NASA-CP-2427] p 8 N88-23872 POLYMER MATRIX COMPOSITES Aeropropulsion '87. Session 1: Aeropropulsion Materials Research [NASA-CP-10003-SESS-1] p 6 N88-16697 POLYMERIC FILMS SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 POSITION INDICATORS Effects of combining vertical and horizontal information into a primary flight display [NASA-TP-2783] p 5 N88-12487 POWER EFFICIENCY Efficiency testing of a helicopter transmission planetary reduction stage [NASA-TP-2795] p 11 N88-15224 POWERED LIFT AIRCRAFT A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 [NASA-RP-1187] p 4 N88-19467 PRECIPITATION HARDENING Compatability of dispersion-strengthened platinum with resistojet propellants [NASA-TP-2765] p 7 N88-12538 PREDICTION ANALYSIS TECHNIQUES Aeropropulsion '87. Session 3: Internal Fluid Mechanics Research [NASA-CP-10003-SESS-3] p 5 N88-15790 PREDICTIONS Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal [NASA-TP-2779] p 11 N88-15263

PRESSURE MEASUREMENT Cryogenic Fluid Management Technology Workshop. REVISIONS Influence of base modifications on in-flight base drag Steady and unsteady transonic pressure measurements Volume 1: Presentation material and discussion [NASA-CP-10001] p 10 N88-15924 in the presence of jet exhaust for Mach numbers from on a clipped delta wing for pitching and control-surface Space Bioreactor Science Workshop p 4 N88-28895 [NASA-TP-2802] INASA-TP-25941 p 10 N88-18881 INASA-CP-24851 p 15 N88-17168 PROGRAM VERIFICATION (COMPUTERS) Computer-aided design analysis of 57-mm, REFLECTOR ANTENNAS angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 11 N A generalized method for automatic downhand and A simplified approach to axisymmetric dual-reflector p 11 N88-18933 wirefeed control of a welding robot and positioner INASA-TP-28071 p 9 N88-17869 **RIGID ROTORS** p 2 N88-16662 [NASA-TP-2797] An experimental investigation of the flap-lag-torsion aeroelastic stability of a small-scale hingeless helicopter PROJECT PLANNING REFLECTORS The 1987 Get Away Special Experimenter's Symposium A simplified approach to axisymmetric dual-reflector rotor in hover [NASA-TP-2546] INASA-CP-25001 p 6 N88-17691 antenna design n 3 N88-20257 p 2 N88-16662 [NASA-TP-2797] ROBOTICS PROP-FAN TECHNOLOGY Third Conference on Artificial Intelligence for Space Applications, part 1 Aeropropulsion '87. Session 5: Subsonic Propulsion Workshop on Technology Development Issues for the Technology [NASA-CP-10003-SESS-5] Large Deployable Reflector (LDR) INASA-CP-24071 p 5 N88-15800 [NASA-CP-2492-Pt-1] p 16 N88-16360 p 20 N88-20235 First Annual Workshop on Space Operations Automation **PROPELLANTS** REFRACTORY MATERIALS and Robotics (SOAR 87) SRM (Solid Rocket Motor) propellant and polymer Nonlinear Constitutive Relations for High Temperature p 16 N88-17206 materials structural modeling Applications, 1986 (NASA-CP-10010) A generalized method for automatic downhand and wirefeed control of a welding robot and positioner NASA-TP-2824] p 12 N88-28343 p 12 N88-21498 PROPELLER BLADES REFUELING Optical measurement of propeller blade deflections [NASA-TP-2841] p 10 N88-28286 [NASA-TP-2807] p 9 N88-17869 Investigation of the misfueling of reciprocating piston Second Conference on Artificial Intelligence for Space aircraft engines [NASA-TP-2803] PROPELLER FANS p 4 N88-21144 p 17 N88-29351 [NASA-CP-3007] Annoyance caused by advanced turboprop aircraft REINFORCING FIBERS flyover noise: Single-rotating propeller configuration [NASA-TP-2782] p 18 N88-17441 ROBOTS Properties of two composite materials made of A generalized method for automatic downhand and toughened epoxy resin and high-strain graphite fiber wirefeed control of a welding robot and positioner p8 N88-25480 [NASA-TP-2826] [NASA-TP-2807] p 9 N88-17869 Aeropropulsion '87. Session 3: Internal Fluid Mechanics RELIABILITY ANALYSIS ROCKET NOZZLES Research Applications of the hybrid automated reliability p 5 N88-15790 Aeropropulsive characteristics of isolated combined [NASA-CP-10003-SESS-3] predictor turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 Aeropropulsion '87. Session 4: Instrumentation and [NASA-TP-2760] p 16 N88-12928 p 3 N88-23757 Controls Research [NASA-TP-2814] SURE reliability analysis: Program and mathematics ROCKET PROPELLANTS p 5 N88-15794 [NASA-CP-10003-SESS-4] p 17 N88-17380 [NASA-TP-2764] Compatability of dispersion-strengthened platinum with Aeropropulsion '87. Session 5: Subsonic Propulsion resistojet propellants [NASA-TP-2765] CARE 3 User's Workshop Technology [NASA-CP-10003-SESS-5] p 7 N88-12538 p 16 N88-21646 [NASA-CP-10011] p 5 N88-15800 Analysis and testing of the SURE program PROPULSION SYSTEM CONFIGURATIONS Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a p 17 N88-22653 Aeropropulsion '87. Session 2: Aeropropulsion Structures Research REMOTE SENSING secondary-nozzle thrust reverser [NASA-TP-2834] p 5 N88-15785 [NASA-CP-10003-SESS-2] Wind shear detection. Forward-looking sensor p 4 N88-29752 technology Aeropropulsion '87. Session 6: High-Speed Propulsion **ROTARY WING AIRCRAFT** [NASA-CP-10004] Technology [NASA-CP-10003-SESS-6] NASA/Army Rotorcraft Technology. Volume 3: Systems Integration, Research Aircraft, and Industry [NASA-CP-2495-VOL-3] p.1 N88-16650 p 5 N88-15807 Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 14 No PROPULSIVE EFFICIENCY [NASA-CP-2495-VOL-3] p 14 N88-20772 [NASA-CF-2495-VOL-3]
A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, Rotorcraft flight-propulsion control integration: An Earth resources: A continuing bibliography with indexes eclectic design concept p 6 N88-19475 (issue 57) [NASA-SP-7041(57)] p 13 N88-23314 1970-1985 A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Reflectance spectroscopy in planetary science: Review [NASA-RP-1187] and strategy for the future Rotorcraft flight-propulsion control integration: An eclectic design concept p 21 N88-24564 Rotorcraft and Powered-Lift Flight Projects Division, [NASA-SP-493] 1970-1985 RESEARCH [NASA-TP-2815] p 6 N88-19475 [NASA-RP-1187] p.4 N88-19467 NASA scientific and technical publications: A catalog **ROTARY WINGS** of Special Publications, Reference Publications, Conference Publications, and Technical Papers, 1987 PSYCHOMOTOR PERFORMANCE Helicopter main-rotor noise: Determination of source Mental-State Estimation, 1987 [NASA-CP-2504] contributions using scaled model data [NASA-TP-2825] p 19 N88-22830 p 15 N88-23370 [NASA-SP-7063(02)] p 18 N88-26907 ROTOR AERODYNAMICS RESEARCH AIRCRAFT NASA/Army Rotorcraft Technology. Volume 1: Aerodynamics, and Dynamics and Aeroelasticity A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the p 1 N88-16625 Rotorcraft and Powered-Lift Flight Projects Division, [NASA-CP-2495-VOL-1] RADIATION MEASUREMENT NASA/Army Rotorcraft Technology. Volume 2: Materials Angular radiation models for Earth-atmosphere system.

Volume 1: Shortwave radiation [NASA-RP-1187] p 4 N88-19467 and Structures, Propulsion and Drive Systems, Flight Dynamics and Control, and Acoustics RESEARCH FACILITIES p 14 N88-27677 [NASA-CP-2495-VOL-2] [NASA-RP-1184] A perspective on 15 years of proof-of-concept aircraft Advancing-side directivity and **RADIATION PYROMETERS** development and flight research at Ames-Moffett by the retreating-side Noncontact Temperature Measurement [NASA-CP-2503] p Rotorcraft and Powered-Lift Flight Projects Division, interactions of model rotor blade-vortex interaction noise [NASA-TP-2784] p 18 N88-22710 p 9 N88-23895 INASA-RP-11871 RAMJET ENGINES p 4 N88-19467 Integrated Technology Rotor Methodology Assessment A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley Aeropropulsive characteristics of isolated combined Workshop [NASA-CP-10007] turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 p 1 N88-27148 14- x 22-foot subsonic tunnel [NASA-TP-2796] p 3 N88-23757 ROTOR BODY INTERACTIONS p 3 N88-20264 REACTION KINETICS Integrated Technology Rotor Methodology Assessment An analytical study of the hydrogen-air reaction mechanism with application to scramjet combustion RESEARCH MANAGEMENT Workshop [NASA-CP-10007] Nuclear techniques in studies of condensed matter p 1 N88-27148 p 8 N88-15846 [NASA-RP-1195] p 18 N88-13015 REAL TIME OPERATION NASA history data book. Volume 1: NASA resources S 1958-1968 The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas [NASA-SP-4012-VOL-1] p 21 N88-25428 [NASA-RP-1201] p 13 N88-20714 NASA historical data book. Volume 2: Programs and SATELLITE DESIGN projects 1958-1968 Into the thermosphere: The atmosphere explorers RECONSTRUCTION p 21 N88-25429 [NASA-SP-490] p 13 N88-18084 Further developments in exact state reconstruction in deterministic digital control systems [NASA-SP-4012-VOL-2] SATELLITE INSTRUMENTS NASA historical data book. Volume 3: Programs and [NASA-TP-2812] p 9 N88-18751 projects 1969-1978 into the thermosphere: The atmosphere explorers p 13 N88-18084 (NASA-SP-4901 More on exact state reconstruction in deterministic digital [NASA-SP-4012-VOL-3] p 21 N88-25430 SATELLITE SOUNDING control systems [NASA-TP-2847] RESISTOJET ENGINES p 9 N88-28177 Scientific and Operational Requirements for TOMS Compatability of dispersion-strengthened platinum with Data RED DWARF STARS [NASA-CP-2497] [NASA-TP-2765] p 7 N88-12538 p 12 N88-13774 The M-type stars SATELLITE TRANSMISSION p 20 N88-11592 RETROFITTING INASA-SP-4921 Propagation effects on satellite systems at frequencies Computer-aided design analysis REDUCED GRAVITY below 10 GHz: A handbook for satellite systems design [NASA-RP-1108/2] p 9 N88-14226 Microgravity Particle Research on the Space Station angular-contact, cryogenic turbopump bearings

p 11 N88-18933

p 15 N88-15354

INASA-TP-28161

SUBJECT INDEX SPHERICAL HARMONICS

SCALE MODELS	SOLAR RADIATION	Third Conference on Artificial Intelligence for Space
Evaluation of a scale-model experiment to investigate	Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral scan solar irradiance and Earth radiance product user's	Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188
long-range acoustic propagation [NASA-TP-2748] p 17 N88-11450	scan solar irradiance and Earth radiance product users quide	A Study of Space Station Contamination Effects
SCATTERING AMPLITUDE	[NASA-RP-1199] p 12 N88-17096	conference
Eikonal solutions to optical model coupled-channel equations	SOLID PROPELLANT ROCKET ENGINES  SRM propellant and polymer materials structural test	[NASA-CP-3002] p 19 N88-25390
[NASA-TP-2830] p 18 N88-30402	program	Second Conference on Artificial Intelligence for Space Applications
SCHEDULING Third Conference on Artificial Intelligence for Space	[NASA-TP-2821] p 12 N88-25013 SRM (Solid Rocket Motor) propellant and polymer	[NASA-CP-3007] p 17 N88-29351
Applications, part 1	materials structural modeling	SPACE TRANSPORTATION SYSTEM Space Construction
[NASA-CP-2492-Pt-1] p 16 N88-16360	[NASA-TP-2824] p 12 N88-28343 SOLID SOLUTIONS	[NASA-CP-2490] p 7 N88-10870
SCREEN EFFECT Sensitivity of F-106B leading-edge-vortex images to	Growth of solid solution single crystals	A study to evaluate STS heads-up ascent trajectory performance employing a minimum-Hamiltonian
flight and vapor-screen parameters	[NASA-TP-2787] p 9 N88-14212 SPACE EXPLORATION	optimization strategy
[NASA-TP-2818] p 3 N88-23760 SENSITIVITY	Reflectance spectroscopy in planetary science: Review	[NASA-TP-2793] p 6 N88-15820
Shape sensitivity analysis of wing static aeroelastic	and strategy for the future [NASA-SP-493] p 21 N88-24564	SPACEBORNE EXPERIMENTS  Microgravity Particle Research on the Space Station
characteristics [NASA-TP-2808] p 5 N88-22031	Planetary Geology: Goals, Future Directions, and	[NASA-CP-2496] p 15 N88-15354
[NASA-TP-2808] p 5 N88-22031 SERVICE LIFE	Recommendations [NASA-CP-3005] p 21 N88-26279	Into the thermosphere: The atmosphere explorers [NASA-SP-490] p 13 N88-18084
Computer-aided design analysis of 57-mm,	SPACE PROCESSING	SPACECRAFT COMPONENTS
angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 11 N88-18933	Space Bioreactor Science Workshop [NASA-CP-2485] p 15 N88-17168	The 58th Shock and Vibration Symposium, volume 2
SHEAR FLOW	SPACE SHUTTLE BOOSTERS	[NASA-CP-2488-VOL-2] p 11 N88-18948 SPACECRAFT CONSTRUCTION MATERIALS
Influence of wind shear on the aerodynamic characteristics of airplanes	SRM propellant and polymer materials structural test program	Outgassing data for selecting spacecraft materials
[NASA-TP-2827] p 4 N88-26344	[NASA-TP-2821] p 12 N88-25013	[NASA-RP-1124] p 8 N88-10117 SPACECRAFT CONTAMINATION
SHOCK TESTS	SPACE SHUTTLE MAIN ENGINE The 58th Shock and Vibration Symposium, volume 1	Fourteenth Space Simulation Conference: Testing for
The 58th Shock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 11 N88-13609	[NASA-CP-2488-VOL-1] p 11 N88-13609	a Permanent Presence in Space [NASA-CP-2446] p 7 N88-10829
SHOCK WAVES	Computer-aided design analysis of 57-mm,	A Study of Space Station Contamination Effects
Shock structure and noise of supersonic jets in simulated flight to Mach 0.4	angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 11 N88-18933	conference
[NASA-TP-2785] p 17 N88-16510	SPACE SHUTTLE MISSIONS	[NASA-CP-3002] p 19 N88-25390 SPACECRAFT CONTROL
SHORT TAKEOFF AIRCRAFT A review of technologies applicable to low-speed flight	The 1987 Get Away Special Experimenter's Symposium	Third Conference on Artificial Intelligence for Space
of high-performance aircraft investigated in the Langley	[NASA-CP-2500] p 6 N88-17691	Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360
14- x 22-foot subsonic tunnel [NASA-TP-2796] p 3 N88-20264	Spacelab: An international success story [NASA-SP-487] p 19 N88-19375	SPACECRAFT DESIGN
[NASA-TP-2796] p 3 N88-20264 Aerodynamics in ground effect and predicted landing	SPACE SHUTTLE PAYLOADS	Airborne particulate matter in spacecraft
ground roll of a fighter configuration with a	Space Construction [NASA-CP-2490] p 7 N88-10870	[NASA-CP-2499] p 15 N88-14623 The 58th Shock and Vibration Symposium, volume 2
secondary-nozzie thrust reverser [NASA-TP-2834] p 4 N88-29752	SPACE SHUTTLES	[NASA-CP-2488-VOL-2] p 11 N88-18948
SHORT WAVE RADIATION	Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space	Space Station Human Factors Research Review. Volume 3: Space Station Habitability and Function:
Angular radiation models for Earth-atmosphere system.  Volume 1: Shortwave radiation	[NASA-CP-2446] p 7 N88-10829	Architectural Research
[NASA-RP-1184] p 14 N88-27677	Third Conference on Artificial Intelligence for Space Applications, part 1	[NASA-CP-2426-VOL-3] p 15 N88-19883
SIDESLIP	[NASA-CP-2492-Pt-1] p 16 N88-16360	Space Station Human Factors Research Review.  Volume 4: Inhouse Advanced Development and
Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected	Cornering characteristics of the main-gear tire of the space shuttle orbiter	Research
wing loads at subsonic speeds for a full-span model	[NASA-TP-2790] p 4 N88-18583	[NASA-CP-2426-VOL-4] p 15 N88-24148 SPACECRAFT ELECTRONIC EQUIPMENT
[NASA-TP-2619] p 2 N88-18567 SIMULATION	SPACE STATION PAYLOADS  Microgravity Particle Research on the Space Station	Spacecraft 2000
Fourteenth Space Simulation Conference: Testing for	[NASA-CP-2496] p 15 N88-15354	[NASA-CP-2473] p 7 N88-10084 SPACECRAFT ENVIRONMENTS
a Permanent Presence in Space [NASA-CP-2446] p 7 N88-10829	SPACE STATION POWER SUPPLIES  Space station systems: A bibliography with indexes	Fourteenth Space Simulation Conference: Testing for
SINGLE CRYSTALS	[NASA-SP-7056(05)] p 7 N88-13382	a Permanent Presence in Space [NASA-CP-2446] p 7 N88-10829
Growth of solid solution single crystals [NASA-TP-2787] p 9 N88-14212	SPACE STATION PROPULSION  Space station systems: A bibliography with indexes	[NASA-CP-2446] p 7 N88-10829 Spacecraft Fire Safety
[NASA-TP-2787] p 9 N88-14212 SITES	[NASA-SP-7056(05)] p 7 N88-13382	[NASA-CP-2476] p 7 N88-12520
Crustal Dynamics Project: Catalogue of site	SPACE STATION STRUCTURES  Space station systems: A bibliography with indexes	SPACECRAFT PROPULSION Spacecraft 2000
information [NASA-RP-1198] p 13 N88-19037	[NASA-SP-7056(05)] p 7 N88-13382	[NASA-CP-2473] p 7 N88-10084
SMALL PERTURBATION FLOW	SPACE STATIONS Spacecraft 2000	SPACECRAFT STRUCTURES  Lewis Structures Technology, 1988. Volume 1: Structural
A transonic-small-disturbance wing design methodology	[NASA-CP-2473] p 7 N88-10084	Dynamics
[NASA-TP-2806] p 2 N88-17614	Fourteenth Space Simulation Conference: Testing for a Permanent Presence in Space	[NASA-CP-3003-VOL-1] p 12 N88-23226
SOFTWARE TOOLS  Third Conference on Artificial Intelligence for Space	[NASA-CP-2446] p 7 N88-10829	SPACECRAFT TRACKING Spacecraft 2000
Applications, part 2	Space Construction	[NASA-CP-2473] p 7 N88-10084
[NASA-CP-2492-PT-2] p 17 N88-24188	[NASA-CP-2490] p 7 N88-10870 Spacecraft Fire Safety	SPACELAB Spacelab: An international success story
SOLAR BACKSCATTER UV SPECTROMETER Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral	[NASA-CP-2476] p 7 N8B-12520	[NASA-SP-487] p 19 N88-19375
scan solar irradiance and Earth radiance product user's	Space station systems: A bibliography with indexes [NASA-SP-7056(05)] p 7 N88-13382	SPECTRAL REFLECTANCE
guide [NASA-RP-1199] p 12 NB8-17096	Third Conference on Artificial Intelligence for Space	Reflectance spectroscopy in planetary science: Review and strategy for the future
SOLAR MAGNETIC FIELD	Applications, part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360	[NASA-SP-493] p 21 N88-24564
Theoretical Problems in High Resolution Solar Physics, 2	[NASA-CP-2492-Pt-1] p 16 N88-16360 The 1987 Get Away Special Experimenter's	SPECTROSCOPY  Reflectance spectroscopy in planetary science: Review
[NASA-CP-2483] p 21 N88-11609	Symposium	and strategy for the future
SOLAR OBSERVATORIES  Theoretical Problems in High Resolution Solar Physics,	[NASA-CP-2500] p 6 N88-17691 Space Station Human Factors Research Review.	[NASA-SP-493] p 21 N88-24564 International ultraviolet explorer spectral atlas of
2	Volume 3: Space Station Habitability and Function:	planetary nebulae, central stars, and related objects
[NASA-CP-2483] p 21 N88-11609	Architectural Research [NASA-CP-2426-VOL-3] p 15 N88-19883	[NASA-RP-1203] p 20 N88-28843 SPECTRUM ANALYSIS
SOLAR PHYSICS Theoretical Problems in High Resolution Solar Physics,	Space Station Human Factors Research Review.	The 58th Shock and Vibration Symposium, volume 2
2	Volume 1: EVA Research and Development	[NASA-CP-2488-VOL-2] p 11 N88-18948
[NASA-CP-2483] p 21 N88-11609 SOLAR POWER SATELLITES	[NASA-CP-2426-VOL-1] p 15 N88-24145 Space Station Human Factors Research Review.	SPHERICAL HARMONICS  Atlas of wide-field-of-view outgoing tongwave radiation
Technology for large space systems: A bibliography with	Volume 4: Inhouse Advanced Development and	derived from Nimbus 7 Earth radiation budget data set
indexes (supplement 18) [NASA-SP-7046(18)] p 6 N88-27214	Research [NASA-CP-2426-VOL-4] p 15 N88-24148	November 1978 to October 1985 [NASA-RP-1186] p 14 N88-10451
	· · · · · · · · · · · · · · · · · · ·	

STABILITY	STRESS (PSYCHOLOGY)	SURFACE PROPERTIES
An experimental investigation of the flap-lag-torsion	Mental-State Estimation, 1987 [NASA-CP-2504] p 15 N88-23370	Advances in contact algorithms and their application to
aeroelastic stability of a small-scale hingeless helicopter rotor in hover	[NASA-CP-2504] p 15 N88-23370 STRESS ANALYSIS	tires [NASA-TP-2781] p 11 N88-21456
(NASA-TP-2546) p 3 N88-20257	Nonlinear Constitutive Relations for High Temperature	SURFACE REACTIONS
STATE ESTIMATION	Applications, 1986	Surface catalytic degradation study of two linea
Further developments in exact state reconstruction in	[NASA-CP-10010] p 12 N88-21498	perfluoropolyalkylethers at 345 C
deterministic digital control systems [NASA-TP-2812] p 9 N88-18751	Lewis Structures Technology, 1988. Volume 2: Structural	[NASA-TP-2774] p 8 N88-12543
More on exact state reconstruction in deterministic digital	Mechanics	SURFACE TEMPERATURE  Measurement of local high-level, transient surface hea
control systems	[NASA-CP-3003-VOL-2] p 12 N88-22382	flux
[NASA-TP-2847] p 9 N88-28177	STRESS INTENSITY FACTORS	[NASA-TP-2840] p 10 N88-30099
STATIC PRESSURE	Stress intensity and crack displacement for small edge cracks	SUSPENDING (HANGING)
Effect of empennage arrangement on single-engine	[NASA-TP-2801] p 11 N88-17095	General equilibrium characteristics of a dual-lif
nozzle/afterbody static pressures at transonic speeds	STRUCTURAL ANALYSIS	helicopter system
[NASA-TP-2753] p 2 N88-10771 STATIC STABILITY	Turbine Engine Hot Section Technology, 1985	[NASA-TP-2615] p 1 N88-19407 SWEPT WINGS
Handling qualities of a wide-body transport airplane	[NASA-CP-2405] p 11 N88-11140	The NASA Langley Laminar-Flow-Control (LFC)
utilizing Pitch Active Control Systems (PACS) for relaxed	Nuclear techniques in studies of condensed matter	experiment on a swept, supercritical airfoil: Design
static stability application	[NASA-RP-1195] p 18 N88-13015	overview
[NASA-TP-2482] p 6 N88-14987	Space station systems: A bibliography with indexes	[NASA-TP-2809] p 3 N88-21117
STATIC TESTS	[NASA-SP-7056(05)] p 7 N88-13382	SYSTEMS ANALYSIS
Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring	Continuum modeling of large lattice structures: Status and projections	Spacecraft 2000 [NASA-CP-2473] p 7 N88-10084
[NASA-TP-2800] p 3 N88-20280	[NASA-TP-2767] p 7 N88-14115	Applications of the hybrid automated reliability
Static performance of nonaxisymmetric nozzles with yaw	Aeropropulsion '87. Session 2: Aeropropulsion	predictor
thrust-vectoring vanes	Structures Research	[NASA-TP-2760] p 16 N88-12928
[NASA-TP-2813] p 3 N88-21118	[NASA-CP-10003-SESS-2] p 5 N88-15785	Dynamic analysis of multimesh-gear helicopter
Static mechanical properties of 30 x 11.5 - 14.5, type 8 aircraft tires of bias-ply and radial-belted design	Sixteenth NASTRAN (trademark) Users' Colloquium	transmissions
[NASA-TP-2810] p 5 N88-21157	[NASA-CP-2505] p 11 N88-20652	[NASA-TP-2789] p 11 N88-17045 SYSTEMS INTEGRATION
STATIC THRUST	Nonlinear Constitutive Relations for High Temperature	NASA/Army Rotorcraft Technology, Volume 3: Systems
Static performance of nonaxisymmetric nozzles with yaw	Applications, 1986 [NASA-CP-10010] p 12 N88-21498	Integration, Research Aircraft, and Industry
thrust-vectoring vanes	SRM (Solid Rocket Motor) propellant and polymer	[NASA-CP-2495-VOL-3] p 1 N88-16650
[NASA-TP-2813] p 3 N88-21118	materials structural modeling	
STEADY STATE Steady and unsteady transonic pressure measurements	[NASA-TP-2824] p 12 N88-28343	T
on a clipped delta wing for pitching and control-surface	STRUCTURAL DESIGN	•
oscillations	Space station systems: A bibliography with indexes	TAIL ASSEMBLIES
[NASA-TP-2594] p 4 N88-28895	[NASA-SP-7056(05)] p 7 N88-13382	Effect of empennage arrangement on single-engine
STELLAR ATMOSPHERES	STRUCTURAL VIBRATION	nozzle/afterbody static pressures at transonic speeds
The M-type stars	The 58th Shock and Vibration Symposium, volume 1 [NASA-CP-2488-VOL-1] p 11 N88-13609	[NASA-TP-2753] p 2 N88-10771 TECHNOLOGY ASSESSMENT
[NASA-SP-492] p 20 N88-11592 STELLAR COMPOSITION	The 58th Shock and Vibration Symposium, volume 2	Astronautics and aeronautics, 1978: A chronology
The M-type stars	[NASA-CP-2488-VOL-2] p.11 N88-18948	[NASA-SP-4023] p 21 N88-14062
[NASA-SP-492] p 20 N88-11592	Lewis Structures Technology, 1988. Volume 1: Structural	Workshop on Technology Development Issues for the
STELLAR ENVELOPES	Dynamics	Large Deployable Reflector (LDR)
The M-type stars	[NASA-CP-3003-VOL-1] p 12 N88-23226	[NASA-CP-2407] p 20 N88-20235
[NASA-SP-492] p 20 N88-11592	SUBSONIC SPEED	A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley
STELLAR MASS EJECTION	Effects of winglets on a first-generation jet transport	14- x 22-foot subsonic tunnel
The M-type stars	wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model	[NASA-TP-2796] p 3 N88-20264
[NASA-SP-492] p 20 N88-11592 STELLAR MODELS	[NASA-TP-2619] p 2 N88-18567	Cryogenic Fluid Management Technology Workshop.
The M-type stars	SUPERCRITICAL AIRFOILS	Volume 2: Roundtable Discussion of Technology
[NASA-SP-492] p 20 N88-11592	The NASA Langley Laminar-Flow-Control (LFC)	Requirements [NASA-CP-10009] p 10 N88-20599
STELLAR PHYSICS	experiment on a swept, supercritical airfoil: Design	[NASA-CP-10009] p 10 N88-20599 TELEMETRY
The M-type stars	overview [NASA-TP-2809] p 3 N88-21117	Spacecraft 2000
[NASA-SP-492] p 20 N88-11592	SUPERSONIC AIRCRAFT	[NASA-CP-2473] p 7 N88-10084
STELLAR RADIATION	Aeropropulsion '87. Session 6: High-Speed Propulsion	TELEOPERATORS
The M-type stars [NASA-SP-492] p 20 N88-11592	Technology	The 22nd Aerospace Mechanisms Symposium
[NASA-SP-492] p 20 N88-11592 STELLAR SPECTRA	[NASA-CP-10003-SESS-6] p 5 N88-15807	[NASA-CP-2506] p 11 N88-21468 TEMPERATURE EFFECTS
The M-type stars	Shock structure and noise of supersonic jets in simulated	Preparative electrophoresis for space
[NASA-SP-492] p 20 N88-11592	flight to Mach 0.4 [NASA-TP-2785] p 17 N88-16510	[NASA-TP-2777] p 8 N88-10977
International ultraviolet explorer spectral atlas of	[NASA-TP-2785] p 17 N88-16510 SUPERSONIC AIRFOILS	TEMPERATURE MEASUREMENT
planetary nebulae, central stars, and related objects	Supersonic aerodynamics of delta wings	Noncontact Temperature Measurement
[NASA-RP-1203] p 20 N88-28843	[NASA-TP-2771] p 2 N88-17615	[NASA-CP-2503] p 9 N88-23895
STELLAR SPECTROPHOTOMETRY	SUPERSONIC COMBUSTION RAMJET ENGINES	Measurement of local high-level, transient surface heat
The M-type stars	Aeropropulsion '87. Session 6: High-Speed Propulsion	flux
[NASA-SP-492] p 20 N88-11592 STIFFNESS	Technology [NASA-CP-10003-SESS-6] p 5 N88-15807	[NASA-TP-2840] p 10 N88-30099 TEMPERATURE MEASURING INSTRUMENTS
Dynamic characteristics of a vibrating beam with periodic	An analytical study of the hydrogen-air reaction	Noncontact Temperature Measurement
variation in bending stiffness	mechanism with application to scramjet combustion	[NASA-CP-2503] p 9 N88-23895
[NASA-TP-2697] p 12 N88-23988	[NASA-TP-2791] p 8 N88-15846	Measurement of local high-level, transient surface heat
STIMULATED EMISSION	Numerical simulation of scramjet inlet flow fields	flux
A simplified approach to axisymmetric dual-reflector	[NASA-TP-2517] p 3 N88-23735 SUPERSONIC SPEED	[NASA-TP-2840] p 10 N88-30099
antenna design		TERMINOLOGY
[NASA-TP-2797] p 2 N88-16662		
STRAIN ENERGY RELEASE RATE  Throo dimensional analysis of a postbuckled embedded	Supersonic aerodynamics of delta wings - INASA-TP-2771] p 2 N88-17615	NASA thesaurus supplement: A four part cumulative
Three-dimensional analysis of a postbuckled embedded	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a	supplement to the 1985 edition of the NASA Thesaurus
delamination	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575
delamination [NASA-TP-2823] p 12 N88-26684	[NASA-TP-2771] p.2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575 NASA thesaurus: Astronomy vocabulary
	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575
[NASA-TP-2823] p 12 N88-26684  STRATOSPHERE  Description of data on the Nimbus 7 LIMS map archive	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420 SUPERSONICS	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575 NASA thesaurus: Astronomy vocabulary [NASA-SP-7069] p 20 N88-24553
[NASA-TP-2823] p 12 N88-26684 STRATOSPHERE Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575 NASA thesaurus: Astronomy vocabulary [NASA-SP-7069] p 20 N88-24553 TERRAIN Evaluation of a scale-model experiment to investigate long-range acoustic propagation
[NASA-TP-2823] p 12 N88-26684  STRATOSPHERE  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 14 N88-14572	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 2 N88-12454	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575 NASA thesaurus: Astronomy vocabulary [NASA-SP-7069] p 20 N88-24553  TERRAIN  Evaluation of a scale-model experiment to investigate long-range acoustic propagation [NASA-TP-2748] p 17 N88-11450
[NASA-TP-2823] p 12 N88-26684  STRATOSPHERE  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 14 N88-14572  SAM 2 data user's guide	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 2 N88-12454 SUPPLEMENTS	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575 NASA thesaurus: Astronomy vocabulary [NASA-SP-7069] p 20 N88-24553 TERRAIN  Evaluation of a scale-model experiment to investigate long-range acoustic propagation [NASA-TP-2748] p 17 N88-11450 TERRESTRIAL RADIATION
[NASA-TP-2823] p 12 N88-26684  STRATOSPHERE  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 14 N88-14572  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 2 N88-12454 SUPPLEMENTS NASA thesaurus supplement: A four part cumulative	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575 NASA thesaurus: Astronomy vocabulary [NASA-SP-7069] p 20 N88-24553  TERRAIN  Evaluation of a scale-model experiment to investigate long-range acoustic propagation [NASA-TP-2748] p 17 N88-11450  TERRESTRIAL RADIATION  Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral
[NASA-TP-2823] p 12 N88-26684  STRATOSPHERE  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 14 N88-14572  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  Present state of knowledge of the upper atmosphere	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 2 N88-12454 SUPPLEMENTS NASA thesaurus supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575 NASA thesaurus: Astronomy vocabulary [NASA-SP-7069] p 20 N88-24553  TERRAIN  Evaluation of a scale-model experiment to investigate long-range acoustic propagation [NASA-TP-2748] p 17 N88-11450  TERRESTRIAL RADIATION  Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral scan solar irradiance and Earth radiance product user's
[NASA-TP-2823] p 12 N88-26684  STRATOSPHERE  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 14 N88-14572  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 2 N88-12454 SUPPLEMENTS  NASA thesaurus supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575 NASA thesaurus: Astronomy vocabulary [NASA-SP-7069] p 20 N88-24553  TERRAIN  Evaluation of a scale-model experiment to investigate long-range acoustic propagation [NASA-TP-2748] p 17 N88-11450  TERRESTRIAL RADIATION  Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral
[NASA-TP-2823] p 12 N88-26684  STRATOSPHERE  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 14 N88-14572  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  Present state of knowledge of the upper atmosphere 1988. An assessment report	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 2 N88-12454 SUPPLEMENTS NASA thesaurus supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575 NASA thesaurus: Astronomy vocabulary [NASA-SP-7069] p 20 N88-24553 TERRAIN  Evaluation of a scale-model experiment to investigate long-range acoustic propagation [NASA-TP-2748] p 17 N88-11450 TERRESTRIAL RADIATION Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral scan solar irradiance and Earth radiance product user's guide [NASA-RP-1199] p 12 N88-17096 Angular radiation models for Earth-atmosphere system.
[NASA-TP-2823] p 12 N88-26684  STRATOSPHERE  Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide [NASA-TP-2761] p 14 N88-14572  SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094  Present state of knowledge of the upper atmosphere 1988. An assessment report [NASA-RP-1208] p 13 N88-29233	[NASA-TP-2771] p 2 N88-17615 Aerodynamic characteristics of wings designed with a combined-theory method to cruise at a Mach number of 4.5 [NASA-TP-2799] p 3 N88-19420 SUPERSONICS Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 2 N88-12454 SUPPLEMENTS NASA thesaurus supplement: A four part cumulative supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575 SURFACE NAVIGATION	supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575 NASA thesaurus: Astronomy vocabulary [NASA-SP-7069] p 20 N88-24553  TERRAIN  Evaluation of a scale-model experiment to investigate long-range acoustic propagation [NASA-TP-2748] p 17 N88-11450  TERRESTRIAL RADIATION  Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral scan solar irradiance and Earth radiance product user's guide [NASA-RP-1199] p 12 N88-17096

SUBJECT INDEX WARNING SYSTEMS

TEST FACILITIES	TRAJECTORY ANALYSIS	UPPER ATMOSPHERE
Fourteenth Space Simulation Conference: Testing for	Trajectory characteristics and heating of hypervelocity projectiles having large ballistic coefficients	Present state of knowledge of the upper atmosphere 1988: An assessment report
a Permanent Presence in Space [NASA-CP-2446] p 7 N88-10829	[NASA-TP-2614] p 2 N88-19412	[NASA-RP-1208] p 13 N88-29233
TETHERING	TRANSIENT HEATING	URBAN DEVELOPMENT
General equilibrium characteristics of a dual-lift	Measurement of local high-level, transient surface heat	Earth resources: A continuing bibliography with indexes
helicopter system [NASA-TP-2615] p 1 N88-19407	flux [NASA-TP-2840] p 10 N88-30099	(issue 57) [NASA-SP-7041(57)] p 13 N88-23314
THERMAL ANALYSIS	TRANSMISSIONS (MACHINE ELEMENTS)	USER MANUALS (COMPUTER PROGRAMS)
Space station systems: A bibliography with indexes	Efficiency testing of a helicopter transmission planetary	Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral
[NASA-SP-7056(05)] p 7 N88-13382	reduction stage [NASA-TP-2795] p 11 N88-15224	scan solar irradiance and Earth radiance product user's guide
THERMAL CYCLING TESTS  Effects of continuous and cyclic thermal exposures on	Dynamic analysis of multimesh-gear helicopter	[NASA-RP-1199] p 12 N88-17096
boron- and borsic-reinforced 6061 aluminum composites	transmissions [NASA-TP-2789] p.11 N88-17045	SAM 2 data user's guide
[NASA-TP-1063] p 8 N88-70029	TRANSONIC FLIGHT	[NASA-RP-1200] p 13 N88-25094
THERMAL ENVIRONMENTS Fourteenth Space Simulation Conference: Testing for	Sensitivity of F-106B leading-edge-vortex images to	1.7
a Permanent Presence in Space	flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760	V
[NASA-CP-2446] p 7 N88-10829	[NASA-TP-2818] p 3 N88-23760 TRANSONIC FLOW	WOVEL AIDEDLET
THERMAL PROTECTION	A transonic-small-disturbance wing design	V/STOL AIRCRAFT A review of technologies applicable to low-speed flight
Aerothermal tests of quilted dome models on a flat plate at a Mach number of 6.5	methodology [NASA-TP-2806] p 2 N88-17614	of high-performance aircraft investigated in the Langley
[NASA-TP-2804] p 10 N88-22325	TRANSONIC SPEED	14- x 22-foot subsonic tunnel
THERMODYNAMIC PROPERTIES	Comparison of wind tunnel and flight test afterbody and	[NASA-TP-2796] p 3 N88-20264 VACUUM TESTS
The M-type stars [NASA-SP-492] p 20 N88-11592	nozzle pressures for a twin-jet fighter aircraft at transonic speeds	Outgassing data for selecting spacecraft materials
THERMOPHYSICAL PROPERTIES	[NASA-TP-2588] p 2 N88-10765	[NASA-RP-1124] p.8 N88-10117
Growth of solid solution single crystals	Effect of empennage arrangement on single-engine	VANES
[NASA-TP-2787] p 9 N88-14212	nozzle/afterbody static pressures at transonic speeds {NASA-TP-2753} p.2 N88-10771	Turbine Engine Hot Section Technology, 1985 [NASA-CP-2405] p.11 N88-11140
THERMOSPHERE Into the thermosphere: The atmosphere explorers	[NASA-TP-2753] p 2 N88-10771 TRANSPORT AIRCRAFT	Static performance of an axisymmetric nozzle with
[NASA-SP-490] p 13 N88-18084	Handling qualities of a wide-body transport airplane	post-exit vanes for multiaxis thrust vectoring
THESAURI	utilizing Pitch Active Control Systems (PACS) for relaxed	[NASA-TP-2800] p 3 N88-20280
NASA thesaurus supplement: A four part cumulative	static stability application [NASA-TP-2482] p 6 N88-14987	VAPORS  Sensitivity of F-106B leading-edge-vortex images to
supplement to the 1985 edition of the NASA Thesaurus [NASA-SP-7053(SUPP-4)] p 19 N88-16575	Aeropropulsion '87. Session 6: High-Speed Propulsion	flight and vapor-screen parameters
NASA thesaurus: Astronomy vocabulary	Technology {NASA-CP-10003-SESS-61 p.5 N88-15807	[NASA-TP-2818] p 3 N88-23760
[NASA-SP-7069] p 20 N88-24553	[NASA-CP-10003-SESS-6] p 5 N88-15807 TRAVELING WAVE TUBES	VARIABLE STARS The M-type stars
THREE DIMENSIONAL FLOW	Performance of a small, graphite electrode, multistage	[NASA-SP-492] p 20 NB8-11592
Numerical simulation of scramjet inlet flow fields [NASA-TP-2517] p 3 N88-23735	depressed collector with a 500-W, continuous wave, 4.8-	VEGETATION GROWTH
THRUST REVERSAL	to 9.6-GHz traveling wave tube [NASA-TP-2788] p 10 N88-15146	Controlled Ecological Life Support System:
Aerodynamics in ground effect and predicted landing	TRIBOLOGY	Regenerative Life Support Systems in Space [NASA-CP-2480] p 16 N88-12251
ground roll of a fighter configuration with a secondary-nozzle thrust reverser	Structural Ceramics	VERTICAL DISTRIBUTION
[NASA-TP-2834] p 4 N88-29752	[NASA-CP-2427] p 8 N88-23872 TROPOSPHERE	Forty-eight-inch lidar aerosol measurements taken at the
THRUST VECTOR CONTROL	Scientific and Operational Requirements for TOMS	Langley Research Center, May 1974 to December 1987 [NASA-RP-1209] p 14 N88-29234
Effects of the installation and operation of jet-exhaust	Data	VERTICAL ORIENTATION
yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane	[NASA-CP-2497] p 12 N88-13774 Forty-eight-inch lidar aerosol measurements taken at the	Effects of combining vertical and horizontal information
[NASA-TP-2769] p 2 N88-12455	Langley Research Center, May 1974 to December 1987	into a primary flight display
Static performance of an axisymmetric nozzle with	[NASA-RP-1209] p 14 N88-29234	[NASA-TP-2783] p 5 N88-12487 VIBRATION DAMPING
post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280	TRUSSES  Continuum modeling of large lattice structures: Status	The 58th Shock and Vibration Symposium, volume 1
Static performance of nonaxisymmetric nozzles with yaw	and projections	[NASA-CP-2488-VOL-1] p 11 N88-13609
thrust-vectoring vanes	[NASA-TP-2767] p 7 N88-14115	Lewis Structures Technology, 1988. Volume 1: Structural
[NASA-TP-2813] p 3 N88-21118	TURBINE BLADES Turbine Engine Hot Section Technology, 1985	Dynamics [NASA-CP-3003-VOL-1] p 12 N88-23226
Cornering characteristics of the main-gear tire of the	[NASA-CP-2405] p 11 N88-11140	VIBRATION ISOLATORS
space shuttle orbiter	Lewis Structures Technology, 1988. Volume 1: Structural	The 58th Shock and Vibration Symposium, volume 1
[NASA-TP-2790] p 4 N88-18583	Dynamics [NASA-CP-3003-VOL-1] p 12 N8B-23226	[NASA-CP-2488-VOL-1] p 11 N88-13609 The 22nd Aerospace Mechanisms Symposium
Advances in contact algorithms and their application to	TURBINE ENGINES	[NASA-CP-2506] p 11 N88-21468
tires [NASA-TP-2781] p 11 N88-21456	Aeropropulsive characteristics of isolated combined	VISCOPLASTICITY
TISSUES (BIOLOGY)	turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 [NASA-TP-2814] p.3 N88-23757	Nonlinear Constitutive Relations for High Temperature
Space Bioreactor Science Workshop	TURBINE PUMPS	Applications, 1986 [NASA-CP-10010] p 12 N88-21498
[NASA-CP-2485] p 15 N88-17168 TOLERANCES (PHYSIOLOGY)	Computer-aided design analysis of 57-mm,	VORTICES
Annoyance caused by advanced turboprop aircraft	angular-contact, cryogenic turbopump bearings [NASA-TP-2816] p 11 N88-18933	Measurement of velocity and vorticity fields in the wake
flyover noise: Single-rotating propeller configuration	TURBOMACHINERY	of an airfoil in periodic pitching motion [NASA-TP-2780] p 17 N88-13002
[NASA-TP-2782] p 18 N88-17441	Aeropropulsion '87. Session 3: Internal Fluid Mechanics	Sensitivity of F-106B leading-edge-vortex images to
An experimental investigation of the flap-lag-torsion	Research [NASA-CP-10003-SESS-3] p 5 N88-15790	flight and vapor-screen parameters
aeroelastic stability of a small-scale hingeless helicopter	TURBULENT BOUNDARY LAYER	[NASA-TP-2818] p 3 N88-23760 VORTICITY
rotor in hover	Aerothermal tests of quilted dome models on a flat plate	Measurement of velocity and vorticity fields in the wake
[NASA-TP-2546] p 3 N88-20257 TOTAL OZONE MAPPING SPECTROMETER	at a Mach number of 6.5 [NASA-TP-2804] p 10 N88-22325	of an airfoil in periodic pitching motion
Scientific and Operational Requirements for TOMS	TURBULENT FLOW	[NASA-TP-2780] p 17 N88-13002
Data	Flight and wind-tunnel measurements showing base	W
[NASA-CP-2497] p 12 N88-13774	drag reduction provided by a trailing disk for high Reynolds number turbulent flow for subsonic and transonic Mach	• • • • • • • • • • • • • • • • • • • •
The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas	numbers	WAKES
[NASA-HP-1201] p 13 N88-20714	[NASA-TP-2638] p 10 N88-14299	Measurement of velocity and vorticity fields in the wake
TRACKING (POSITION)  Effect of motion cues during complex curved approach	Numerical simulation of scramjet inlet flow fields [NASA-TP-2517] p 3 N88-23735	of an airfoil in periodic pitching motion [NASA-TP-2780] p 17 N88-13002
and landing tasks: A piloted simulation study	,	Galileo probe parachute test program: Wake properties
[NASA-TP-2773] p 4 N88-12480	U	of the Galileo probe at Mach numbers from 0.25 to 0.95
TRAILING EDGE FLAPS Flight and wind-tunnel measurements showing base	0	[NASA-RP-1130] p 10 N88-18884 WARNING SYSTEMS
drag reduction provided by a trailing disk for high Reynolds	ULTRAVIOLET RADIATION	Airborne Wind Shear Detection and Warning Systems:
number turbulent flow for subsonic and transonic Mach	International ultraviolet explorer spectral atlas of	First Combined Manufacturers' and Technologists'
numbers [NASA-TP-2638] p 10 N88-14299	planetary nebulae, central stars, and related objects [NASA-RP-1203] p 20 N88-28843	Conference [NASA-CP-10006] p.4 N88-17616

WATER		
Finite-rate water condensation in wind tunnels	combu	stion-heated
[NASA-TP-2833]	р6	N88-28075
WAVE PROPAGATION		
Evaluation of a scale-model exper long-range acoustic propagation	iment to	nvestigate
[NASA-TP-2748]	p 17	N88-11450
Propagation effects on satellite sys		
below 10 GHz: A handbook for sate [NASA-RP-1108/2]	enite sys p 9	N88-14226
WEATHER	•	
Meteorological and Environmental	Inputs	to Aviation
Systems [NASA-CP-2498]	p 14	N88-25105
WIND SHEAR	·	
Wind shear detection. Forwa technology	ard-look	ng sensor
[NASA-CP-10004]	p 4	N88-14970
Airborne Wind Shear Detection and		
First Combined Manufacturers' a Conference	and le	chnologists'
[NASA-CP-10006]	p 4	N88-17616
Influence of wind shear on	the a	terodynamic
characteristics of airplanes (NASA-TP-2827)	p 4	N88-26344
WIND TUNNEL APPARATUS		
Experimental evaluation of turnin high-speed and coupled fan-drive or		
model of NASA Lewis Research Cente		
wind tunnel		
[NASA-TP-2681] WIND TUNNEL DRIVES	р6	N88-17686
Experimental evaluation of turning	g vane	designs for
high-speed and coupled fan-drive co		
model of NASA Lewis Research Center wind tunnel	r s prope	oseu amoue
[NASA-TP-2681]	р6	N88-17686
VIND TUNNEL MODELS  Comparison of wind tunnel and flight	nt loct at	lerhody and
nozzle pressures for a twin-jet fighter		
speeds		
[NASA-TP-2588]	p 2	N88-10765
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet	p 2 eration j loads a	N88-10765 et transport nd selected
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a first-gene wing loads.	p 2 eration j loads a full-span	N88-10765 et transport nd selected model
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f[NASA-TP-2619]	p 2 eration j loads a	N88-10765 et transport nd selected
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper	p 2 eration i loads a full-span p 2 ation of	N88-10765 et transport nd selected model N88-18567 jet-exhaust
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a I [NASA-TP-2619] VIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and	p 2 eration i loads a full-span p 2 ation of	N88-10765 et transport nd selected model N88-18567 jet-exhaust
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper	p 2 eration i loads a full-span p 2 ation of	N88-10765 et transport nd selected model N88-18567 jet-exhaust
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS	p 2 eration i loads a full-span p 2 ation of lateral	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc	p 2 eration i loads a full-span p 2 ation of lateral p 2 cale gen	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2768] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing	p 2 eration   loads a ull-span p 2 ation of lateral p 2 cale gen natural	N88-10765 el transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-so airplane equipped with an advanced wing [NASA-TP-2772]	p 2 eration i loads a ull-span p 2 ation of lateral p 2 cale gen natural p 2	N88-10765 el transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and flighted the state of the	p 2 loads a full-span p 2 lation of lateral p 2 cale gen natural p 2 lt test al	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds	p 2 loads a food of a food	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and flight nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588]	p 2 loads a full-span p 2 ation of lateral p 2 cale gen natural p 2 t test al aircraft	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem	p 2 peration i loads a ull-span p 2 ation of lateral p 2 cale gen natural p 2 at test al aircraft p 2 pents sh	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 owing base
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and flight nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing dinumber turbulent flow for subsonic as	p 2 loads a full-span p 2 lation of lateral p 2 lateral lateral	N88-10765 el transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 owing base gh Reynolds
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and flighnozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing dinumber turbulent flow for subsonic a numbers	p 2 reation i loads a full-span p 2 ation of lateral p 2 ale gen natural p 2 at test al aircraft p 2 ents sh sk for hi and tran	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-1009 terbody and at transonic N88-10765 owing base ph Reynolds sonic Mach
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing dinumber turbulent flow for subsonic anumbers [NASA-TP-2638]	p 2 eration i loads a ull-span p 2 ation of lateral p 2 ale gen natural p 2 et test al aircraft p 2 ents sh sk for hi and tran	N88-10765 el transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 owing base gh Reynolds sonic Mach N88-14299
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a l [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing of number turbulent flow for subsonic anumbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investig:	p 2 paration i loads a a loads	N88-10765 el transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 owing base gh Reynolds sonic Mach N88-14299 speed flight
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing dinumber turbulent flow for subsonic anumbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investiga 14- x 22-foot subsonic tunnel	p 2 paration i loads a dull-spar p 2 tation ol lateral p 2 cale genatural p 2 to test a discretification of the p 2 paration of the p 10 paration of the 10 paration of	N88-10765 el transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 owing base gh Reynolds sonic Mach N88-14299 speed flight the Langley
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing dinumber turbulent flow for subsonic anumbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investigs 14-x 22-foot subsonic tunnel [NASA-TP-2796]	p 2 ration i loads a dispersion p 2 ration ol lateral p 2 ration of the p 3 ration of the 3 ration of the p 3 ration of the 3 ration of the 3 ration of th	N88-10765 el transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 lowing base gh Reynolds sonic Mach N88-14299 speed flight the Langley N88-20264
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing dinumber turbulent flow for subsonic anumbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investiga 14- x 22-foot subsonic tunnel	p 2 iloads a utilispara p 2 it test at aircraft p 2 it test at aircraft p 2 it test at aircraft p 2 iloads for in test p 2 iloads for in p 10 iloads in p 3 iloads in p	N88-10765 el transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 lowing base gh Reynolds sonic Mach N88-14299 speed flight the Langley N88-20264
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing dinumber turbulent flow for subsonic anumbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investiga 14-x 22-foot subsonic tunnel [NASA-TP-2786] Helicopter main-rotor noise: Deter contributions using scaled model data [NASA-TP-2825]	p 2 paration i loads a sull-spar p 2 tation ol lateral p 2 tation ol lateral p 2 tation of lateral p 2 tation of lateral p 2 tation of lateral p 2 paration of lateral p 2 paration of lateral p 10 p 1	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation taminar flow N88-1009 terbody and at transonic N88-10765 owing base ph Reynolds sonic Mach N88-14299 speed flight the Langley N88-20264 n of source N88-26907
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing di number turbulent flow for subsonic anumbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investig: 14-x 22-foot subsonic tunnel [NASA-TP-2796] Helicopter main-rotor noise: Deter contributions using scaled model data (NASA-TP-2825] Steady and unsteady transonic pres	p 2 eration i loads a dispersion p 2 ation ol lateral p 2 extate gen natural p 2 et test al aircraft p 2 et test and aircraft p 2 ents sh sk for hi and fram p 10 p 10 p 3 mination a p 18 p 18 p 18 surre me	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 owing base gh Reynolds sonic Mach N88-14299 speed flight the Langley N88-20264 n of source N88-26907 easurements
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing dinumber turbulent flow for subsonic anumbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investiga 14-x 22-foot subsonic tunnel [NASA-TP-2786] Helicopter main-rotor noise: Deter contributions using scaled model data [NASA-TP-2825]	p 2 paration i loads a sull-span p 2 tation ol lateral p 2 cale gennatural p 2 tates al aircraft p 2 paration of the second p 10 p 1	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 owing base gh Reynolds sonic Mach N88-14299 speed flight the Langley N88-20264 n of source N88-26907 easurements
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing dinumber turbulent flow for subsonic anumbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investig 14-x 22-foot subsonic tunnel [NASA-TP-2796] Helicopter main-rotor noise: Deter contributions using scaled model data [NASA-TP-2825] Steady and unsteady transonic pres on a clipped delta wing for pitching socillations [NASA-TP-2594]	p 2 eration i loads a dispersion p 2 ation ol lateral p 2 extate gen natural p 2 et test al aircraft p 2 et test and aircraft p 2 ents sh sk for hi and fram p 10 p 10 p 3 mination a p 18 p 18 p 18 surre me	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 owing base gh Reynolds sonic Mach N88-14299 speed flight the Langley N88-20264 n of source N88-26907 easurements
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing di number turbulent flow for subsonic a numbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investign 14-x 22-foot subsonic tunnel [NASA-TP-2796] Helicopter main-rotor noise: Deter contributions using scaled model data (NASA-TP-2825) Steady and unsteady transonic preson a clipped delta wing for pitching oscillations [NASA-TP-2594] WIND TURBINES	p 2 iloads a utilispara p 2 interest site of the state of	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 owing base gh Reynolds sonic Mach N88-14299 speed flight the Langley N88-20264 n of source N88-26907 assurements ntrol-surface N88-28895
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing dinumber turbulent flow for subsonic anumbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investig 14-x 22-foot subsonic tunnel [NASA-TP-2796] Helicopter main-rotor noise: Deter contributions using scaled model data [NASA-TP-2825] Steady and unsteady transonic pres on a clipped delta wing for pitching socillations [NASA-TP-2594]	p 2 paration i loads a uil-span p 2 paration o la lateral p 2 paration o la lateral p 2 paration o la lateral p 2 paration o lateral p 10 paration o lateral p 18 paration o lateral p 19 paration o lateral p 19 paration o lateral p 18 paration o late	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 owing base gh Reynolds sonic Mach N88-14299 speed flight the Langley N88-20264 n of source N88-26907 asurements altroi-surface N88-28895 3: Structural
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing di number turbulent flow for subsonic anumbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investig: 14-x 22-foot subsonic tunnel [NASA-TP-2825] Helicopter main-rotor noise: Deter contributions using scaled model date [NASA-TP-2825] Steady and unsteady transonic preson a clipped delta wing for pitching oscillations [NASA-TP-2594] WIND TURBINES Lewis Structures Technology, 1988. Integrity Fatigue and Fracture Wind T [NASA-CP-3003-VOL-3]	p 2 paration i loads a ull-spara p 2 paration of lateral p 2 p 10	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 lowing base gh Reynolds sonic Mach N88-14299 speed flight the Langley N88-20264 n of source N88-26907 lasurements atrol-surface N88-28895 3: Structural HOST N88-22408
[NASA-TP-2588] Effects of winglets on a first-gene wing. 7: Sideslip effects on winglet wing loads at subsonic speeds for a f [NASA-TP-2619] WIND TUNNEL STABILITY TESTS Effects of the installation and oper yaw vanes on the longitudinal and characteristics of the F-14 airplane [NASA-TP-2769] WIND TUNNEL TESTS Wind-tunnel investigation of a full-sc airplane equipped with an advanced wing [NASA-TP-2772] Comparison of wind tunnel and fligh nozzle pressures for a twin-jet fighter speeds [NASA-TP-2588] Flight and wind-tunnel measurem drag reduction provided by a trailing dinumber turbulent flow for subsonic anumbers [NASA-TP-2638] A review of technologies applicable of high-performance aircraft investig: 14-x 22-foot subsonic tunnel [NASA-TP-2796] Helicopter main-rotor noise: Deter contributions using scaled model data [NASA-TP-2825] Steady and unsteady transonic pres on a clipped delta wing for pitching oscillations [NASA-TP-2594] WIND TURBINES Lewis Structures Technology, 1988. Integrity Fatigue and Fracture Wind T	p 2 paration i loads a ull-spara p 2 paration of lateral p 2 p 10	N88-10765 et transport nd selected model N88-18567 jet-exhaust directional N88-12455 eral aviation laminar flow N88-10009 terbody and at transonic N88-10765 lowing base gh Reynolds sonic Mach N88-14299 speed flight the Langley N88-20264 n of source N88-26907 lasurements atrol-surface N88-28895 3: Structural HOST N88-22408

WINGLETS Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model [NASA-TP-2619] p 2 N88-18567 Wind-tunnel investigation of a full-scale general aviation airplane equipped with an advanced natural laminar flow wing [NASA-TP-2772] p 2 N88-10009 transonic-small-disturbance

methodology [NASA-TP-2806] p 2 N88-17614 Sensitivity of F-106B leading-edge-vortex images to flight and vapor-screen parameters [NASA-TP-2818] p 3 N88-23760

WORKLOADS (PSYCHOPHYSIOLOGY) Effect of motion cues during complex curved approach and landing tasks: A piloted simulation study [NASA-TP-2773] p 4 N88-12480 Mental-State Estimation, 1987 [NASA-CP-2504] p 15 N88-23370

WORKSTATIONS

Mental-State Estimation, 1987 p 15 N88-23370 [NASA-CP-2504]

# X

X WING ROTORS Proceedings of the Circulation-Control Workshop, 1986 [NASA-CP-2432] p 2 N88-17586

YAWING MOMENTS Cornering characteristics of the main-gear tire of the spaces wittle orbiter p 4 N88-18583 [NASA-TP-2790]

## Ζ

Planform effects on the supersonic aerodynamics of multibody configurations
[NASA-TP-2762] p 2 N88-12454

WING LOADING

characteristics [NASA-TP-2808] WING PROFILES

characteristics

[NASA-TP-2808]

Shape sensitivity analysis of wing static aeroelastic

Shape sensitivity analysis of wing static aeroelastic

p 5 N88-22031

A

НО

Listings in this index are arranged alphabetically by personal author. The title of the document provides the user with a brief description of the subject matter. The report number helps to indicate the type of document listed (e.g., NASA report, translation, NASA contractor report). The page and accession numbers are located beneath and to the right of the title. Under any one author's name the accession numbers are arranged in seguence with the AIAA accession numbers appearing first.

### ABBOTT, TERENCE S.

Effects of combining vertical and horizontal information into a primary flight display

[NASA-TP-2783] p 5 N88-12487

### ABRAHAMSON, A. LOUIS

Measured and calculated acoustic attenuation rates of tuned resonator arrays for two surface impedance distribution models with flow

INASA-TP-27661 p 18 N88-17440

## ADAMS, WILLIAM M., JR.

Nonlinear programming extensions to rational function approximation methods for unsteady aerodynamic forces INASA-TP-27761 p 5 N88-24623

# ANTONIEWICZ, ROBERT F.

User's manual for LINEAR, a FORTRAN program to derive linear aircraft models p 17 N88-21740 INASA-TP-27681

### ARDANUY, PHILIP E.

The 1987 Airborne Antarctic Ozone Experiment; The Nimbus-7 TOMS data atlas [NASA-RP-1201] p 13 N88-20714

### ARMSTRONG, ELIZABETH S.

Computer-aided design analysis of 57-mm. ngular-contact, cryogenic turbopump bearings p 11 N88-18933 [NASA-TP-2816]

### ATHAY, G.

Theoretical Problems in High Resolution Solar Physics,

[NASA-CP-2483] p 21 N88-11609

## AYDELOTT, JOHN C.

Cryogenic Fluid Management Technology Workshop. Volume 1: Presentation material and discussion p 10 N88-15924 INASA-CP-100011

## В

### BALLIN, MARK G.

Rotorcraft flight-propulsion control integration: An eclectic design concept p 6 N88-19475 [NASA-TP-2815]

#### BANKS, DANIEL W.

A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley 14- x 22-foot subsonic tunnel

p.3 N88-20264 INASA-TP-27961 Aerodynamics in ground effect and predicted landing ground roll of a fighter configuration with a secondary-nozzle thrust reverser

NASA.TP.28341 p 4 N88-29752

## BARGER, RAYMOND L.

A simplified approach to axisymmetric dual-reflector antenna design [NASA-TP-2797] n 2 N88-16662

A performance index approach to aerodynamic design with the use of analysis codes only

#### NASA-TP-2805] p 2 N88-18552 BARTHELEMY, JEAN-FRANCOIS M.

Shape sensitivity analysis of wing static aeroelastic characteristics INASA-TP-28081 p 5 N88-22031

#### BARTHELME, NEAL

The 1987 Get Away Special Experimenter's Symposium [NASA-CP-25001 p 6 N88-17691

### BAVUSO, SALVATORE J.

Applications of the hybrid automated reliability NASA-TP-27601 p 16 N88-12928

### BECKER, LAWRENCE E.

Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application

[NASA-TP-2482] p.6 N88-14987

### BERGEN, FRED D.

Shape sensitivity analysis of wing static aeroelastic characteristics

INASA-TP-28081 p 5 N88-22031

## BERRIER, BOBBY L

Effects of the installation and operation of jet-exhaust yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane p 2 N88-12455

[NASA-TP-2769] Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring

p 3 N88-20280

Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes

#### [NASA-TP-2813] p 3 N88-21118 BESS. T. DALE

Atlas of wide-field-of-view outgoing longwave radiation derived from Nimbus 7 Earth radiation budget data set -November 1978 to October 1985

(NASA-RP-11861 p 14 N88-10451

### BOLDMAN, DONALD R.

Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel

[NASA-TP-2681] p 6 N88-17686

## BOOTH, EARL R., JR.

Measurement of velocity and vorticity fields in the wake of an airfoil in periodic pitching motion

p 17 N88-13002 [NASA-TP-2780]

### BOUSMAN, WILLIAM G.

Integrated Technology Rotor Methodology Assessment Workshop

p 1 N88-27148 [NASA-CP-10007] BOWLES, ROLAND L.

### Airborne Wind Shear Detection and Warning Systems

First Combined Manufacturers' and Technologists' Conference [NASA-CP-10006] p.4 N88-17616

## BOYD, MARK

Applications of the hybrid automated reliability predictor [NASA-TP-2760] p 16 N88-12928

### BRACALENTE, E. M.

Wind shear detection. Forward-looking sensor technolog [NASA-CP-10004] p 4 N88-14970

#### BROOKS, CUYLER W., JR.

The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview [NASA-TP-2809] p 3 N88-21117

#### BROOKS, DAVID R.

Summary of along-track data from the Earth radiation budget satellite for several major desert regions [NASA-RP-1197] p 14 N88-20772

#### BROOKS, THOMAS F.

Helicopter main-rotor noise: Determination of source contributions using scaled model data

[NASA-TP-2825] p 18 N88-26907

### BROWN, PHILIP W

Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application p 6 N88-14987 INASA-TP-24821

BRUNO, LEONARD C.

NASA history data book. Volume 1: NASA resources 1958-1968

INASA-SP-4012-VOL-11 p 21 N88-25428

#### BURGESS, ERIC

Into the thermosphere: The atmosphere explorers [NASA-SP-490] p 13 N88-18084

#### BURLEY, JAMES R., II

Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds p 2 N88-10771 [NASA-TP-2753]

#### BUTLER, RICKY W.

SURE reliability analysis: Program and mathematics [NASA-TP-2764]

## C

### CAMP, DENNIS W.

Meteorological and Environmental Inputs to Aviation INASA-CP-24981 p 14 N88-25105

CAMPBELL, RICHARD L.

transonic-small-disturbance design wing methodology INASA-TP-28061 p.2 N88-17614

# CAMPBELL, WILLIAM A., JR.

Outgassing data for selecting spacecraft materials INASA-RP-11241 p8 N88-10117

# CANNING, THOMAS N.

Galileo probe parachute test program: Wake properties of the Galileo probe at Mach numbers from 0.25 to 0.95 p 10 N88-18884 [NASA-RP-1130]

## CARLBERG, INGRID A.

Evaluation of a scale-model experiment to investigate long-range acoustic propagation [NASA-TP-2748]

p 17 N88-11450 CARSON, GEORGE T., JR. Aeropropulsive characteristics of isolated combined

### INASA-TP-28141

turbojet/ramjet nozzles at Mach numbers from 0 to 1.20 p 3 N88-23757 CAZIER, F. W., JR.

Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface oscillations

[NASA-TP-2594] p 4 N88-28895

## CEBULA, RICHARD P.

Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral scan solar irradiance and Earth radiance product user's guide INASA-RP-11991 p 12 N88-17096

CHOY, FRED K.

Dynamic analysis of multimesh-gear helicopter transmissions p 11 N88-17045 [NASA-TP-2789]

### CHU, W. P.

SAM 2 data user's guide

NASA-RP-1200] p 13 N88-25094 CICOLANI, L. S.

General equilibrium characteristics of a dual-lift helicopter system [NASA-TP-2615]

p 1 N88-19407

CLEARWATER, YVONNE A.

Space Station Human Factors Research Review.
Volume 4: Inhouse Advanced Development and Research

[NASA-CP-2426-VOL-4] COE, HAROLD H.

p 15 N88-24148

Computer-aided design analysis of 57-mm,

angular-contact, cryogenic turbopump bearings p 11 N88-18933 INASA-TP-28161

COHEN, MARC M.

Space Station Human Factors Research Review Volume 3: Space Station Habitability and Function:

p 15 N88-19883 INASA-CP-2426-VOL-31 Space Station Human Factors Research Review. Volume 1: EVA Research and Development

p 15 N88-24145 [NASA-CP-2426-VOL-1] Space Station Human Factors Research Review Volume 4: Inhouse Advanced Development and Research

p 15 N88-24148 [NASA-CP-2426-VOL-4]

COKELEY, R.

Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application

p 6 N88-14987 INASA-TP-24821

COMSTOCK, J. RAYMOND, JR.

Mental-State Estimation, 1987 INASA-CP-25041 p 15 N88-23370

COOK, GEORGE E.

A generalized method for automatic downhand and virefeed control of a welding robot and positioned

p 9 N88-17869 INASA-TP-28071

COVELL PETER F

Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model [NASA-TP-2619] p 2 NB8-18 p 2 N88-18567

CUCINOTTA, FRANCIS A.

Eikonal solutions to optical model coupled-channel equations

[NASA-TP-2830] p 18 N88-30402

DAUGHERTY, ROBERT H.

Cornering characteristics of the main-gear tire of the space shuttle orbiter p 4 N88-18583 INASA-TP-27901

DAVIS, PAMELA A.

Static mechanical properties of 30 x 11.5 - 14.5, type 8 aircraft tires of bias-ply and radial-belted design p 5 N88-21157 INASA-TP-28101

DAVIS, W. J.

Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application [NASA-TP-2482] p 6 N88-14987

DELNORE, V. E.

Wind shear detection. Forward-looking sensor

technology [NASA-CP-10004] p 4 N88-14970

DENTON, JUDITH S.

Third Conference on Artificial Intelligence for Space Applications, part 1

p 16 N88-16360 INASA-CP-2492-Pt-11 Third Conference on Artificial Intelligence for Space

Applications, part 2 [NASA-CP-2492-PT-2] p 17 N88-24188

DEVOL, WILLIAM

Cryogenic Fluid Management Technology Workshop Volume 1: Presentation material and discussion

p 10 N88-15924 [NASA-CP-10001]

DOIRON, SCOTT D.

The 1987 Airborne Antarctic Ozone Experiment: The Nimbus-7 TOMS data atlas

p 13 N88-20714 [NASA-RP-1201]

DOLLMAN, THOMAS

Second Conference on Artificial Intelligence for Space Applications [NASA-CP-3007] p 17 N88-29351

DOTSON, KELLY J.

Analysis and testing of the SURE program [NASA-TP-2817] p 17 p 17 N88-22653

DOW, MARVIN B.

Properties of two composite materials made of toughened epoxy resin and high-strain graphite fiber p 8 N88-25480 [NASA-TP-2826]

**DUGAN, JOANNE BECHTA** 

Applications of the hybrid automated reliability

INASA-TP-27601 p 16 N88-12928 DUKE, FUGENE L.

Development and flight test of an experimental maneuver autopilot for a highly maneuverable aircraft p 5 N88-21153 INASA-TP-26181 User's manual for LINEAR, a FORTRAN program to derive linear aircraft models

p 17 N88-21740 INASA-TP-27681

### Ε

EBIHARA, BEN T.

Performance of a small, graphite electrode, multistage depressed collector with a 500-W, continuous wave, 4.8to 9.6-GHz traveling wave tube

p 10 N88-15146

p 15 N88-19883

INASA-TP-27881 EDWARDS, THOMAS M.

Galileo probe parachute test program: Wake properties of the Galileo probe at Mach numbers from 0.25 to 0.95 [NASA-RP-1130] p 10 N88-18884

EICHOLD, ALICE

Space Station Human Factors Research Review Volume 3: Space Station Habitability and Function: Architectural Research

[NASA-CP-2426-VOL-3]

ELLIOTT, J. W.

and retreating-side Advancing-side directivity interactions of model rotor blade-vortex interaction noise p 18 N88-22710

ERICKSON, WAYNE D.

A rapid method for the computation of equilibrium chemical composition of air to 15000 K

p 8 N88-16830 [NASA-TP-2792] Finite-rate water condensation in combustion-heated wind tunnels

[NASA-TP-2833] p 6 NB8-28075

EZELL, LINDA NEUMAN

NASA historical data book. Volume 2: Programs and projects 1958-1968

[NASA-SP-4012-VOL-2] p 21 N88-25429 NASA historical data book. Volume 3: Programs and

projects 1969-1978 [NASA-SP-4012-VOL-3] p 21 N88-25430

FEIBELMAN, WALTER A.

International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects

FENN, MARTA A.

Summary of along-track data from the Earth radiation budget satellite for several major desert regions p 14 N88-20772 INASA-RP-11971

FERNANDEZ, KEN

A generalized method for automatic downhand and

wirefeed control of a welding robot and positioner [NASA-TP-2807] p 9 N88-17869

FEW, DAVID D.

A perspective on 15 years of proof-of-concept aircraft development and flight research at Ames-Moffett by the Rotorcraft and Powered-Lift Flight Projects Division, 1970-1985 p 4 N88-19467 [NASA-RP-1187]

FLEIG, ALBERT J. Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral scan solar irradiance and Earth radiance product user's

guide [NASA-RP-1199]

FLOCK, WARREN L.

Propagation effects on satellite systems at frequencies below 10 GHz: A handbook for satellite systems design p 9 N88-14226 [NASA-RP-1108/2]

FOX, CHARLES H., JR.

Flight and wind-tunnel measurements showing base drag reduction provided by a trailing disk for high Reynolds number turbulent flow for subsonic and transonic Mach numbers [NASA-TP-2638] p 10 N88-14299

FREEMAN, MICHAEL S.

Third Conference on Artificial Intelligence for Space Applications part 1 [NASA-CP-2492-Pt-1] p 16 N88-16360

Third Conference on Artificial Intelligence for Space Applications, part 2 p 17 N88-24188 NASA-CP-2492-PT-2]

FROST, WALTER

Meteorological and Environmental Inputs to Aviation Systems [NASA-CP-2498] p 14 N88-25105

FULLER, W. H., JR.

Forty-eight-inch lidar aerosol measurements taken at the Langley Research Center, May 1974 to December 1987 [NASA-RP-1209] p 14 N88-29234

GALIMORE, REGINALD N.

The 1987 Airborne Antarctic Ozone Experiment: The

Nimbus-7 TOMS data atlas [NASA-RP-1201]

p 13 N88-20714

GARHART, MATTHEW P. International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects p 20 N88-28843

GATLIN, GREGORY M.

A review of technologies applicable to low-speed flight of high-performance aircraft investigated in the Langley 14- x 22-foot subsonic tunnel p 3 N88-20264

[NASA-TP-2796]

GELDER, THOMAS F. Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude

wind tunnel NASA-TP-26811 p 6 N88-17686

GEZARI, DANIEL Y.

Catalog of infrared observations. Part 1: Data

NASA-RP-1196-PT-1-ED-2) p 19 N88-15738 Catalog of infrared observations. Part 2: Appendixes NASA-RP-1196-PT-1-ED-2) [NASA-RP-1196-PT-2-ED-2] p 20 N88-16615 Far infrared supplement: Catalog of infrared

observations, second edition p 20 N88-30545

GLASS, CHRISTOPHER E. Aerothermal tests of quilted dome models on a flat plate

at a Mach number of 6.5

(NASA-TP-2804) p 10 N88-22325

GOLDBERG, LEO

The M-type stars [NASA-SP-492] p 20 N88-11592

GRANTHAM, WILLIAM D.

Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed static stability application NASA-TP-24821 p 6 N88-14987

GREEN, R. N.

Angular radiation models for Earth-atmosphere system.

Volume 1: Shortwave radiation

p 14 N88-27677

GRIFFIN, SANDY

First Annual Workshop on Space Operations Automation and Robotics (SOAR 87) [NASA-CP-2491] p 16 N88-17206

p 14 N88-14572

p 11 N88-15263

HAGAMAN, JANE A.

Space Construction [NASA-CP-2490]

p 7 N88-10870

HAGGARD, KENNETH V.

Description of data on the Nimbus 7 LIMS map archive tape: Water vapor and nitrogen dioxide

NASA-TP-27611

HALFORD, GARY R. Life prediction of thermomechanical fatigue using total strain version of strainrange partitioning (SRP): A proposal

NASA-TP-27791

HANDSCHUH, ROBERT F. Efficiency testing of a helicopter transmission planetary

INASA-TP-27951

p 11 N88-15224 HARRIS, CHARLES D. The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design

INASA-TP-28091 p 3 N88-21117

HARVEY, WILLIAM D.

The NASA Langley Laminar-Flow-Control (LFC) experiment on a swept, supercritical airfoil: Design overview

INASA-TP-29001

p 3 N88-21117 HEATH, DONALD F. Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral

scan solar irradiance and Earth radiance product user's guide [NASA-RP-1199] p 12 N88-17096

HEDGLEY, DAVID R., JR.

A general solution to the silhouette problem
[NASA-TP-2695] p 16 I

p 16 N88-14629

HEERS, SUSAN

Space Station Human Factors Research Review. Volume 3: Space Station Habitability and Function: Architectural Research p 15 N88-19883

[NASA-CP-2426-VOL-3] HENDERSON, WILLIAM P.

Effect of empennage arrangement on single-engine nozzle/afterbody static pressures at transonic speeds p 2 N88-10771 [NASA-TP-2753]

HESS, ROBERT W.

	ieasurements ontrol-surface
and CC	Jili Oi-Suriace
р4	N88-28895
	howing base
	iigh Reynolds nsonic Mach
no tra	IISONIC Mach
p 10	N88-14299
Space	Applications
- 47	NIGO GODGO
p 17	N88-30330
transp	ort airplane
(PACS	6) for relaxed
р6	N88-14987
adolo e	on a flat plate
Jueis (	ni a nat piate
p 10	N88-22325
	s taken at the
	ember 1987
p 14	N88-29234
	air reaction
	N88-15846
, ,	
plasr	na for MHD
рΊβ	N88-18443
A chr	anaiany
	N88-14062
p 20	N88-11592
vortex	images to
р3	N88-23760
ninatio	n of source
n 10	N88-26907
h 10	(100-2090)
an e	experimental
	able aircraft
p 5	N88-21153
Hanus	tion rates of
	impedance
p 18	N88-17440
	eral aviation laminar flow
a.u.ur	a mail
- 0	N88-10009
μZ	
μZ	
•	NIGO 11500
•	N88-11592
•	N88-11592
•	N88-11592
	p 4 Passis p 18 Pa

General equilibrium c	haracteristics of	a dual-lift
helicopter system		
[NASA-TP-2615]	p 1	N88-19407
KEMMERLY, GUY T.		
A review of technologies	applicable to low	-speed flight
of high-performance aircra	ift investigated in	the Langley
14- x 22-foot subsonic tuni	ne!	
[NASA-TP-2796]	р3	N88-20264
KHANDELWAL, GOVIND S.		
Eikonal solutions to opt	ical model coup	led-channel
equations		
[NASA-TP-2830]	p 18	N88-30402
KRUEGER, ARLIN J.		
Scientific and Operati	onal Requirement	s for TOMS
Data		
[NASA-CP-2497]	p 12	N88-13774
The 1987 Airborne Anta	arctic Ozone Exp	eriment: The
Nimbus-7 TOMS data atlas	3	
[NASA-RP-1201]	p 13	N88-20714

KURKOV, ANATOLE P.	p - 1111 251 55
Optical measurement of propelle [NASA-TP-2841] KURYLO, M. J.	p 10 N88-28286
Present state of knowledge of the	e upper atmosphere
1988: An assessment report [NASA-RP-1208]	p 13 N88-29233
KURZEJA, ROBERT J.  Description of data on the Nimbus	7 LIMS map archive
tape: Water vapor and nitrogen dioxid	de p 14 N88-14572
[777.07.17.2707]	p 14 1100-14372
L	
LAMAR, JOHN E.	
Sensitivity of F-106B leading-edge	e-vortex images to
flight and vapor-screen parameters [NASA-TP-2818]	p 3 N88-23760
LAMB, MILTON Aeropropulsive characteristics of	isolated combined
turbojet/ramjet nozzles at Mach num [NASA-TP-2814]	bers from 0 to 1.20
LARKO, DAVID E.	p 3 N88-23757
The 1987 Airborne Antarctic Ozor Nimbus-7 TOMS data atlas	ne Experiment: The
[NASA-RP-1201]	p 13 N88-20714
LEE, MARK C.  Noncontact Temperature Measurer	nent
[NASA-CP-2503]	p 9 N88-23895
Growth of solid solution single crys	
[NASA-TP-2787] LEISAWITZ, DAVID	p 9 N88-14212
Catalog of open clusters and ass	ociated interstellar
matter [NASA-RP-1202]	p 21 N88-29652
LESNY, GARY G.  Performance of a small, graphite e	lectrode multistage
depressed collector with a 500-W, co	
to 9.6-GHz traveling wave tube [NASA-TP-2788]	p 10 N88-15146
LIEBERT, CURT H.  Measurement of local high-level, tra	insient surface heat
flux [NASA-TP-2840]	
LOPEZ, MERCEDES C.	p 10 N88-30099
Static mechanical properties of 30 8 aircraft tires of bias-ply and radial-bi	
[NASA-TP-2810] LORD, DOUGLAS R.	p 5 N88-21157
Spacelab: An international success	
[NASA-SP-487]	p 19 N88-19375
M	
•••	
MACELROY, ROBERT D.  Controlled Ecological Life	Support System:
Regenerative Life Support Systems in [NASA-CP-2480]	Space p 16 N88-12251
Controlled Ecological Life Suppo	rt System. Design,
Development, and Use of a Ground-E Module	lased Plant Growth
[NASA-CP-2479] MACK, ROBERT J.	p 16 N88-13852
Aerodynamic characteristics of win	
combined-theory method to cruise at 4.5	a Mach number of
[NASA-TP-2799] MALL, GERALD H.	p 3 N88-19420
Finite-rate water condensation in o	combustion-heated
wind tunnels [NASA-TP-2833]	p 6 N88-28075
MARCOLINI, MICHAEL A.  Helicopter main-rotor noise: Deter	mination of equipo
contributions using scaled model data	
[NASA-TP-2825] MARGLE, JANICE M.	p 18 N88-26907
Spacecraft Fire Safety	p 7 Ngp 10500
[NASA-CP-2476] MARRIÖTT, RICHARD S.	p 7 N88-12520
Outgassing data for selecting space [NASA-RP-1124]	craft materials p8 N88-10117

KUDLINSKI, ROBERT A.

[NASA-TP-2770]

INASA-TP-25171

KUMAR, AJAY

MARSHALL, B. T.

[NASA-TP-2761]

Description of data on the Nimbus 7 LIMS map archive

p 14 N88-14572

tape: Water vapor and nitrogen dioxide

Digital enhancement of flow field images

Numerical simulation of scramjet inlet flow fields

MARTIN, R. M. Advancing-side directivity and retreating-side p 16 N88-20833 interactions of model rotor blade-vortex interaction noise INASA-TP-2784] p 18 N88-22710 MASON, MARY L. n 3 NRR-23735 Static performance of an axisymmetric nozzle with post-exit vanes for multiaxis thrust vectoring [NASA-TP-2800] p 3 N88-20280 [NASA-TP-2800] Static performance of nonaxisymmetric nozzles with yaw thrust-vectoring vanes [NASA-TP-2813] p 3 N88-21118 MAUNG, KHIN M. Eikonal solutions to optical model coupled-channel equations [NASA-TP-2830] p 18 N88-30402 MCANINCH, GERRY L. Evaluation of a scale-model experiment to investigate long-range acoustic propagation INASA-TP-27481 p 17 N88-11450 MCCORD, THOMAS B. Reflectance spectroscopy in planetary science: Review and strategy for the future p 21 N88-24564 [NASA-SP-4931 MCCURDY, DAVID A. Annoyance caused by advanced turboprop aircraft flyover noise: Single-rotating propeller configuration p 18 N88-17441 INASA-TP-27821 MCKAY, CHRISTOPHER P. Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354 MCMASTER, L. R. SAM 2 data user's guide [NASA-RP-1200] p 13 N88-25094 MCMILLIN, NAOMI Planform effects on the supersonic aerodynamics of multibody configurations [NASA-TP-2762] p 2 N88-12454 MCNULTY, MICHAEL J. Integrated Technology Rotor Methodology Assessment Workshop [NASA-CP-10007] p 1 N88-27148 MEAD, JAYLEE M. Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N p 19 N88-15738 Catalog of infrared observations. Part 2: Appendixes [NASA-RP-1196-PT-2-ED-2] p 20 N88-16615 Far infrared supplement: Catalog of infrared observations, second edition [NASA-RP-1205] p 20 N88-30545 MEYER, ROBERT R., JR. Effects of winglets on a first-generation jet transport wing. 7: Sideslip effects on winglet loads and selected wing loads at subsonic speeds for a full-span model [NASA-TP-2619] p 2 N88-18567 MIHALOEW, JAMES R. Rotorcraft flight-propulsion control integration: An eclectic design concept INASA-TP-28151 p 6 N88-19475 MIKULAS, MARTIN M., JR. Continuum modeling of large lattice structures: Status and projections [NASA-TP-2767] p 7 N88-14115 MILLER, TERESA Y.

Continuous flow electrophoresis system experiments on shuttle flights STS-6 and STS-7
[NASA-TP-2778] p 9 N88-10978 MINNIS, P. Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation p 14 N88-27677 MOITRA, ANUTOSH A performance index approach to aerodynamic design with the use of analysis codes only [ NASA.TP.28051 p 2 N88-18552 MOORE, CARLETON J. SRM propellant and polymer materials structural test program [NASA-TP-2821] p 12 N88-25013 SRM (Solid Rocket Motor) propellant and polymer materials structural modeling [NASA-TP-2824] p 12 N88-28343 MOORE, ROYCE D. Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale model of NASA Lewis Research Center's proposed altitude wind tunnel INASA-TP-26811 p 6 N88-17686 MOOREHEAD, T. W. A Study of Space Station Contamination Effects
[NASA-CP-3002] p 19 N88-

p 19 N88-25390

p 8 N88-12543

Surface catalytic degradation study of two linear

MORALES, WILFREDO

perfluoropolyalkylethers at 345 C [NASA-TP-2774]

MORRELL, FREDERICK R.	PARROTT, TONY L.	R
Joint University Program for Air Transportation	Evaluation of a scale-model experiment to investigate	, ,
Research, 1986	long-range acoustic propagation	RAMINS, PETER
[NASA-CP-2502] p 1 N88-23715	[NASA-TP-2748] p 17 N88-11450	Performance of a small, graphite electrode, multistag
MORRISON, DENNIS R.  Space Bioreactor Science Workshop	Measured and calculated acoustic attenuation rates of	depressed collector with a 500-W, continuous wave, 4.8 to 9.6-GHz traveling wave tube
[NASA-CP-2485] p 15 N88-17168	tuned resonator arrays for two surface impedance distribution models with flow	[NASA-TP-2788] p 10 N88-1514
MORROW, GEORGE W.	[NASA-TP-2766] p 18 N88-17440	RASH, JAMES
The 1986 Goddard Space Flight Center Battery	PATTERSON, BRIAN P.	The 1988 Goddard Conference on Space Application
Workshop	User's manual for LINEAR, a FORTRAN program to	of Artificial Intelligence
[NASA-CP-2486] p 9 N88-11021	derive linear aircraft models	[NASA-CP-3009] p 17 N88-3033 REMSBERG, ELLIS E.
MOSIER, FRANCES L.  The 1987 Get Away Special Experimenter's	[NASA-TP-2768] p 17 N88-21740	Description of data on the Nimbus 7 LIMS map archiv
Symposium	PAULSON, JOHN W., JR.  A review of technologies applicable to low-speed flight	tape: Water vapor and nitrogen dioxide
(NASA-CP-2500) p 6 N88-17691	of high-performance aircraft investigated in the Langley	[NASA-TP-2761] p 14 N88-1457
MURRI, DANIEL G.	14- x 22-foot subsonic tunnel	REUBUSH, DAVID E.
Wind-tunnel investigation of a full-scale general aviation	[NASA-TP-2796] p 3 N88-20264	Effects of the installation and operation of jet-exhaus
airplane equipped with an advanced natural laminar flow wing	PECKER, JEAN-CLAUDE	yaw vanes on the longitudinal and lateral-directional characteristics of the F-14 airplane
[NASA-TP-2772] p 2 N88-10009	The M-type stars	[NASA-TP-2769] p.2 N88-1245
,	[NASA-SP-492] p 20 N88-11592	RHODES, PERCY H.
N	PEET, SHELLY  Performance of a small, graphite electrode, multistage	Preparative electrophoresis for space
••	depressed collector with a 500-W, continuous wave, 4.8-	[NASA-TP-2777] p 8 N88-1097
NATAUPSKY, MARK	to 9.6-GHz traveling wave tube	Continuous flow electrophoresis system experiments or shuttle flights STS-6 and STS-7
Effects of combining vertical and horizontal information	[NASA-TP-2788] p 10 N88-15146	[NASA-TP-2778] p 9 N8B-10976
into a primary flight display	PENDERGRAFT, ODIS C., JR.	RISING, J. J.
[NASA-TP-2783] p 5 N88-12487	Comparison of wind tunnel and flight test afterbody and	Handling qualities of a wide-body transport airplane
NATHAL, MICHAEL V.  Compatability of dispersion-strengthened platinum with	nozzle pressures for a twin-jet fighter aircraft at transonic speeds	utilizing Pitch Active Control Systems (PACS) for relaxed
resistojet propellants	[NASA-TP-2588] p.2 N88-10765	static stability application [NASA-TP-2482] p 6 NB8-14987
[NASA-TP-2765] p 7 N88-12538	PENN. LANNING M.	ROBINSON, MARTHA P.
NICHOLSBOHLIN, JOY	The 1987 Airborne Antarctic Ozone Experiment: The	Cornering characteristics of the main-gear tire of the
International ultraviolet explorer spectral atlas of	Nimbus-7 TOMS data atlas	space shuttle orbiter
planetary nebulae, central stars, and related objects [NASA-RP-1203] p 20 N88-28843	[NASA-RP-1201] p 13 N88-20714	[NASA-TP-2790] p 4 N88-18583
NIELSEN, JACK N.	PERSON, LEE H., JR.	ROHN, DOUGLAS A.
Proceedings of the Circulation-Control Workshop,	Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed	Efficiency testing of a helicopter transmission planetary reduction stage
1986	static stability application	[NASA-TP-2795] p 11 N88-15224
[NASA-CP-2432] p 2 N88-17586	[NASA-TP-2482] p 6 N88-14987	RONCOLI, RALPH B.
NISHIOKA, KENJI Workshop on Technology Development Issues for the	PHILLIPS, PAMELA S.	Development and flight test of an experimenta
Large Deployable Reflector (LDR)	A transonic-small-disturbance wing design	maneuver autopilot for a highly maneuverable aircraft
[NASA-CP-2407] p 20 N88-20235	methodology	[NASA-TP-2618] p 5 N8B-21153 ROSHOLT, ROBERT L.
NOLL, CAREY E.	[NASA-TP-2806] p 2 N88-17614	NASA history data book. Volume 1: NASA resources
Crustal Dynamics Project: Catalogue of site	PILKEY, BARBARA F.  The 58th Shock and Vibration Symposium, volume 1	1958-1968
information [NASA-RP-1198] p 13 N88-19037	[NASA-CP-2488-VOL-1] p 11 N88-13609	[NASA-SP-4012-VOL-1] p 21 N88-25428
[NASA-RP-1198] p 13 N88-19037 NOOR, AHMED K.	The 58th Shock and Vibration Symposium, volume 2	ROTHMANN, BETH
Continuum modeling of large lattice structures: Status	[NASA-CP-2488-VOL-2] p 11 N88-18948	Applications of the hybrid automated reliability predictor
and projections	PILKEY, WALTER D.	[NASA-TP-2760] p 16 N88-12928
[NASA-TP-2767] p 7 N88-14115	The 58th Shock and Vibration Symposium, volume 1	RÜMMEL, JOHN D.
Advances in contact algorithms and their application to tires	[NASA-CP-2488-VOL-1] p"11" N88-13609	Controlled Ecological Life Support System. Design.
[NASA-TP-2781] p 11 N88-21456	The 58th Shock and Vibration Symposium, volume 2 [NASA-CP-2488-VOL-2] p 11 N88-18948	Development, and Use of a Ground-Based Plant Growth
NORUM, THOMAS D.	POLITES. MICHAEL E.	Module [NASA-CP-2479] p 16 N88-13852
Shock structure and noise of supersonic jets in simulated	Further developments in exact state reconstruction in	RUSSELL, JAMES M., III
flight to Mach 0.4	deterministic digital control systems	Description of data on the Nimbus 7 LIMS map archive
[NASA-TP-2785] p 17 N88-16510	[NASA-TP-2812] p 9 N88-18751	tape: Water vapor and nitrogen dioxide
NUGENT, JACK Comparison of wind tunnel and flight test afterbody and	More on exact state reconstruction in deterministic digital	[NASA-TP-2761] p 14 N88-14572
nozzle pressures for a twin-jet fighter aircraft at transonic	control systems [NASA-TP-2847] p 9 N88-28177	RUTTLEDGE, D. C. G.
speeds	[NASA-TP-2847] p 9 N88-28177 POWERS, SHERYLL GOECKE	Rotorcraft flight-propulsion control integration: An eclectic design concept
[NASA-TP-2588] p 2 N88-10765	Flight and wind-tunnel measurements showing base	[NASA-TP-2815] p 6 N88-19475
_	drag reduction provided by a trailing disk for high Reynolds	. ,
0	number turbulent flow for subsonic and transonic Mach	S
	numbers	3
OLIVERSEN, NANCY A.	[NASA-TP-2638] p 10 N88-14299	SALTSMAN, JAMES F.
International ultraviolet explorer spectral atlas of planetary nebulae, central stars, and related objects	Influence of base modifications on in-flight base drag in the presence of jet exhaust for Mach numbers from	Life prediction of thermomechanical fatigue using total
[NASA-RP-1203] p 20 N88-28843	0.7 to 1.5	strain version of strainrange partitioning (SRP): A
OLSEN, GEORGE C.	[NASA-TP-2802] p 10 N88-18881	proposal
Effects of continuous and cyclic thermal exposures on	PRABHU, RAMADAS K.	[NASA-TP-2779] p 11 N88-15263
boron- and borsic-reinforced 6061 aluminum composites	A rapid method for the computation of equilibrium	SCANLON, CHARLES H.
[NASA-TP-1063] p 8 N88-70029 ORANGE, THOMAS W.	chemical composition of air to 15000 K	Effect of motion cues during complex curved approach and landing tasks: A piloted simulation study
Stress intensity and crack displacement for small edge	[NASA-TP-2792] p 8 NB8-16830	[NASA-TP-2773] p 4 N88-12480
cracks	Finite-rate water condensation in combustion-heated wind tunnels	SCHLESINGER, BARRY M.
[NASA-TP-2801] p 11 N88-17095	[NASA-TP-2833] p 6 NB8-28075	Nimbus 7 Solar Backscatter Ultraviolet (SBUV) spectral
OSBORN, M. T.	PRATHER, M. J.	scan solar irradiance and Earth radiance product user's
SAM 2 data user's guide	Present state of knowledge of the upper atmosphere	guide
[NASA-RP-1200] p 13 N88-25094 Forty-eight-inch lidar aerosol measurements taken at the	1988: An assessment report	[NASA-RP-1199] p 12 N88-17096
Langley Research Center, May 1974 to December 1987	[NASA-RP-1208] p 13 N88-29233	SCHLICKENMAIER, HERBERT Airborne Wind Shear Detection and Warning Systems:
[NASA-RP-1209] p 14 N88-29234	_	First Combined Manufacturers' and Technologists'
OSWALD, FRED B.	Q	Conference
Dynamic analysis of multimesh-gear helicopter	<del></del>	[NASA-CP-10006] p 4 N88-17616
transmissions [NASA-TP-2789] p 11 N88-17045	QUERCI, FRANCOIS R.	SCHMITZ, MARION
[17765511 2700] p 11 [100*11043	The M-type stars	Catalog of infrared observations. Part 1: Data [NASA-RP-1196-PT-1-ED-2] p 19 N88-15738
Р	[NASA-SP-492] p 20 N88-11592	[NASA-RP-1196-PT-1-ED-2] p 19 N88-15738 Catalog of infrared observations. Part 2: Appendixes
<b>F</b>	QUINTO, P. FRANK A review of technologies applicable to low-speed flight	[NASA-RP-1196-PT-2-ED-2] p 20 N88-16615
		,

of high-performance aircraft investigated in the Langley 14- x 22-foot subsonic tunnel

p 3 N88-20264

[NASA-TP-2796]

p 20 N88-30545

Far infrared supplement: Catalog of infrared observations, second edition

[NASA-RP-1205]

PARK, STEPHEN K.

Digital enhancement of flow field images [NASA-TP-2770] p 16

p 16 N88-20833

STEINMETZ, GEORGE G.

SCHULTZ K ...L

Volume 1: Shortwave radiation

a Permanent Presence in Space

Fourteenth Space Simulation Conference: Testing for

INASA. RP. 11841

[NASA-CP-2446]

STECHER, JOSEPH L., III

VYKUKAL, H. C.

Space Station Human Factors Research Review Effects of combining vertical and horizontal information into a primary flight display Advancing-side directivity and retreating-side Volume 1: EVA Research and Development interactions of model rotor blade-vortex interaction noise [NASA-CP-2426-VOL-1] p 15 N88-24145 p 5 N88-12487 p 18 N88-22710 [NASA-TP-2783] INASA-TP-27841 STOWE, L. L. SCHWARTZ, DEBORAH E. Angular radiation models for Earth-atmosphere system. Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354 Volume 1: Shortwave radiation p 15 N88-15354 p 14 N88-27677 [NASA-RP-1184] SCOTT, J. HOLLAND, JR. WAGGONER, EDGAR G. STUBBS, SANDY M. Investigation of the misfueling of reciprocating piston transonic-small-disturbance wing Cornering characteristics of the main-gear tire of the space shuttle orbiter methodology aircraft engines p.4 N88-21144 INASA-TP-28031 INASA-TP-28061 o 2 N88-17614 p 4 N88-18583 [NASA-TP-2790] SECHRIST, FRANK S. WALKER, I. J. SULLIVAN, ROY M. The 1987 Airborne Antarctic Ozone Experiment: The Angular radiation models for Earth-atmosphere system Hydroburst test of a carbon-carbon involute exit cone Nimbus-7 TOMS data atlas Volume 1: Shortwave radiation p 7 N88-14112 [NASA-TP-2556] p 13 N88-20714 [NASA-RP-1184] p 14 N88-27677 INASA-RP-12011 SUTTLES, J. T. WATSON, R. T. SHARPE, DAVID L. Angular radiation models for Earth-atmosphere system. An experimental investigation of the flap-lag-torsion Present state of knowledge of the upper atmosphere 1988: An assessment report Volume 1: Shortwave radiation aeroelastic stability of a small-scale hingeless helicopter [NASA-RP-1184] p 14 N88-27677 (NASA-RP-1208) p 13 N88-29233 rotor in hover SZOFRAN, F. R. p 3 N88-20257 WEAVER, W. A. [NASA-TP-2546] Growth of solid solution single crystals
[NASA-TP-2787] Handling qualities of a wide-body transport airplane p 9 N88-14212 SHEARIN, JOHN G. utilizing Pitch Active Control Systems (PACS) for relaxed Shock structure and noise of supersonic jets in simulated flight to Mach 0.4 static stability application T p 17 N88-16510 p 6 N88-14987 WHALEN, MARGARET V. SHYNE, RICKEY J. Compatability of dispersion-strengthened platinum with TANNER, JOHN A. Experimental evaluation of turning vane designs for high-speed and coupled fan-drive corners of 0.1-scale resistojet propellants Advances in contact algorithms and their application to p 7 N88-12538 INASA-TP-27651 model of NASA Lewis Research Center's proposed altitude tires WHITCOMB, JOHN D. INASA-TP-27811 o 11 N88-21456 wind tunnel Three-dimensional analysis of a postbuckled embedded TANNER, TRIEVE [NASA-TP-2681] p 6 N88-17686 Space Station Human Factors Research Review. Volume 4: Inhouse Advanced Development and detamination SINGH, JAG J. INASA-TP-28231 p 12 N88-26684 Nuclear techniques in studies of condensed matter WHITE, ALLAN L Research p 18 N88-13015 [NASA-RP-1195] SURE reliability analysis: Program and mathematics [NASA-CP-2426-VOL-4] p 15 N88-24148 SINHA, SUJIT [NASA-TP-2764] p 17 N88-17380 TAUBER, MICHAEL E. A study to evaluate STS heads-up ascent trajectory Trajectory characteristics and heating of hypervelocity WIELICKI, B. A. employing a minimum-Hamiltonian performance projectiles having large ballistic coefficients [NASA-TP-2614] p 2 Angular radiation models for Earth-atmosphere system. optimization strategy p 2 N88-19412 Volume 1: Shortwave radiation p 6 N88-15820 p 14 N88-27677 TÄYLOR, V. R. [NASA-RP-1184] SMERNOFF, DAVID T. WILLEY, C. S. Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation Controlled Ecological Life Support Regenerative Life Support Systems in Space Support System: Handling qualities of a wide-body transport airplane utilizing Pitch Active Control Systems (PACS) for relaxed p 14 N88-27677 p 16 N88-12251 [NASA-CP-2480] static stability application THOMAS, RICHARD Controlled Ecological Life Support System. Design, [NASA-TP-2482] WILLIAMS, LOUIS J. p 6 N88-14987 The M-type stars Development, and Use of a Ground-Based Plant Growth [NASA-SP-492] p 20 N88-11592 Module Laminar Flow Aircraft Certification
[NASA-CP-2413] TIFFANY, SHERWOOD H. [NASA-CP-2479] p 16 N88-13852 p 3 N88-23737 Nonlinear programming extensions to rational function SMITH, DONALD L. WILSON, JOHN W. approximation methods for unsteady aerodynamic forces Properties of two composite materials made of p.5 N88-24623 Eikonal solutions to optical model coupled-channel INASA-TP-27761 toughened epoxy resin and high-strain graphite fiber equations [NASA-TP-2830] TOMPKINS, STEPHEN S. p8 N88-25480 [NASA-TP-2826] Effects of continuous and cyclic thermal exposures on boron- and borsic-reinforced 6061 aluminum composites p 18 N88-30402 SMITH, G. L. WOOD, RICHARD M. Angular radiation models for Earth-atmosphere system. p 8 N88-70029 [NASA-TP-1063] Planform effects on the supersonic aerodynamics of Volume 1: Shortwave radiation TORR. DOUGLASS multibody configurations [NASA-RP-1184] p 14 N88-27677 [NASA-TP-2762] p 2 N88-12454 into the thermosphere: The almosphere explorers [NASA-SP-490] p 13 N88-1 SMITH, G. LOUIS p 13 N88-18084 Supersonic aerodynamics of delta wings p 2 N88-17615 Atlas of wide-field-of-view outgoing longwave radiation [NASA-TP-2771] TORR. M. R. derived from Nimbus 7 Earth radiation budget data set -WYNNE, ELEANOR C. A Study of Space Station Contamination Effects
[NASA-CP-3002] p 19 N88-November 1978 to October 1985 (NASA-RP-1186) Steady and unsteady transonic pressure measurements on a clipped delta wing for pitching and control-surface p 19 N88-25390 p 14 N88-10451 SNYDER, ROBERT S. TOWNSEND, DENNIS P. oscillations [NASA-TP-2594] Dynamic analysis of multimesh-gear helicopter Preparative electrophoresis for space [NASA-TP-2777] p 4 N88-28895 p 8 N88-10977 p 11 N88-17045 Continuous flow electrophoresis system experiments on INASA-TP-27891 shuttle flights STS-6 and STS-7 [NASA-TP-2778] TOWNSEND, JOHN S. p 9 N88-10978 Dynamic characteristics of a vibrating beam with periodic variation in bending stiffness [NASA-TP-2697] YI, THOMAS Y.

The 1986 Goddard Space Flight Center Battery SPADY, AMOS A., JR. p 12 N88-23988 Airborne Wind Shear Detection and Warning Systems Workshop First Combined Manufacturers' and Technologists' TOWNSEND, LAWRENCE W. INASA-CP-24861 p 9 N88-11021 Conference Eikonal solutions to optical model coupled-channel p 4 N88-17616 YOUNG, D. F. [NASA-CP-10006] equations Angular radiation models for Earth-atmosphere system. Volume 1: Shortwave radiation SPANN, J. F. [NASA-TP-2830] p 18 N88-30402 A Study of Space Station Contamination Effects
[NASA-CP-3002] p 19 N88-TRIVEDI, KISHOR T. p 19 N88-25390 [NASA-RP-1184] p 14 N88-27677 Applications of the hybrid automated reliability SPICER, D. S. predictor Theoretical Problems in High Resolution Solar Physics, [NASA-TP-2760] p 16 N88-12928 p 21 N88-11609 INASA-CP-24831 SPLETTSTOESSER, W. R. directivity and retreating-side Advancing-side interactions of model rotor blade-vortex interaction noise VANNIMMEN, JANE p 18 N88-22710 NASA history data book. Volume 1: NASA resources [NASA-TP-2784] SOUYRES, STEVEN W. Microgravity Particle Research on the Space Station [NASA-CP-2496] p 15 N88-15354 [NASA-SP-4012-VOL-1] p 21 N88-25428 VEREEN, MARY STACK, SHARON H. Third Conference on Artificial Intelligence for Space Langley Symposium on Aerodynamics, volume 1 [NASA-CP-2397] p 1 N88-Applications, part 1 p 1 N88-14926 p 16 N88-16360 INASA-CP-2492-Pt-11 STAYLOR, W. F. Third Conference on Artificial Intelligence for Space Angular radiation models for Earth-atmosphere system.

Applications, part 2

VICROY, DAN D.

[NASA-TP-2827]

p 14 N88-27677

p 7 N88-10829

INASA-CP-2492-PT-21

characteristics of airplanes


Influence of wind shear on the aerodynamic

p 17 N88-24188

n 4 NRR-26344

design

## **Typical Report Number** Index Listing



Listings in this index are arranged alphanumerically by report number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified.

NASA-CP-10001	p 10	N88-15924
NASA-CP-10003-SESS-1	•	N88-16697
NASA-CP-10003-SESS-2		N88-15785
NASA-CP-10003-SESS-3	-	N88-15790
NASA-CP-10003-SESS-4	•	N88-15794
NASA-CP-10003-SESS-5	•	N88-15800
NASA-CP-10003-SESS-6	р5 р5	N88-15807
NASA-CP-10003-3E33-6		N88-14970
NASA-CP-10006		N88-17616
NASA-CP-10007		N88-27148
NASA-CP-10009	p 10	N88-20599
NASA-CP-10010		N88-21498
NASA-CP-10011	p 16	N88-21646
NASA-CP-2397	p 1	N88-14926
NASA-CP-2405	p 11	N88-11140
NASA-CP-2407	p 20	N88-20235
NASA-CP-2413	р3	N88-23737
NASA-CP-2426-VOL-1	p 15	N88-24145
NASA-CP-2426-VOL-3	p 15	N88-19883
NASA-CP-2426-VOL-4	p 15	N88-24148
NASA-CP-2427	p 8	N88-23872
NASA-CP-2432	p 2	N88-17586
NASA-CP-2446	p 7	N88-10829
NASA-CP-2473	p 7	N88-10084
NASA-CP-2476	p 7	N88-12520
NASA-CP-2479	p 16	N88-13852
NASA-CP-2480 NASA-CP-2483	p 16	N88-12251
NASA-CP-2483 NASA-CP-2485	p 21 p 15	N88-11609 N38-17168
NASA-CP-2486	p 15	N88-11021
NASA-CP-2488-VOL-1	p 11	N88-13609
NASA-CP-2488-VOL-2	p 11	N88-18948
NASA-CP-2490	p 7	N88-10870
NASA-CP-2491	p 16	N88-17206
NASA-CP-2492-Pt-1	p 16	N88-16360
NASA-CP-2492-PT-2	p 17	N88-24188
NASA-CP-2495-VOL-1	p 1	N88-16625
NASA-CP-2495-VOL-2	p 1	N88-16632
NASA-CP-2495-VOL-3	p 1	N88-16650
NASA-CP-2496	p 15	N88-15354
NASA-CP-2497	p 12	N88-13774
NASA-CP-2498	p 14	N88-25105
NASA-CP-2499	p 15	NB8-14623
NASA-CP-2500	р6	NB8-17691
NASA-CP-2502	p 1	N88-23715
NASA-CP-2503	р9	N88-23895
NASA-CP-2504 NASA-CP-2505	p 15	N88-23370
	p 11	N88-20652
NASA-CP-2506 NASA-CP-3002	р 11 р 19	N88-21468 N88-25390
NASA-CP-3003-VOL-1	p 12	N88-23226
NASA-CP-3003-VOL-2	p 12	N88-22382
NASA-CP-3003-VOL-3	p 12	N88-22408
NASA-CP-3005	p 21	N88-26279
NASA-CP-3007	p 17	N88-29351

11A3A-CF-3008	,	. р 17	1400-30330
NASA-RP-1108	3/2	р9	N88-14226
NASA-RP-1124			N88-10117
NASA-RP-1130			N88-18884
NASA-RP-1184		p 14	N88-27677
NASA-RP-1186		p 14	N88-10451
NASA-RP-1187			N88-19467
NASA-RP-1195			N88-13015
	S-PT-1-ED-2		N88-15738
	-PT-2-ED-2		N88-16615
NASA-RP-1197 NASA-RP-1198			N88-20772
NASA-RP-1199			N88-19037 N88-17096
NASA-RP-1200		p 13	N88-25094
NASA-RP-1201			N88-20714
NASA-RP-1202			N88-29652
NASA-RP-1203			N88-28843
NASA-RP-1205		p 20	N88-30545
NASA-RP-1208		p 13	N88-29233
NASA-RP-1209		p 14	N88-29234
NASA-SP-4012	-VOL-1	p 21	N88-25428
	-VOL-2 -VOL-3	p 21	N88-25429
	-VOL-3	p 21 p 21	N88-25430 N88-14062
NASA-SP-487	***************************************		N88-19375
NASA-SP-490	*******************************	p 13	N88-18084
NASA-SP-492	***************************************		N88-11592
	·····		N88-24564
	(306)	p 15	NB8-18180
	(315)		N88-30281
NASA-SP-7037	(222)	р3	N88-19416
NASA-SP-7037	(229)	p 1	N88-27163
NASA-SP-7039	(32)-SECT-1-ABST	p 19	N88-15732
NASA-SP-7039	(32)-SECT-2		N88-18511
NASA-SP-7041		p 13	N88-23314
NASA-SP-7046	(18)	p 6	N88-27214
NASA-SP-7053	(SUPP-4)		N88-16575
NASA-SP-7056		p 7	N88-13382
NASA-SP-7063		p 19	N88-22830
NASA-SP-7069		p 20	N88-24553
	(22)	р 20 р 18	N88-24553 N88-21867
NASA-SP-7500		p 18	N88-21867
		р 18 р 8	N88-21867 N88-70029
NASA-SP-7500 NASA-TP-1063	(22)	р 18 р 8 р 6	N88-21867 N88-70029 N88-14987
NASA-SP-7500 NASA-TP-1063 NASA-TP-2482	(22)	p 18 p 8 p 6 p 3	N88-21867 N88-70029
NASA-SP-75000 NASA-TP-1063 NASA-TP-2482 NASA-TP-2517 NASA-TP-2546 NASA-TP-2556	(22)	p 18 p 8 p 6 p 3 p 3	N88-21867 N88-70029 N88-14987 N88-23735
NASA-TP-1063 NASA-TP-2482 NASA-TP-2517 NASA-TP-2546 NASA-TP-2556 NASA-TP-2588	(22)	p 18 p 8 p 6 p 3 p 7 p 2	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765
NASA-SP-7500 NASA-TP-1063 NASA-TP-2482 NASA-TP-2517 NASA-TP-2556 NASA-TP-2556 NASA-TP-2588 NASA-TP-2594	(22)	P 18 P 8 P 6 P 3 P 7 P 2 P 4	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-28895
NASA-TP-1063 NASA-TP-2482 NASA-TP-2517 NASA-TP-2546 NASA-TP-2556 NASA-TP-2588 NASA-TP-2594 NASA-TP-2614	(22)	P 18 P 8 P 6 P 3 P 7 P 2 P 4 P 2	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-28895 N88-19412
NASA-SP-7500( NASA-TP-1063 NASA-TP-2482 NASA-TP-2517 NASA-TP-2546 NASA-TP-2556 NASA-TP-2588 NASA-TP-2594 NASA-TP-2614 NASA-TP-2615	(22)	P 18 P 8 P 6 P 3 P 7 P 2 P 4 P 1	N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-28895 N88-19412 N88-19407
NASA-TP-1063 NASA-TP-1063 NASA-TP-2482 NASA-TP-2517 NASA-TP-256 NASA-TP-2588 NASA-TP-2614 NASA-TP-2614 NASA-TP-2615 NASA-TP-2618	(22)	P 18 P 8 P 6 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-28895 N86-19412 N88-19407 N88-21153
NASA-SP-7500( NASA-TP-1063 NASA-TP-2482 NASA-TP-2516 NASA-TP-2556 NASA-TP-2556 NASA-TP-2614 NASA-TP-2615 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618	(22)	P 18 P 8 P 6 P 3 P 7 P 2 P 4 P 5 P 5 P 2	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-28895 N88-19417 N88-21153 N88-1155 N88-18567
NASA-SP-7500 NASA-TP-1063 NASA-TP-2482 NASA-TP-2517 NASA-TP-256 NASA-TP-256 NASA-TP-2594 NASA-TP-2614 NASA-TP-2615 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618	(22)	P 18 P 8 P 6 P 3 P 7 P 2 P 1 P 5 P 2 P 10	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-28995 N88-19412 N88-19407 N88-21153 N88-18567 N88-14299
NASA-TP-1063 NASA-TP-2482 NASA-TP-2517 NASA-TP-2546 NASA-TP-2558 NASA-TP-2588 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2638 NASA-TP-2638	(22)	P 18 P 8 P 6 P 3 P 7 P 2 P 4 P 2 P 1 P 5 P 2 P 10 P 6	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-28895 N88-19412 N88-19417 N88-1153 N88-18567 N88-18567 N88-18568
NASA-TP-2619 NASA-TP-2616 NASA-TP-2516 NASA-TP-2556 NASA-TP-2556 NASA-TP-2584 NASA-TP-2614 NASA-TP-2618 NASA-TP-2618 NASA-TP-2619 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638	(22)	P 18 P 8 P 6 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-28895 N88-19407 N88-21153 N88-18567 N88-14299 N88-17686 N88-14629
NASA-TP-1063 NASA-TP-2482 NASA-TP-2517 NASA-TP-2546 NASA-TP-2558 NASA-TP-2588 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2638 NASA-TP-2638	(22)	P 18 P 8 P 6 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-28895 N88-19407 N88-21153 N88-18567 N88-14299 N88-14299 N88-14629 N88-14629 N88-23988
NASA-TP-1063 NASA-TP-2482 NASA-TP-2517 NASA-TP-2556 NASA-TP-2556 NASA-TP-2561 NASA-TP-2614 NASA-TP-2615 NASA-TP-2619 NASA-TP-2619 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638	(22)	P 18 P 8 P 6 P 9 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-28895 N88-19407 N88-21153 N88-18567 N88-14299 N88-17686 N88-14629
NASA-SP-7500 NASA-TP-1063 NASA-TP-2482 NASA-TP-2546 NASA-TP-2556 NASA-TP-2556 NASA-TP-2598 NASA-TP-2615 NASA-TP-2615 NASA-TP-2619 NASA-TP-2619 NASA-TP-2638 NASA-TP-2681 NASA-TP-2697 NASA-TP-2697 NASA-TP-2697 NASA-TP-2697	(22)	P 18 P 8 P 6 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-19412 N88-19412 N88-19407 N88-21153 N88-18567 N88-14629 N88-14629 N88-14629 N88-1450
NASA-TP-2616 NASA-TP-2517 NASA-TP-2517 NASA-TP-2566 NASA-TP-2566 NASA-TP-2566 NASA-TP-2614 NASA-TP-2615 NASA-TP-2619 NASA-TP-2618 NASA-TP-2619 NASA-TP-2638 NASA-TP-2697 NASA-TP-2697 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760		P 18 P 8 P 6 P 9 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7	N88-21867 N88-70029 N88-14987 N88-22735 N88-20257 N88-10765 N88-19407 N88-19407 N88-1153 N88-14299 N88-14299 N88-14629 N88-14629 N88-14529 N88-10771 N88-10928 N88-10771 N88-10928 N88-1928 N88-14572
NASA-TP-260 NASA-TP-260 NASA-TP-256 NASA-TP-256 NASA-TP-256 NASA-TP-256 NASA-TP-2614 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2695 NASA-TP-2695 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2761		P 18 P P P P P P P P P P P P P P P P P P P	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-19407 N88-21153 N88-19407 N88-11650 N88-14299 N88-23988 N88-11450 N88-11450 N88-10771 N88-12928 N88-14572 N88-14572 N88-14572
NASA-TP-260 NASA-TP-2482 NASA-TP-2516 NASA-TP-2556 NASA-TP-2556 NASA-TP-2614 NASA-TP-2614 NASA-TP-2615 NASA-TP-2619 NASA-TP-2619 NASA-TP-2638 NASA-TP-2697 NASA-TP-27697 NASA-TP-27697 NASA-TP-27697 NASA-TP-27697 NASA-TP-27697 NASA-TP-27697 NASA-TP-27697 NASA-TP-27697 NASA-TP-27697 NASA-TP-27697 NASA-TP-27697 NASA-TP-27697 NASA-TP-27697		P 18 P P P P P P P P P P P P P P P P P P	N88-21867 N88-70029 N88-14987 N88-23735 N88-223735 N88-14112 N88-10765 N88-28895 N88-19407 N88-19407 N88-1153 N88-18567 N88-14299 N88-17686 N88-14529 N88-1352 N88-1357 N88-12928 N88-12928 N88-1357 N88-12928 N88-1357
NASA-TP-260 NASA-TP-2617 NASA-TP-2517 NASA-TP-2556 NASA-TP-2566 NASA-TP-2561 NASA-TP-2614 NASA-TP-2615 NASA-TP-2619 NASA-TP-2619 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2697 NASA-TP-27697 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2761 NASA-TP-2764 NASA-TP-2764 NASA-TP-2764 NASA-TP-2765		P 18 P P 6 3 3 7 P P P P P P P P P P P P P P P P P	N88-21867 N88-70029 N88-14987 N88-23735 N88-14925 N88-14112 N88-10765 N88-2895 N88-19407 N88-21153 N88-18567 N88-14299 N88-14629 N88-1450 N88-10771 N88-12928 N88-14572 N88-12928 N88-14572 N88-12928 N88-17380 N88-12538
NASA-TP-1063 NASA-TP-2162 NASA-TP-2546 NASA-TP-2556 NASA-TP-2566 NASA-TP-2568 NASA-TP-2614 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2695 NASA-TP-2695 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760		P 18 P P 6 3 3 7 7 2 4 2 10 6 16 12 17 P P P P P P P P P P P P P P P P P P P	N88-21867 N88-70029 N88-14987 N88-23735 N88-2257 N88-14112 N88-10765 N88-19407 N88-21153 N88-19407 N88-11650 N88-14299 N88-23988 N88-11450 N88-11450 N88-10771 N88-12928 N88-12928 N88-12538 N88-12538 N88-17440
NASA-TP-260 NASA-TP-2482 NASA-TP-2516 NASA-TP-2556 NASA-TP-2556 NASA-TP-2614 NASA-TP-2614 NASA-TP-2615 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2763 NASA-TP-2763 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2764 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766		P 18 P P 6 3 3 7 7 2 4 2 1 7 5 2 10 6 16 12 17 7 18 7 17 18 7 18 7 17	N88-21867 N88-70029 N88-14987 N88-23735 N88-223735 N88-14112 N88-10765 N88-189417 N88-19407 N88-19407 N88-14529 N88-17686 N88-14529 N88-18567 N88-14572 N88-12528 N88-17380 N88-17380 N88-17380 N88-17380 N88-17380 N88-17380 N88-17440 N88-1415
NASA-SP-7500 NASA-TP-1063 NASA-TP-2482 NASA-TP-2554 NASA-TP-2556 NASA-TP-2556 NASA-TP-2558 NASA-TP-2615 NASA-TP-2615 NASA-TP-2618 NASA-TP-2618 NASA-TP-2638 NASA-TP-2638 NASA-TP-2697 NASA-TP-2753 NASA-TP-2754 NASA-TP-2756 NASA-TP-2760 NASA-TP-2760 NASA-TP-2765 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766		P 18 P P 6 6 3 7 P P P P P P P P P P P P P P P P P P	N88-21867  N88-70029  N88-14987  N88-22735  N88-14112  N88-10765  N88-19407  N88-19407  N88-1153  N88-14529  N88-14629  N88-14629  N88-14629  N88-14572  N88-12928  N88-12928  N88-12928  N88-12958  N88-12454  N88-12958  N88-12454  N88-17390  N88-12538  N88-17440  N88-14740
NASA-TP-260 NASA-TP-2482 NASA-TP-2516 NASA-TP-2556 NASA-TP-2556 NASA-TP-2614 NASA-TP-2614 NASA-TP-2615 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2763 NASA-TP-2763 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2764 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766		P 18 P P P P P P P P P P P P P P P P P P P	N88-21867 N88-70029 N88-14987 N88-23735 N88-2257 N88-14112 N88-10765 N88-19407 N88-21153 N88-19407 N88-11650 N88-14299 N88-23988 N88-11450 N88-11450 N88-14572 N88-12538 N88-12538 N88-17440 N88-14740 N88-14710 N88-12740 N88-12740 N88-12740
NASA-TP-2063 NASA-TP-2162 NASA-TP-2556 NASA-TP-2556 NASA-TP-2556 NASA-TP-25614 NASA-TP-2614 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-263 NASA-TP-263 NASA-TP-2763 NASA-TP-2764 NASA-TP-2766		P 18 P P 6 6 3 7 P P P P P P P P P P P P P P P P P P	N88-21867 N88-70029 N88-14987 N88-23735 N88-2257 N88-14112 N88-10765 N88-188-19407 N88-21153 N88-18567 N88-14529 N88-17699 N88-17629 N88-17629 N88-14572 N88-1253 N88-14572 N88-1253 N88-17440 N88-17440 N88-14115 N88-21740 N88-1415 N88-21740 N88-1415
NASA-TP-200 NASA-TP-2482 NASA-TP-2516 NASA-TP-2556 NASA-TP-2556 NASA-TP-2561 NASA-TP-2614 NASA-TP-2615 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2753 NASA-TP-2753 NASA-TP-2754 NASA-TP-2764 NASA-TP-2766 NASA-TP-2766 NASA-TP-2767 NASA-TP-2768 NASA-TP-2768 NASA-TP-2769 NASA-TP-2769 NASA-TP-2769 NASA-TP-2769 NASA-TP-2769 NASA-TP-2769 NASA-TP-2769 NASA-TP-2769 NASA-TP-2769 NASA-TP-2769		P P P P P P P P P P P P P P P P P P P	N88-21867 N88-70029 N88-14987 N88-23735 N88-2257 N88-14112 N88-10765 N88-19407 N88-21153 N88-19407 N88-11650 N88-14299 N88-23988 N88-11450 N88-11450 N88-14572 N88-12538 N88-12538 N88-17440 N88-14740 N88-14710 N88-12740 N88-12740 N88-12740
NASA-TP-2063 NASA-TP-2482 NASA-TP-2556 NASA-TP-2556 NASA-TP-2556 NASA-TP-2558 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2748 NASA-TP-2750 NASA-TP-2750 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2768 NASA-TP-2768 NASA-TP-2768 NASA-TP-2768 NASA-TP-2768 NASA-TP-2768 NASA-TP-2768 NASA-TP-2768 NASA-TP-2768 NASA-TP-2767 NASA-TP-2776 NASA-TP-2777		P 18 P P P P P P P P P P P P P P P P P P P	N88-21867  N88-70029  N88-14987  N88-22735  N88-14112  N88-10765  N88-19407  N88-19407  N88-14529  N88-14629  N88-14629  N88-14629  N88-1450  N88-1450  N88-1740  N88-12928  N88-1740  N88-12454  N88-1740  N88-12455  N88-1740  N88-12455  N88-1740  N88-12458  N88-1740  N88-12453  N88-1740  N88-12453  N88-1740  N88-12453  N88-1740  N88-12455  N88-1740  N88-12455  N88-1740  N88-12455  N88-1740  N88-12455  N88-1740  N88-12455  N88-1740  N88-12455
NASA-TP-2000 NASA-TP-2482 NASA-TP-2556 NASA-TP-2556 NASA-TP-2556 NASA-TP-2556 NASA-TP-2558 NASA-TP-2615 NASA-TP-2615 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-273 NASA-TP-2750 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2768 NASA-TP-2768 NASA-TP-2768 NASA-TP-2778 NASA-TP-2778 NASA-TP-2771 NASA-TP-2777 NASA-TP-2777 NASA-TP-2777		P P P P P P P P P P P P P P P P P P P	N88-21867 N88-70029 N88-14987 N88-23735 N88-2257 N88-14112 N88-10765 N88-19407 N88-21153 N88-19407 N88-1153 N88-18567 N86-14299 N88-23988 N88-11450 N88-11450 N88-14572 N88-12538 N88-17440 N88-12538 N88-17440 N88-12538 N88-17440 N88-121740 N88-12740 N88-12740 N88-17615 N88-20833 N88-17615 N88-10009
NASA-TP-200 NASA-TP-2063 NASA-TP-2546 NASA-TP-2556 NASA-TP-2556 NASA-TP-2568 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2753 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2776 NASA-TP-2776 NASA-TP-2770 NASA-TP-2777		P P P P P P P P P P P P P P P P P P P	N88-21867  N88-70029  N88-14987  N88-23735  N88-2257  N88-14112  N88-10765  N88-19407  N88-19407  N88-1153  N88-18567  N88-14299  N88-23988  N88-11450  N88-14629  N88-12543  N88-12543  N88-12543  N88-1740  N88-12543  N88-12543  N88-12543
NASA-TP-260 NASA-TP-264 NASA-TP-2556 NASA-TP-2556 NASA-TP-2556 NASA-TP-2561 NASA-TP-2614 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2753 NASA-TP-2753 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2770 NASA-TP-2770 NASA-TP-2771 NASA-TP-2777 NASA-TP-2777		P P P P P P P P P P P P P P P P P P P	N88-21867 N88-70029 N88-14987 N88-23735 N88-20257 N88-14112 N88-10765 N88-19407 N88-21153 N88-19407 N88-21153 N88-18567 N88-14299 N88-23988 N88-11450 N88-11450 N88-11450 N88-12538 N88-14572 N88-12538 N88-17440 N88-12538 N88-17440 N88-12455 N88-20833 N88-17440 N88-12455 N88-20833 N88-17615 N88-20833 N88-17615 N88-20833 N88-17615 N88-20833 N88-17615 N88-12450 N88-12530 N88-12530 N88-12530
NASA-TP-200 NASA-TP-2482 NASA-TP-2546 NASA-TP-2556 NASA-TP-2556 NASA-TP-2556 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2738 NASA-TP-2758 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2760 NASA-TP-2776 NASA-TP-2770 NASA-TP-2770 NASA-TP-2777 NASA-TP-2777 NASA-TP-2777		P P P P P P P P P P P P P P P P P P P	N88-21867  N88-70029  N88-14987  N88-22735  N88-14917  N88-10765  N88-19412  N88-19407  N88-1153  N88-14529  N88-14629  N88-14629  N88-14572  N88-12928  N88-13450  N88-129407  N88-12454  N88-12450  N88-12450  N88-12450  N88-12454  N88-12450  N88-12450  N88-12450  N88-12450  N88-12450  N88-12450  N88-12450  N88-12450  N88-12450
NASA-TP-1063 NASA-TP-1063 NASA-TP-2162 NASA-TP-2546 NASA-TP-2556 NASA-TP-2556 NASA-TP-2556 NASA-TP-256 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2638 NASA-TP-2641 NASA-TP-2753 NASA-TP-2761 NASA-TP-2762 NASA-TP-2762 NASA-TP-2764 NASA-TP-2768 NASA-TP-2768 NASA-TP-2768 NASA-TP-2768 NASA-TP-2778		P P P P P P P P P P P P P P P P P P P	N88-21867  N88-70029  N88-14987  N88-23735  N88-2257  N88-14112  N88-10765  N88-19407  N88-19407  N88-1153  N88-18567  N88-14299  N88-23988  N88-14629  N88-14629  N88-14572  N88-12928  N88-1740  N88-12538  N88-1740  N88-12538
NASA-TP-200 NASA-TP-21063 NASA-TP-2156 NASA-TP-2556 NASA-TP-2556 NASA-TP-2556 NASA-TP-2614 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2619 NASA-TP-2753 NASA-TP-2753 NASA-TP-2760 NASA-TP-2760 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2770 NASA-TP-2770 NASA-TP-2771 NASA-TP-2777 NASA-TP-2777 NASA-TP-2777 NASA-TP-2777 NASA-TP-2777 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778		P P P P P P P P P P P P P P P P P P P	N88-21867  N88-70029  N88-14987  N88-23735  N88-20257  N88-14112  N88-10765  N88-19407  N88-19407  N88-1153  N88-18567  N88-14299  N88-23988  N88-11450  N88-14629  N88-12538  N88-11450  N88-12538  N88-1740  N88-12538  N88-1740  N88-12538  N88-1740  N88-12538  N88-1740  N88-12538  N88-1740  N88-12538  N88-1740  N88-12455  N88-20833  N88-17615  N88-12480  N88-12480  N88-12480  N88-12480  N88-12480  N88-12580  N88-10977  N88-10977  N88-10977  N88-10977  N88-10977  N88-10978  N88-15263  N88-15263
NASA-TP-260 NASA-TP-256 NASA-TP-256 NASA-TP-2556 NASA-TP-2556 NASA-TP-256 NASA-TP-2614 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2619 NASA-TP-2753 NASA-TP-2753 NASA-TP-2760 NASA-TP-2762 NASA-TP-2764 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2767 NASA-TP-2770 NASA-TP-2770 NASA-TP-2771 NASA-TP-2771 NASA-TP-2777 NASA-TP-2777 NASA-TP-2778		P P P P P P P P P P P P P P P P P P P	N88-21867  N88-70029  N88-14987  N88-23735  N88-2257  N88-14112  N88-10765  N88-19407  N88-19407  N88-1153  N88-18567  N88-14299  N88-23988  N88-14629  N88-14629  N88-14572  N88-12928  N88-1740  N88-12538  N88-1740  N88-12538
NASA-TP-200 NASA-TP-21063 NASA-TP-2156 NASA-TP-2556 NASA-TP-2556 NASA-TP-2556 NASA-TP-2614 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2618 NASA-TP-2619 NASA-TP-2753 NASA-TP-2753 NASA-TP-2760 NASA-TP-2760 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2766 NASA-TP-2770 NASA-TP-2770 NASA-TP-2771 NASA-TP-2777 NASA-TP-2777 NASA-TP-2777 NASA-TP-2777 NASA-TP-2777 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778 NASA-TP-2778		P P P P P P P P P P P P P P P P P P P	N88-21867  N88-70029  N88-14987  N88-23735  N88-20257  N88-14112  N88-10765  N88-19407  N88-19407  N88-1153  N88-18567  N88-14299  N88-23988  N88-11450  N88-14629  N88-12538  N88-11450  N88-12538  N88-1740  N88-12538  N88-1740  N88-12538  N88-1740  N88-12538  N88-1740  N88-12538  N88-1740  N88-12538  N88-1740  N88-12455  N88-20833  N88-17615  N88-12480  N88-12480  N88-12480  N88-12480  N88-12480  N88-12580  N88-10977  N88-10977  N88-10977  N88-10977  N88-10977  N88-10978  N88-15263  N88-15263

NASA-CP-3009 ...... p 17 N88-30330

NASA-TP-2784		p 18	N88-22710
NASA-TP-2785			N88-16510
NASA-TP-2787		•	N88-14212
NASA-TP-2788			N88-15146
NASA-TP-2789			N88-17045
NASA-TP-2790			N88-18583
NASA-TP-2791			N88-15846
NASA-TP-2792		p 8	N88-16830
NASA-TP-2793		p 6	N88-15820
NASA-TP-2795		p 11	N88-15224
NASA-TP-2796		р3	N88-20264
NASA-TP-2797		p 2	N88-16662
NASA-TP-2798		p 18	N88-18443
NASA-TP-2799		р3	N88-19420
NASA-TP-2800		p 3	N88-20280
NASA-TP-2801		p 11	N88-17095
NASA-TP-2802	*****************************	p 10	N88-18881
NASA-TP-2803		p 4	NB8-21144
NASA-TP-2804		p 10	N88-22325
NASA-TP-2805		p 2	N88-18552
NASA-TP-2806		p 2	N88-17614
NASA-TP-2807		р9	N88-17869
NASA-TP-2808		p 5	N88-22031
NASA-TP-2809		p 3	N88-21117
NASA-TP-2810		p 5	N88-21157
NASA-TP-2812		р9	N88-18751
NASA-TP-2813		р3	N88-21118
NASA-TP-2814		p 3	N88-23757
NASA-TP-2815		p 6	N88-19475
NASA-TP-2816		p 11	N88-18933
NASA-TP-2817		p 17	N88-22653
NASA-TP-2818		p 3	N88-23760
NASA-TP-2821		p 12	N88-25013
NASA-TP-2823		p 12	N88-26684
NASA-TP-2824		p 12	N88-28343
NASA-TP-2825		p 18	N88-26907
NASA-TP-2826		р8	N88-25480
NASA-TP-2827		p 4	N88-26344
NASA-TP-2830		p 18	N88-30402
NASA-TP-2833		р6	N88-28075
NASA-TP-2834		p 4	N88-29752
		p 10	N88-30099
		p 10	N88-28286
NASA-TP-2847	,,	р9	N88-28177

1. Report No.	2. Government Access	sion No.	3. Recipient's Catalog	lo.	
NASA SP-7063(03)					
4. Title and Subtitle		5. Report Date			
NASA Scientific and Technical Publications: A Catalog			February 1989		
of Special Publications, Reference Pub			<ol><li>Performing Organiza</li></ol>	tion Code	
Conference Publications, and Technica	Papers, 1988				
7. Author(s)			8. Performing Organiza	tion Report No.	
		<u> </u>	10. Work Unit No.		
Performing Organization Name and Address					
Office of Management		-	11. Contract or Grant N	n	
Scientific and Technical Information Div			The Continuor of Grant 11	<b>.</b>	
National Aeronautics and Space Admir	istration	<u> </u>	13. Type of Report and Period Covered		
Washington, DC 20546			13. Type of Report and	Period Covered	
12. Sponsoring Agency Name and Address	_!_44!				
National Aeronautics and Space Admi	nistration	<u> </u>	14. Sponsoring Agency	Code	
Washington, DC 20546					
15. Supplementary Notes					
16. Abstract					
This catalog lists 179 citations of all N	IASA Special Public	ations, NASA Reference	Publications, NAS	A Conference	
Publications, and NASA Technical P	apers that were en	tered into the NASA sc	ientific and technic	al information	
database during accession year 198	18. The entries are	grouped by subject cat	egory. Indexes of	subject terms,	
personal authors, and NASA report r	numbers are provide	eu.			
				٠.	
17. Key Words (Suggested by Authors(s))		18. Distribution Statement			
Catalogs (Publications)		Unclassified - Unlin			
		Subject Category 8	2		
19. Security Classif. (of this report)	20. Security Classif. (	of this page)	21. No. of Pages	22. Price *	
Unclassified	Unclassified		58	Free	
	1				